

Engtex



ENGTEX INDUSTRIES SDN.BHD



ABOUT E-FENCE

Engtex Industries E-fence products are manufactured to MS144 (G500) specification; E fencing system comes together with pre-welded panels, bolt and nuts, U-clips and fence posts. E fence can be custom made to different finish such as hot dipped galvanized (BS EN ISO 1461:1999), colour powder coatings, Galfan (Zn95%; 5%Al) and etc.

We also provide value added service such as :

Fabricated gates (Double leaf & single gate) and sliding gates. With options of hot dip galvanized or epoxy coated.

Galvanized Posts – SHS / RHS / Ultragal pipes (round) that comes in different length, diameter and thickness.

Accessories – Stainless steel bolt & nuts, stainless steel U-clips, hot dipped galvanized steel caps and etc.

Key Advantages of E-fence products are as follows:

Bold and Elegant, enhance security and aesthetic value of the premise.

Environmentally friendly; as our products are manufactured using recyclable steel.

Superior service life span, rigid and durable compared to conventional fenceings.

Technologically advance welding and superior weld strength.

Special Galfan® Coated Wire for extra long life(coastal area/ industrial area)



Anti - Cut



Anti - Climb



Galfan Wire



Recyclable



Flexible Installation



Rigid



Certified to: MS 145 : 2006
Certification No : PE 025602

INFOR SHEET





SPECIFICATIONS

EMF A Series (50mm X 150mm)		
	Min Height	0.90m
	Max Height	2.10m
	Max Width	3.00m
	Anti Climb	
	Anti Cut	
	Boundary & Security 0.9-2.4m	✓
	Medium Security 1.8-2.4m	✓
	Maximum Security 3.0-5.0m	
Gate for Fabric	✓	

EMF B Series (75mm X 200mm)		
	Min Height	0.90m
	Max Height	2.40m
	Max Width	3.00m
	Anti Climb	
	Anti Cut	
	Boundary & Security 0.9-2.4m	✓
	Medium Security 1.8-2.4m	✓
	Maximum Security 3.0-5.0m	
Gate for Fabric		

EMF C Series (75mm X 150mm / 50mm X 150mm / 50mm X 200mm)		
	Min Height	1.20m
	Max Height	2.10m
	Max Width	3.00m
	Anti Climb	
	Anti Cut	
	Boundary & Security 0.9-2.4m	✓
	Medium Security 1.8-2.4m	✓
	Maximum Security 3.0-5.0m	
Gate for Fabric	✓	

EMF D Series (50mm X 150mm)		
	Min Height	1.20m
	Max Height	2.40m
	Max Width	3.00m
	Anti Climb	
	Anti Cut	
	Boundary & Security 0.9-2.4m	✓
	Medium Security 1.8-2.4m	✓
	Maximum Security 3.0-5.0m	
Gate for Fabric	✓	

EMF E Series (75mm X 12.5mm)		
	Min Height	1.20m
	Max Height	3.00m
	Max Width	2.625m
	Anti Climb	✓
	Anti Cut	✓
	Boundary & Security 0.9-2.4m	✓
	Medium Security 1.8-2.4m	✓
	Maximum Security 3.0-5.0m	✓
Gate for Fabric	✓	

EMF F Series (25mm X 75mm)		
	Min Height	1.20m
	Max Height	3.10m
	Max Width	2.475m
	Anti Climb	✓
	Anti Cut	✓
	Boundary & Security 0.9-2.4m	
	Medium Security 1.8-2.4m	✓
	Maximum Security 3.0-5.0m	
Gate for Fabric	✓	

* Other spacings & wire diameter are available upon request.

OUR PRODUCTS



Ceras



Selayang



Ceras



Puchong



Taman Melawati




Nilai




Kepong

INSTALLATIONS


STANDARD INSTALLATIONS



STANDARD ACCESSORIES



TYPES OF MOUNTING



ENGTEX INDUSTRIES SDN. BHD. (960738-A)

A member of Engtex Group Berhad - listed on the Main Market of KLSE

OFFICE : Lot 36, Jalan BRP 9/2B, Putra Industrial Park, Bukit Rahman Putra,
47000 Sungai Buloh, Selangor Darul Ehsan, Malaysia.
TEL: 603-6140 5928, 6140 1554 FAX: 603-6140 4545
EMAIL: kychow@engtex.com.my

www.engtexwire.com.my

FACTORY : Lot 443, Off Jalan Abdul Aziz, Batu 30, Jalan Kuala Selangor,
45600 Ijok, Selangor, Malaysia.
TEL: 603-3279 1888, 3279 3613 FAX: 603-3279 3163