

LESEN PENSIJILAN BARANGAN

Product Certification Licence



**SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to**

**ENGTEX SDN. BERHAD
LOT 36, JALAN BRP 9/2B
PUTRA INDUSTRIAL PARK
BUKIT RAHMAN PUTRA
47000 SUNGAI BULOH
SELANGOR, MALAYSIA**

**Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on**

MALLEABLE CAST IRON THREADED FITTING

Please refer to detail in the SCHEDULE

**sebagai mematuhi keperluan
as complying with**

BS EN 10242 : 1995



Nur Fadhilah binti Muhammad
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

ENGTEX SDN. BERHAD



SIRIM

Trade Mark	: MECH, ELSA.
Model	: EQUAL ELBOW (Material Grade: EN-GJMB-350-10)
Rating	: -20°C TO 120°C ~ 25BAR
Type	: SYMBOL = A1
Size	: 1/8", 1/4", 3/8", 1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3", 4", 5" & 6".
Model	: REDUCING ELBOW (Material Grade: EN-GJMB-350-10)
Rating	: -20°C TO 120°C ~ 25BAR
Type	: SYMBOL = A1
Size	: 3/4" X 1/2", 1" X 1/2", 1 X 3/4", 1 1/4" X 1/2", 1 1/4" X 3/4", 1 1/4" X 1", 1 1/2" X 3/4", 1 1/2" X 1", 2" X 1", 2 1/2" X 2".
Model	: MALE AND FEMALE STREET ELBOW (Material Grade: EN-GJMB-350-10)
Rating	: -20°C TO 120°C ~ 25BAR
Type	: SYMBOL = A4
Size	: 1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2".
Model	: 45° ELBOW (Material Grade: EN-GJMB-350-10)
Rating	: -20°C TO 120°C ~ 25BAR
Type	: SYMBOL = A1/45°
Size	: 1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2".
Model	: TEE (Material Grade: EN-GJMB-350-10)
Rating	: -20°C TO 120°C ~ 25BAR
Type	: SYMBOL = B1
Size	: 1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3", 4", 5" & 6".
Model	: TEES REDUCING ON THE BRANCH (Material Grade: EN-GJMB-350-10)
Rating	: -20°C TO 120°C ~ 25BAR
Type	: SYMBOL = B1
Size	: 3/4" X 1/2", 1" X 1/4", 1" X 3/8", 1" X 1/2", 1" X 3/4", 1 1/4" X 1/2", 1 1/4" X 3/4", 1 1/4" X 1", 1 1/2" X 1/2", 1 1/2" X 3/4", 1 1/2" X 1", 1 1/2" X 1 1/4", 2" X 1/2", 2" X 3/4", 2" X 1", 2" X 1 1/4", 2" X 1 1/2", 2 1/2" X 1/2", 2 1/2" X 3/4", 2 1/2" X 1", 2 1/2" X 1 1/4", 2 1/2" X 1 1/2", 2 1/2" X 2", 3" X 1/2", 3" X 3/4", 3" X 1", 3" X 1 1/4", 3" X 1 1/2", 3" X 2", 3" X 2 1/2", 4" X 1", 4" X 1 1/4", 4" X 1 1/2", 4" X 2", 4" X 2 1/2", 4" X 3".
Model	: SHORT BEND (Material Grade: EN-GJMB-350-10)
Rating	: -20°C TO 120°C ~ 25BAR
Type	: SYMBOL = D4
Size	: 1/2", 3/4", 1", 1 1/4", 1 1/2", 2".

SCHEDULE

ENGTEX SDN. BERHAD



Model : CROSSES (Material Grade: EN-GJMB-350-10)
 Rating : -20°C TO 120°C ~ 25BAR
 Type : SYMBOL = C1
 Size : 1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3", 4".

Model : SOCKET (Material Grade: EN-GJMB-350-10)
 Rating : -20°C TO 120°C ~ 25BAR
 Type : SYMBOL = M2
 Size : 1/4", 3/8", 1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3", 4".

Model : REDUCING SOCKET (Material Grade: EN-GJMB-350-10)
 Rating : -20°C TO 120°C ~ 25BAR
 Type : SYMBOL = M2
 Size : 3/4" X 1/2", 1" X 1/4", 1" X 3/8", 1" X 1/2", 1" X 3/4", 1 1/4" X 1/2", 1 1/4" X 3/4", 1 1/4" X 1", 1 1/2" X 1/2", 1 1/2" X 3/4", 1 1/2" X 1", 1 1/2" X 1 1/4", 2" X 1/2", 2" X 3/4", 2" X 1", 2" X 1 1/4", 2" X 1 1/2", 2 1/2" X 1/2", 2 1/2" X 3/4", 2 1/2" X 1", 2 1/2" X 1 1/4", 2 1/2" X 1 1/2", 2 1/2" X 2", 3" X 1/2", 3" X 3/4", 3" X 1", 3" X 1 1/4", 3" X 1 1/2", 3" X 2", 3" X 2 1/2", 4" X 1", 4" X 1 1/4", 4" X 1 1/2", 4" X 2", 4" X 2 1/2", 4" X 3".

Model : HEXAGON NIPPLE (Material Grade: EN-GJMB-350-10)
 Rating : -20°C TO 120°C ~ 25BAR
 Type : SYMBOL = N8
 Size : 1/4", 3/8", 1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3", 4", 5" & 6".

Model : HEXAGON NIPPLES REDUCING (Material Grade: EN-GJMB-350-10)
 Rating : -20°C TO 120°C ~ 25BAR
 Type : SYMBOL = N8
 Size : 1/2" X 1/4", 1/2" X 3/8", 3/4" X 3/8", 3/4" X 1/2", 1" X 1/2", 1" X 3/4", 1 1/4" X 1/2", 1 1/4" X 3/4", 1 1/4" X 1", 1 1/2" X 3/4", 1 1/2" X 1", 1 1/2" X 1 1/4", 2" X 1".

Model : BACKNUTS (Material Grade: EN-GJMB-350-10)
 Rating : -20°C TO 120°C ~ 25BAR
 Type : SYMBOL = P4
 Size : 1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3", 4".

Model : CAPS (Material Grade: EN-GJMB-350-10)
 Rating : -20°C TO 120°C ~ 25BAR
 Type : SYMBOL = T1
 Size : 1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3", 4".

SCHEDULE

ENGTEX SDN. BERHAD



SIRIM

Model : PLAIN PLUGS (Material Grade: EN-GJMB-350-10)
Rating : -20°C TO 120°C ~ 25BAR
Type : SYMBOL = T8
Size : 1/4", 3/8", 1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3", 4".

Model : UNIONS FLAT SEAT (Material Grade: EN-GJMB-350-10)
Rating : -20°C TO 120°C ~ 25BAR
Type : SYMBOL = U1
Size : 1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3", 4".

Model : BUSHING (Material Grade: EN-GJMB-350-10)
Rating : -20°C TO 120°C ~ 25BAR
Type : SYMBOL = N4
Size : 3/8" x 1/4", 1 1/2" x 1/2", 2" x 1", 4" x 3".

Factory Name and Location :
JINAN MEIDE CASTING CO. LTD.
NO. 3 NANMEN ROAD
PINGYIN
250400
JINNAN, CHINA

End of page
