

PROBE COMPATIBILITY

Award Winning Probe Interchangeability!










PosiTector bodies accept a variety of PosiTector probes easily converting from a coating thickness gage to a surface profile gage, dew point meter, soluble salt tester, hardness and ultrasonic thickness gage.








DeFelsko continuously improves and expands its PosiTector platform, and new probes sometimes require technologies that are not available on older gage bodies. The below chart is a quick reference to determine compatibility, based on the gage body serial number. This serial number is printed inside the battery compartment, and is also displayed on the Gage Info screen (Gage Menu > Settings > Gage Info).

Note: If an 'unsupported' message is displayed, and the chart indicates the probe and gage body are compatible, a **gage update** may be required.

	Current Models			Older Models (more)		

	 PosiTector Advanced Body	 PosiTector Standard Body	 PosiTector SmartLink	 PosiTector Advanced Body	 PosiTector Advanced Body	 PosiTector Standard Body
Serial Numbers	S/N 784,000+	S/N 780,321+		S/N 730,000 - 783,999	S/N 700,000 - 729,999	S/N 700,000 - 780,320
PosiTector 6000 	✓	✓	✓ *	✓	✓ *	✓ *
PosiTector 200 	✓	✓		✓	✓	✓
PosiTector DPM 	✓	✓	✓ **	✓	✓ **	✓ **
PosiTector IRT 	✓	✓		✓		
PosiTector						

<p>SPG</p> 	✓	✓	*** ✓	✓	✓	*** ✓
<p>PosiTector RTR H</p> 	✓	✓	✓	✓	✓	✓
<p>PosiTector RTR 3D</p> 	✓	✓				
<p>PosiTector SHD</p> 	✓	✓		✓		
<p>PosiTector BHI</p> 	✓	✓		✓		
<p>PosiTector UTG</p>	✓	✓		✓	✓	✓

						
<p>PosiTector SST</p> 						
<p>* Except PosiTector 6000 FNDS</p>						
<p>** Except PosiTector DPM IR, DPM-A and DPM-D</p>						
<p>*** Except PosiTector SPG-TS and SPG-CS</p>						