

There's nothing standard about the construction and performance of these standard tools. Every screwdriver we make provides the ultimate combination of comfort, power and versatility — no matter the length, thickness, tip style or handle size.

#### DESIGN TOUCHES THAT DRIVE THE ENTIRE INDUSTRY.

With an inner core that maximizes torque, a middle layer that provides impact and solvent resistance, and an outer layer of textured material that improves grip, comfort and turning power, our screwdrivers are built better inside and out. They're available in seven different tip type profiles, and feature shanks that are made from special alloy steel for the utmost strength and longevity. Our pry bars are also made from precision-forged, heat-treated steel and designed to provide maximum leverage, versatility and durability.



Combination Screwdriver Sets


Type	Handle	Set Contains:					
		SGDX80BR	SGDX80BO	SGDX80BG	SGDX60BR	SGDX60BO	SGDX60BG
Flat Tip Standard	Hard	SHD1R*	SHD1O*	SHD1G*			
	Soft	SGD2BR	SGD2BO	SGD2BG	SGD2BR	SGD2BO	SGD2BG
	Soft	SGD4BR	SGD4BO	SGD4BG	SGD4BR	SGD4BO	SGD4BG
	Soft	SGD6BR	SGD6BO	SGD6BG	SGD6BR	SGD6BO	SGD6BG
	Soft	SGD8BR	SGD8BO	SGD8BG			
PHILLIPS® Standard	Hard	SHDP22IRR	SHDP22IRO*	SHDP22IRG*			
	—	SHDP31RBR	SHDP31IRO	SHDP31IRG	SHDP31RBR	SHDP31IRO	SHDP31IRG
	—	SHDP42RBR	SHDP42IRO	SHDP42IRG	SHDP42RBR	SHDP42IRO	SHDP42IRG
	—	SHDP63RBR	SHDP63IRO	SHDP63IRG	SHDP63RBR	SHDP63IRO	SHDP63IRG

\*Does not include hex bolster.


**Soft Grip Handle Colors**

Red Orange Green  
R O G

ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS



Cabinet Type/Soft Handle, chrome



**Soft Grip Handle Colors**


Red Orange Green  
R O G

ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS

Type	Set Contains:								
	SGDXL80BR	SGDXL80BO	SGDXL80BG	SGDX40BR	SGDX40BO	SGDX40BG	SGDXXL20BR	SGDXXL20BO	SGDXXL20BG
Flat Tip Cabinet	Red	Orange	Green	Red	Orange	Green	Red	Orange	Green
	SGD146BR	SGD146BO	SGD146BG						
	SGD480BR	SGD480BO	SGD480BG						
	SGD4120BR	SGD4120BO	SGD4120BG						
PHILLIPS® Cabinet	SGD4160BR	SGD4160BO	SGD4160BG						
	SGDP61BR	SGDP61BO	SGDP61BG						
	SGDP82BR	SGDP82BO	SGDP82BG						
	SGDP122BR	SGDP122BO	SGDP122BG						
Flat Tip Mini-Tip				SGD304BR	SGD304BO	SGD304BG			
				SGD306BR	SGD306BO	SGD306BG			
PHILLIPS® Mini-Tip				SGDP300BR	SGDP300BO	SGDP300BG			
				SGDP301BR	SGDP301BO	SGDP301BG			
Extra Long							SGD424BR	SGD424BO	SGD424BG
							SGDP242BR	SGDP242BO	SGDP242BG




• Do not use screwdrivers as pry bars, chisels or punches  
• Read safety precautions on pages W1 to W4



SHDX80R



SHDX600



GSHDX80R



SHDXL800



SHDX40G

**Standard/Hard Handle, chrome**

Set Contains:	SHDX80R	SHDX80O	SHDX80G	SHDX60R	SHDX60O	SHDX60G
	Red	Orange	Green	Red	Orange	Green
Flat Tip Standard	SHD1R*	SHD1O*	SHD1G*			
	SHD2R	SHD2O	SHD2G	SHD2R	SHD2O	SHD2G
	SHD4R	SHD4O	SHD4G	SHD4R	SHD4O	SHD4G
	SHD6R	SHD6O	SHD6G	SHD6R	SHD6O	SHD6G
	SHD8	SHD8	SHD8			
PHILLIPS® Standard	SHDP22IRR*	SHDP22IRO*	SHDP22IRG*			
	SHDP31IRR	SHDP31IRO	SHDP31IRG	SHDP31IRR	SHDP31IRO	SHDP31IRG
	SHDP42IRR	SHDP42IRO	SHDP42IRG	SHDP42IRR	SHDP42IRO	SHDP42IRG
	SHDP63IRR	SHDP63IRO	SHDP63IRG	SHDP63IRR	SHDP63IRO	SHDP63IRG

\*Does not include hex bolster.

**Hard Grip Handle Colors**



ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS

**Standard/Hard Handle**

Set Contains:	GSHDX80R	SHDXL80O	SHDX40R	SHDX40O	SHDX40G
	Red	Orange	Red	Orange	Green
Flat Tip Industrial Finish Shank	GSHD1R**				
	GSHD2R				
	GSHD4R				
	GSHD6R				
	GSHD8R				
PHILLIPS® Tip Industrial Finish Shank	GSHDP22IRR*				
	GSHDP31R				
	GSHDP42R				
Flat Tip Cabinet		SHD1460			
		SHD41200			
		SHD41600			
		SHD4800			
PHILLIPS® Tip Cabinet		SHDP610			
		SHDP820			
		SHDP1220			
		SHDP1620			
Flat Tip Mini Tip			SHD304R	SHD304O	SHD304G
			SHD306R	SHD306O	SHD306G
PHILLIPS® Tip Mini Tip			SHDP300R	SHDP300O	SHDP300G
			SHDP301R	SHDP301O	SHDP301G


\*Does not include hex bolster.

\*\*Industrial Finish

**Hard Grip Handle Colors**



ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS



SGD2BR

**— Standard/Soft Handle, chrome**

Red	Orange	Green	A	B	C	D
SGD2BR	SGD2BO	SGD2BG	.035	7/32	2-13/16	6-15/16
SGD4BR	SGD4BO	SGD4BG	.040	1/4	3-15/16	8-27/32
SGD6BR	SGD6BO	SGD6BG	.050	5/16	5-15/16	10-27/32
SGD8BR	SGD8BO	SGD8BG	.055	3/8	7-29/32	13-13/32
SGD10BR	SGD10BO	SGD10BG	.055	3/8	10	15-7/16

**SGDS50BG 5 pc Flat Tip Instinct® Soft Grip Screwdriver Set**

- Includes SGD2BG, SGD4BG and SGD6BG Flat Tip Screwdrivers plus SGD304BG and SGD306BG Miniature Flat Tip Screwdrivers

**SGDS50BO 5 pc Flat Tip Instinct® Soft Grip Screwdriver Set**

- Includes (3) flat tip screwdrivers and (2) miniature flat tip screwdrivers

**SGDS50BR 5 pc Flat Tip Instinct® Soft Grip Screwdriver Set**

- Includes (3) flat tip screwdrivers and (2) miniature flat tip screwdrivers



SGD306BR

**— Mini Tip/Soft Handle, chrome**

Red	Orange	Green	A	B	C	D
SGD304BR	SGD304BO	SGD304BG	.020	1/8	3	5-7/8
SGD306BR	SGD306BO	SGD306BG	.030	3/16	3	5-7/8



SGD480BR

**— Cabinet Type/Soft Handle, chrome**

Red	Orange	Green	A	B	C	D
SGD146BR	SGD146BO	SGD146BG	.030	3/16	5-13/16	10-1/8
SGD1410BR	SGD1410BO	SGD1410BG	.032	3/16	10	14-5/32
SGD1416BR	SGD1416BO	SGD1416BG	.032	3/16	16	20-5/32
SGD480BR	SGD480BO	SGD480BG	.032	1/4	7-15/16	12-3/4
SGD4100BR	SGD4100BO	SGD4100BG	.032	1/4	9-15/16	14-3/4
SGD4120BR	SGD4120BO	SGD4120BG	.032	1/4	11-15/16	16-3/4
SGD4160BR	SGD4160BO	SGD4160BG	.032	1/4	15-15/16	20-3/4



SGDS50BR

**Hard Grip Handle Colors**



ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS



SGD424BG

**— Extra Long/Soft Handle, industrial finish**

Red	Orange	Green	A	B	C	D
SGD424BR	SGD424BO	SGD424BG	.046	1/4	24	28-3/4



SHD6R

**— Standard/Hard Handle, chrome**

Red	Orange	Green	A	B	C	D
SHD1R*	SHD1O*	SHD1G*	.040	1/4	1-7/8	3-3/4
SHD2R	SHD2O	SHD2G	.035	7/32	2-13/16	6-15/16
SHD4R	SHD4O	SHD4G	.040	1/4	3-15/16	8-27/32
SHD6R	SHD6O	SHD6G	.050	5/16	5-15/16	10-27/32
SHD8R	SHD8O	SHD8G	.055	3/8	7-29/32	13-13/32
SHD10R	SHD10O	SHD10G	.055	3/8	10	15-7/16

\*Does not include hex bolster.



SHD304R

**Mini Tip/Hard Handle, chrome**

Red	Orange	Green	A	B	C	D
SHD304R	SHD304O	SHD304G	.018	1/8	3	5-7/8
SHD306R	SHD306O	SHD306G	.030	3/16	3	5-7/8



GSHD4R

**— Standard/Hard Handle, industrial finish**

Industrial/Red	A	B	C	D
GSHD1R*	.037	1/4	1-1/2	3-3/4
GSHD2R	.032	7/32	2-7/8	7
GSHD4R	.037	1/4	4	8-7/8
GSHD6R	.046	5/16	6	10-27/32
GSHD8R	.050	3/8	8	13-13/32

\*Does not include hex bolster.



SHD41600

**Cabinet Type/Hard Handle, chrome**

Orange	A	B	C	D
SHD146O	.030	.210 (3/16)	3/16	6
SHD480O	.032	1/4	1/4	8
SHD4120O	.032	1/4	1/4	12
SHD4160O	.032	1/4	1/4	16



**WARNING**



- Do not use screwdrivers as pry bars, chisels or punches
- Read safety precautions on pages W1 to W4

## FLAT TIP/POCKET AND SPARK TEST



SDD2040

### — Pocket, chrome

Stock No.	Type	Description	A	D
SDD2040	Pocket	Flat Tip Pocket Screwdriver	.025	4-3/4
SDD2240*	Pocket	Flat Tip Pocket Distributor Screwdriver	.025	4-3/4


\*Magnet on handle



SDD214

### — Spark Test, chrome


Stock No.	Type	Description	A	D
SDD214	Spark Test	Flat Tip Spark Test Screwdriver	.025 x 1/8	5-1/8



## SOFT HANDLE PHILLIPS® INSTINCT®



SGDP42IRBR



### ✦ Standard/Soft Handle, chrome

Red	Orange	Green	A	B	C	D
SGDP31IRBR	SGDP31IRBO	SGDP31IRBG	#1	3/16	2-31/32	7-1/8
SGDP42IRBR	SGDP42IRBO	SGDP42IRBG	#2	1/4	3-31/32	8-7/8
SGDP62IRBR	SGDP62IRBO	SGDP62IRBG	#2	1/4	6	10-7/8
SGDP63IRBR	SGDP63IRBO	SGDP63IRBG	#3	5/16	6	10-13/16
SGDP64IRBR	SGDP64IRBO	SGDP64IRBG	#4	3/8	6	11-1/2
SGDP84BR	SGDP84BO	SGDP84BG	#4	3/8	8	15-5/8



SGDP82BR

### ✦ Cabinet Type/Soft Handle, chrome

Red	Orange	Green	A	B	C	D
SGDP101BR	SGDP101BO	SGDP101BG	#1	3/16	6	10
SGDP102BR	SGDP102BO	SGDP102BG	#2	1/4	8	13
SGDP122BR	SGDP122BO	SGDP122BG	#2	1/4	16	21
SGDP162BR	SGDP162BO	SGDP162BG	#2	1/4	12	17
SGDP61BR	SGDP61BO	SGDP61BG	#2	1/4	9-3/8	14-1/4
SGDP82BR	SGDP82BO	SGDP82BG	#1	3/16	10	14-1/8

### SGDP50BG 5 pc Phillips® Instinct® Soft Grip Screwdriver Set

- Includes SGDP31IRBG, SGDP42IRBG and SGDP63IRBG Phillips® Tip Screwdrivers plus SGDP300BG and SGDP301BG Miniature Phillips® Tip Screwdrivers (5 pc)

### SGDP50BO 5 pc Phillips® Instinct® Soft Grip Screwdriver Set

- Includes SGDP31IRBO, SGDP42IRBO and SGDP63IRBO Phillips® Tip Screwdrivers plus SGDP300BO and SGDP301BO Miniature Phillips® Tip Screwdrivers (5 pc)


### SGDP50BR 5 pc Phillips® Instinct® Soft Grip Screwdriver Set

- Includes SGDP31IRBR, SGDP42IRBR and SGDP63IRBR Phillips® Tip Screwdrivers plus SGDP300BR and SGDP301BR Miniature Phillips® Tip Screwdrivers (5 pc)

#### Hard Grip Handle Colors



ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS



SGDP50BR



SGDP300BR

### ✦ Mini Tip/Soft Handle, chrome

Red	Orange	Green	A	B	C	D
SGDP300BR	SGDP300BO	SGDP300BG	#0	1/8	3	6
SGDP301BR	SGDP301BO	SGDP301BG	#1	3/16	3	6



SGDP216BR

### ✦ Extra Long/Soft Handle

Red	Orange	Green	A	B	C	D
SGDP116BR	SGDP116BO	SGDP116BG	#1	3/16	16	20-5/32
SGDP216BR	SGDP216BO	SGDP216BG	#2	3/16	16	20-5/32
SGDP242BR	SGDP242BO	SGDP242BG	#2	1/4	24	28-3/4



SGDDP50BR


### Diamond Tip

- Diamond particles "bite" into fasteners which minimizes slipping
- Diamond particles are extremely hard for long lasting performance and minimal wear
- Hex shape blades allow a wrench to be used for higher torque applications
- Tip identifier on the crown helps to quickly identify the needed tool

Red	A	B	C	D	Blade	
SGDDP31IRBR	#1	.197	3	7-5/32	SSDDP31RB	•
SGDDP42IRBR	#2	.236	4	8-29/32	SSDDP42RB	•
SGDDP61IRBR	#1	.197	6	10-5/32	SSDDP61RB	•
SGDDP62IRBR	#2	.236	6	10-29/32	SSDDP62RB	•
SGDDP63IRBR	#3	.315	5-3/4	10-5/8	SSDDP63RB	•

Set Contains:

SGDDP50BR



## ✦ Standard/Hard Handle, chrome

Red	Orange	Green	A	B	C	D
SHDP22IRR*	SHDP22IRO*	SHDP22IRG*	#2	1/4	1-5/8	3-1/2
SHDP31IRR	SHDP31IRO	SHDP31IRG	#1	3/16	2-31/32	7-1/8
SHDP42IRR	SHDP42IRO	SHDP42IRG	#2	1/4	3-31/32	8-7/8
SHDP62IRR	SHDP62IRO	SHDP62IRG	#2	1/4	6	10-13/32
SHDP63IRR	SHDP63IRO	SHDP63IRG	#3	5/16	5-29/32	10-13/16
SHDP64IRR	SHDP64IRO	SHDP64IRG	#4	3/8	6	11-1/2

\*Does not include hex bolster.



## ✦ Standard/Hard Handle, industrial finish

Industrial/Red	A	B	C	D
GSHDP22IRR*	#2	1/4	1-1/2	3-3/4
GSHDP31R	#1	3/16	3	7-1/4
GSHDP42R	#2	1/4	4	8-7/8

\*Does not include hex bolster.



## ✦ Cabinet Type/Hard Handle, chrome

Chrome/Orange	A	B	C	D
SHDP610	#1	3/16	6	10-1/4
SHDP820	#2	1/4	8	12-7/8
SHDP1220	#2	1/4	12	16-3/4
SHDP1620	#2	1/4	16	20-3/4



## MINI TIP AND POCKET **INSTINCT**



### ✦ Mini Tip/Hard Handle, chrome

Orange	Red	Green	A	B	C	D
SHDP3000	SHDP300R	SHDP300G	#0	1/8	3	5-13/16
SHDP3010	SHDP301R	SHDP301G	#1	3/16	3	5-13/16



### ✦ Pocket, chrome

Orange	A	B	C	D
SDDP204B0	#1	1/8	2	4-7/8

## SOFT GRIP Blue-Point®

### Soft Grip Combination Sets


	Stock No.	Tip Size	Blade Length, inches	Length, inches	Set Contains:
Flat Tip	BSGD3	1/8	3	6-1/2	•
	BSGD4	7/32	5	9	•
	BSGD5	1/4	6	10-1/4	•
	BSGD6	5/16	7	11-1/4	•
	BSGD7	3/8	8	12-3/8	•
Phillips®	BSGDP41	#1	4	8	•
	BSGDP52	#2	5	9-1/4	•

BSGDx70  
Set Contains:



• Do not use screwdrivers as pry bars, chisels or punches  
• Read safety precautions on pages W1 to W4

**ELECTRONIC SERVICE**



SSDEP61C

**Electronic Thin Blade/Flat Tip**

**Flat Tip Electronic Thin Blade Screwdriver**

- Handles have recessed ends for fingertip pressure

Stock No.	A	B	C	D
SSDE42C	.018 x 1/8	1/8	2	5-5/16
SSDE43C	.018 x 1/8	1/8	3	6-5/16
SSDE44C	.018 x 1/8	1/8	4	7-5/16
SSDE46C	.018 x 1/8	1/8	6	9-5/16
SSDE48C	.018 x 1/8	1/8	8	11-5/16
SSDE63C	.030 x 3/16	3/16	3	9-9/16
SSDE64C	.028 x 3/16	3/16	4	7-9/16
SSDE66C	.030 x 3/16	3/16	6	6-9/16
SSDE68C	.028 x 3/16	3/16	8	11-9/16
SSDE610C	.030 x 3/16	3/16	10	13-9/16
SSDEP30C	#0	1/8	3	6-3/8
SSDEP31C	#1	3/16	3	6-5/8
SSDEP61C	#1	3/16	6	9-5/8



SSDE33C

**Potentiometer Adjuster, chrome**

Stock No.	A	B	C	D
SSDE33C	.015 x 3/32	3/32	3	5-9/16



SGDEH70ESD

**Electronic Miniature/Hex**

Set Contains:

Stock No.	A	B	C	D
SGDEH304ESD	1/16	3/32	2	5-1/2
SGDEH306ESD	3/32	1/8	3	6-1/2
SGDEH307ESD	7/64	3/16	3	6-1/2
SGDEH315ESD	1.5 mm	3/32	2	5-1/2
SGDEH320ESD	2 mm (5/64")	3/32	2	5-1/2
SGDEH325ESD	2.5 mm	3/32	3	6-1/2
SGDEH330ESD	3 mm	3/16	3	6-1/2

Storage case included.



SGDE70ESD

**Electronic Miniature**

- Made with electrostatic dissipative (ESD) safe material that protects against the transfer of static charges; important when working around sensitive electronic components that can be damaged by static charges.
- ESD mark on each tool
- Blade tip finish is industrial black
- Rotating handle for detail work

**Electronic Miniature**

Set Contains:

	Stock No.	A	B	C	D
Flat Tip	SGDE215ESD	1.5 mm	1/8	2	5-1/2
	SGDE220ESD	2 mm	3/32	2	5-3/4
	SGDE225ESD	2.5 mm	3/32	2	5-3/4
	SGDE230ESD	3 mm	1/8	2	5-3/4
Phillips®	SGDEP200ESD	#00	1/8	2	5-3/4
	SGDEP20ESD	#0	1/8	2	5-3/4
	SGDEP21ESD	#1	3/16	3	6-1/2

Storage case included.



SGDET70ESD

**Electronic Miniature/TORX®**

Set Contains:

Stock No.	A	B	C	D
SGDET26ESD	T6	1/8	2	5-1/2
SGDET27ESD	T7	1/8	2	5-1/2
SGDET28ESD	T8	1/8	2	5-1/2
SGDET29ESD	T9	1/8	2	5-1/2
SGDET210ESD	T10	1/8	2	5-1/2
SGDET215ESD	T15	3/16	3	6-1/2
SGDET220ESD	T20	3/16	3	6-1/2

Storage case included.



SGDEL40ESD

**Electronic Miniature/Long**

Set Contains:


Stock No.	A	B	C	D
SGDEL8ESD	—	1/8	8	11-3/8
SGDELP8ESD	#0	1/8	8	11-3/8
SGDEL10ESD	—	3/16	10	13-3/8
SGDELP10ESD	#1	3/16	10	13-3/8

**Standard/Soft Handle, chrome**

- Designed for internal type TORX® fasteners commonly used in automotive and industrial applications

Set Contains:  
 SGD TX90BR / SGD TX90BO / SGD TX90BG / SGD TX30BR / SGD TX30BO / SGD TX30BG

Red	Orange	Green	A	B	C	D	Red	Orange	Green	Red
SGD TX38BR	SGD TX38BO	SGD TX38BG	T8	3/16	3	7-1/4	•	•	•	
SGD TX310BR	SGD TX310BO	SGD TX310BG	T10	3/16	3	7-1/4	•	•	•	
SGD TX315BR	SGD TX315BO	SGD TX315BG	T15	3/16	3	7-1/4	•	•	•	•
SGD TX320BR	SGD TX320BO	SGD TX320BG	T20	3/16	3	7-1/4	•	•	•	•
SGD TX425BR	SGD TX425BO	SGD TX425BG	T25	1/4	4	8-7/8	•	•	•	•
SGD TX427BR	SGD TX427BO	SGD TX427BG	T27	1/4	4	8-7/8	•	•	•	•
SGD TX430BR	SGD TX430BO	SGD TX430BG	T30	1/4	4	8-7/8	•	•	•	•
SGD TX640BR	SGD TX640BO	SGD TX640BG	T40	5/16	6	10-7/8	•	•	•	
SGD TX645BR	SGD TX645BO	SGD TX645BG	T45	5/16	6	10-7/8	•	•	•	



SGD TX90BR

**Hard Grip Handle Colors**



ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS

**Long/Soft Handle, chrome**

- Offers more torque with less cam-out
- Longer exposed lengths provide access to difficult to reach fasteners such as head/tail light assemblies
- Thin blade diameters provide optimal clearance yet alloy offers strength to handle torque/turning force

Set Contains:  
 SGD TXL70BR / SGD TXL70BO / SGD TXL70BG

Red	Orange	Green	A	B	C	D	Red	Orange	Green
SGD TX1008BR	SGD TX1008BO	SGD TX1008BG	T8	3/16	10	14-1/8	•	•	•
SGD TX1010BR	SGD TX1010BO	SGD TX1010BG	T10	3/16	10	14-1/8	•	•	•
SGD TX1015BR	SGD TX1015BO	SGD TX1015BG	T15	3/16	10	14-1/8	•	•	•
SGD TX1020BR	SGD TX1020BO	SGD TX1020BG	T20	3/16	10	14-1/8	•	•	•
SGD TX1225BR	SGD TX1225BO	SGD TX1225BG	T25	1/4	12	16-7/8	•	•	•
SGD TX1227BR	SGD TX1227BO	SGD TX1227BG	T27	1/4	12	16-7/8	•	•	•
SGD TX1230BR	SGD TX1230BO	SGD TX1230BG	T30	1/4	12	16-7/8	•	•	•



SGD TXL70BR

**POZIDRIV®**

**SGD Z42BR Pozidriv® Instinct® Soft Grip Screwdriver**

- Tips have wedges for a tight fit on Pozidriv® fasteners
- Phillips® tip drivers should not be used on Pozidriv® fasteners as they will ride out of the recess and round tool and screw recess corners



SGD Z42BR

**Mini-Tip/Soft Handle, chrome**

- Designed for internal type TORX® fasteners commonly used in automotive and industrial industries

Set Contains:  
 SGT X40BR / SGT X40BO / SGT X40BG

Red	Orange	Green	A	B	C	D	Red	Orange	Green
SGD T308BR	SGD T308BO	SGD T308BG	T8	3/16	3	5-7/8	•	•	•
SGD T310BR	SGD T310BO	SGD T310BG	T10	3/16	3	5-7/8	•	•	•
SGD T315BR	SGD T315BO	SGD T315BG	T15	3/16	3	5-7/8	•	•	•
SGD T320BR	SGD T320BO	SGD T320BG	T10	3/16	3	5-7/8	•	•	•



SGT X40BR

**Tamper Resistant/Soft Handle, chrome**

- Hole in the end of each bit tip fits over center peg in TORX® tamper resistant fasteners

Set Contains:  
 SGD TRX50BR

Red	A	B	C	D	Red
SGD TRX315BR	T15	3/16	3	7-1/4	•
SGD TRX320BR	T20	3/16	3	7-1/4	•
SGD TRX425BR	T25	1/4	4	8-7/8	•
SGD TRX427BR	T27	1/4	4	8-7/8	•
SGD TRX430BR	T30	1/4	4	8-7/8	•




SGD TRX50BR



• Do not use screwdrivers as pry bars, chisels or punches  
 • Read safety precautions on pages W1 to W4




**TORX® TIP SOFT HANDLE**  **INSTINCT®**



SGDTRXL70BR

**Tamper Resistant/Soft Handle/Long, chrome**


- Hole in the end of each bit tip fits over center peg in TORX® tamper resistant fasteners
- Common uses include door and interior trim panels, headlight assemblies and switch modules



Set Contains:

Red	A	B	C	D	Red
SGDTRX608BR	T8	3/16	6	10	•
SGDTRX610BR	T10	3/16	6	10	•
SGDTRX615BR	T15	3/16	6	10	•
SGDTRX620BR	T20	3/16	6	10	•
SGDTRX825BR	T25	1/4	8	12-3/4	•
SGDTRX827BR	T27	1/4	8	12-3/4	•
SGDTRX830BR	T30	1/4	8	12-3/4	•

SGDTRXL70BR



SGTRXL40BR

**Tamper Resistant/Soft Handle/Long Mini-Tip, chrome**


- Hole in the end of each bit tip fits over center peg in TORX® tamper resistant fasteners

Set Contains:

Red	A	B	C	D	Red
SGDTR608B	T8	3/16	6	8-7/8	•
SGDTR610B	T10	3/16	6	8-7/8	•
SGDTR615B	T15	3/16	6	8-7/8	•
SGDTR620B	T20	3/16	6	8-7/8	•


SGTRXL40BR

**TORX® TIP HARD HANDLE**  **INSTINCT®**



SHDTX900

**Standard/Hard Handle, chrome**



Set Contains:

Orange	A	B	C	D	Orange
SHDTX380	T8	3/16	3	7-1/4	•
SHDTX3100	T10	3/16	3	7-1/4	•
SHDTX3150	T15	3/16	3	7-1/4	•
SHDTX3200	T20	3/16	3	7-1/4	•
SHDTX4250	T25	1/4	4	8-7/8	•
SHDTX4270	T27	1/4	4	8-7/8	•
SHDTX4300	T30	1/4	4	8-7/8	•
SHDTX6400	T40	5/16	6	10-7/8	•
SHDTX6450	T45	5/16	6	10-7/8	•


SHDTX900

**SPECIAL APPLICATION**



ST50A

**90° Offset, chrome**



Set Contains:

Stock No.	Product Type	A	B	
120SSDP	PHILLIPS®	#1 and #2	4-3/4	•
340SSDP	PHILLIPS®	#3 and #4	6	•
10SSD	Flat Tip	.040 x 1/4	4	•
20SSD	Flat Tip	.050 x 5/16	4-11/16	•
30SSD	Flat Tip	.060 x 3/8	5-1/2	•


ST50A

# SPECIAL APPLICATION

SCREWDRIVERS

## Ball Hex Tip/Soft Handle, Metric


			Set Contains:						
			SGABM900BR		SGABM900BO		SGABM900BG		
Red	Orange	Green	A	B	C	D	Red	Orange	Green
SGABM20BR	SGABM20BO	SGABM20BG	2	1/8	3	5.83	•	•	•
SGABM25BR	SGABM25BO	SGABM25BG	2.5	1/8	3	5.83	•	•	•
SGABM30BR	SGABM30BO	SGABM30BG	3	3/16	3	7.15	•	•	•
SGABM40BR	SGABM40BO	SGABM40BG	4	3/16	3	7.15	•	•	•
SGABM50BR	SGABM50BO	SGABM50BG	5	3/16	3	7.15	•	•	•
SGABM60BR	SGABM60BO	SGABM60BG	6	5/16	4	8.9	•	•	•
SGABM70BR	SGABM70BO	SGABM70BG	7	5/16	6	10.9	•	•	•
SGABM80BR	SGABM80BO	SGABM80BG	8	5/16	6	10.9	•	•	•
SGABM100BR	SGABM100BO	SGABM100BG	10	3/8	8	13.5	•	•	•



SGABM900BR

## Ball Hex Tip/Soft Handle, SAE

			Set Contains:						
			SGAB1000BR		SGAB1000BO		SGAB1000BG		
Red	Orange	Green	A	B	C	D	Red	Orange	Green
SGAB6BR	SGAB6BO	SGAB6BG	3/32	1/8	3	5.83	•	•	•
SGAB7BR	SGAB7BO	SGAB7BG	7/64	1/8	3	5.83	•	•	•
SGAB8BR	SGAB8BO	SGAB8BG	1/8	3/16	3	7.15	•	•	•
SGAB9BR	SGAB9BO	SGAB9BG	9/64	3/16	3	7.15	•	•	•
SGAB10BR	SGAB10BO	SGAB10BG	5/32	3/16	3	7.15	•	•	•
SGAB12BR	SGAB12BO	SGAB12BG	3/16	3/16	3	7.15	•	•	•
SGAB14BR	SGAB14BO	SGAB14BG	7/32	5/16	4	8.9	•	•	•
SGAB16BR	SGAB16BO	SGAB16BG	1/4	5/16	4	8.9	•	•	•
SGAB20BR	SGAB20BO	SGAB20BG	5/16	5/16	6	10.9	•	•	•
SGAB24BR	SGAB24BO	SGAB24BG	3/8	3/8	8	13.5	•	•	•



SGAB1000BR

**Hard Grip Handle Colors**  
  
 Red Orange Green  
 R O G  
 ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS

## DZUS® Fastener, chrome

• For Dzus® type fasteners used in aircraft and auto racing applications

Stock No.	Tip Thickness, inches	Tip Width, inches	Blade Length Exposed, inches	Length, inches
S6180	3/64	3/64	2	6-13/32
S6189	1/32	19/64	2	5-47/64



S6180

S6189

## Reversible Blade Screwdriver and Sets

		Set Contains:	
		SDDD101	SDDD41
Stock No.	Description		
SDMDP1S4	PH#1/S4 bit	•	
SDMP2S4	PH#2/S4 bit	•	
SDMDT10T15	T10/T15 bit	•	
SDMDT20T25	T20/T25 bit	•	
SDDD-1	Tube	•	•
SDMD4P1S4	PH#1/S4 bit		•
SDMD4P2S4	PH#2/S4 bit		•



SDDD101

### SDDD101 Reversible Blade Screwdriver Set

- Includes (4) reversible bits for (8) different tip sizes: 1/4" and 3/16" flat tips, Phillips® #1 and #2 tips, TORX® T15, T20, T25 and T30 tips
- Individual 1/4" and 5/16" nut drivers
- Durable, classic hard handle is textured for a sure grip

### SDDD41 Reversible Blade Screwdriver Set

- Includes two reversible bits for four different tip sizes: 9/32" and 13/64" flat tip, #1 and #2 Phillips® tip
- Durable, classic hard handle is textured for a sure grip



SDDD41



• Do not use screwdrivers as pry bars, chisels or punches  
 • Read safety precautions on pages W1 to W4

**SPECIAL APPLICATION**



CM6551A

**Miniature, chrome**

**CM6551A 5 pc Miniature Screwdriver Set**

- Includes four blades in the following flat tip sizes: .055", .070", .080" and .100"
- Includes awl and plastic pouch



S6560

**TORX® Insert Bits**

**S6560 T60 TORX® Bit**

- Small diameter shaft can clear ABS tone ring and still engage bolt heads
- Ball and spring retention keeps sockets secure
- 4.6" long T60 TORX® with 9/16" hex on other end for use with a socket or wrench
- Can be used with other sockets for optimum positioning
- Rated for use with an impact tool



SDDDM1AR

**Pocket Screwdrivers with Reversible Bit**

Green	Orange	Red	Replacement Bit
SDDDM1AG	SDDDM1AO	SDDDM1AR	SDM3D24



SGDQ16KT

**Pop-up Screwdriver and Diamond Bit Set**

**SGDQ16KT Screwdriver Kit**

- Easy-to-use, spring-loaded shank can adjust to different lengths for clearance as well as compact storage
- Shank can be fully released to allow use with cordless drills
- Highly engineered collet incorporates both a magnetic and mechanical locking system to securely hold bits
- Rotating collet sleeve for spinning when quickly setting/removing fasteners
- Diamond particles bite into fasteners which minimizes cam-out and stripping
- Kit includes: SGDQ6 Pop up Screwdriver, SDMD221, SDMD223 Phillips® Diamond Bits (#1, #2, #3), SDMD213 Flat Tip Diamond Bit, SDMDT10, SDMDT30 TORX® Diamond Bits (T10-T30) and SDMD321, SDMD323 Power Phillips® Diamond Bits (#1, #2, #3) in PAKSCO62 Nylon Pouch

**SGDQ6 Pop Up Shank Screwdriver**



SDDR40

**Square Tip**

- Square tip screwdrivers offer excellent fastener engagement
- Tips are precision cut and vapor blasted for optimal grip
- Intended for use on #3 through #12 square tip fasteners

Set Contains: SDDR40

Stock No.	Color	Tip	C	D	
SDDROB30Y	Yellow	#0	3	6-21/32	•
SDDROB31G	Green	#1	3	6-21/32	•
SDDROB42R	Red	#2	4	8-13/32	•
SDDROB43	Black	#3	4	8-13/32	•



SSF1



SSFP1



SSFP2


**Low Profile Screwdrivers**

- Screwdriver provides ability to turn screws in extremely limited access areas where other products cannot reach
- Special alloy steel screwdriver bits are the shortest bits possible (10mm) but still allow for full engagement of the screw
- Heat treated contoured handle for comfort and ease of use
- Flat, low profile design fits in extremely tight areas
- Applications include automotive, marine, small engine, motorcycle assembly, aviation and aerospace
- Tether hole in handle to help prevent FOD (Foreign Object Damage)

Stock No.	Description	Length, inches
SSFP1	#1 PHILLIPS® Tip	4.27
SSFP2	#2 PHILLIPS® Tip	4.27
SSF1	Flat Tip	4.27

**Marine Plug Screwdriver**

- Intended for use on marine plugs and other large-slotted fasteners requiring high torque
- SGD155 series features a large hex bolster for wrench-assisted turning



Red	Orange	Green	A	B	C	D
SGD153BR	—	—	.050	3/8	2-3/4	8-1/4
SGD155CR	SGD155CO	SGD155CG	.050	1/2	2-29/32	10-3/8



SGD153BR



SGD155CR

**Push-Pull Spring Tools**

- Designed to securely hold and maneuver small to medium size springs
- Deep V-groove tip and C-groove capture prevents spring from sliding off
- Thicker shank versus picks
- Comfortable, durable acetate handle
- Use to remove light-duty to medium-duty compression or extension springs, door springs, latch springs, deck tensioner and stabilizer springs on tractors/mowers, brake adjuster springs and throttle return springs
- Use to move/position thick gauge wire and harnesses, to pull cotter pins/latch pins and for recessed can lights with internal springs
- Important: These spring tools are non-insulated and should only be used in non-energized applications

Red	Orange	Green	A	B	C	D
SPRG618R	SPRG618O	SPRG618G	3/32	3/16	5-29/32	9-9/16
SPRG625R	SPRG625O	SPRG625G	7/64	1/4	5-29/32	10-5/16




SPRG618O



SPRG625O

**POZIDRIV® HARD HANDLE *INSTINCT***



**POZIDRIV® Standard/Hard Handle, chrome**

- Walls on tips are less tapered than Phillips® tips
- Tips have wedges for a tight fit on Pozidriv® fasteners
- Important: Phillips® tip drivers should not be used on Pozidriv® fasteners (and vice versa), as they will ride out of the recess and round tool and screw recess corners

Set Contains: SHDZ40R

Stock No.	A	B	C	D	
SHDZ22R	#2	1/4	1-1/2	3-3/4	
SHDZ31R	#1	3/16	3	7-1/4	•
SHDZ42R	#2	1/4	4	8-7/8	•
SHDZ63R	#3	5/16	6	10-7/8	•
SHDZ84R	#4	3/8	8	13-7/16	•



SHDZ40R

**RATCHETING SCREWDRIVERS Blue-Point®**

**Ratcheting (Blue-Point®)**

**BSGDMR6 6-Bit Ratcheting Standard Screwdriver (Blue-Point®)**

- 45-tooth ratcheting mechanism ensures precise positioning and movement
- Bits are stored in a bit magazine inside the handle
- Includes (6) 1/4" hex bits: flat tip (4.5 and 5.5), Phillips® (#1 and #2) and TORX® (T15 and T20)
- Bits are a consumable and carry no warranty



BSGDMR6



- Do not use screwdrivers as pry bars, chisels or punches
- Do not use "cheater bars" on handles
- Read safety precautions on pages W1 to W4

# RATCHETING SCREWDRIVERS/SOFT GRIP HANDLE SYSTEM



Red, orange or green – pick your preference with a complete screwdriver from the Soft Grip Ratcheting Screwdriver System. Perfectly matched combinations of magnetic bit holding shanks and handles means a perfect match to the technician’s particular requirements.



SGDMRCE44



SGDMRC44BO



SGDMRC11AO

## SGD Series Screwdrivers Feature:

- High-quality, interchangeable knurled stainless steel shanks
- Strong magnetic bit retention
- Smooth ratcheting mechanism (U.S. Patent 7,213,491)
- Soft, solvent-resistant handle material provides a comfortable, non-slip surface (Patent 421,888)
- “Thumbs Up” forward/lock/reverse lever for easy directional changes

## All Handles

- Soft, solvent-resistant cover material to provide a positive gripping surface
- “Thumbs up” forward/reverse lever for quick directional changes
- High quality knurled stainless steel shanks
- Contoured thumb stop at base of handle helps user apply maximum pressure to the fastener
- Smooth ratcheting mechanism
- Use with any SGDMRC series interchangeable blades and shanks
- Patented ergonomic handle shape provides comfort and control
- Comfort crown of handle cap provides low-friction surface for palm while turning

## 5-Position Handle

- Features 0°, 30° and 60° locking positions for optimal ergonomics (U.S. Patent 7,481,135)
- Designed for right or left-hand operation
- Handle stores up to (7) insert bits

## Stubby Handle


- Compact size for limited clearance applications
- No bit storage in handle

## Standard Handle

- Cap functions as a bit holder when working in tight quarters
- Handle stores up to 10 bits



5-Position



## 5 Position Handle Ratcheting Screwdrivers

	Stock No.	Handle	Shank	Flat Tip Bit	Phillips® Bit	C	D
5-Position	SGDMRCE44	SGDMRCE4	SGDMRC1-10	SDM213B	SDM222IRB	2-5/8	8-1/2
	SGDMRCE44G	SGDMRCE4G	SGDMRC1-10	SDM213B	SDM222IRB	2-5/8	8-1/2
	SGDMRCE44O	SGDMRCE4O	SGDMRC1-10	SDM213B	SDM222IRB	2-5/8	8-1/2
Standard	SGDMRC44B	SGDMRC4A	SGDMRC4-40	SDM213B	SDM222IRB	3-7/8	9-3/4
	SGDMRC44BG	SGDMRC4AG	SGDMRC4-40	SDM213B	SDM222IRB	3-7/8	9-3/4
	SGDMRC44BO	SGDMRC4AO	SGDMRC4-40	SDM213B	SDM222IRB	3-7/8	9-3/4
Stubby	SGDMRC11A	SGDMRC1A	SGDMRC1-10	—	SDM222IRB	2	4-1/2
	SGDMRC11AG	SGDMRC1AG	SGDMRC1-10	—	SDM222IRB	2	4-1/2
	SGDMRC11AO	SGDMRC1AO	SGDMRC1-10	—	SDM222IRB	2	4-1/2

All stubby screwdrivers include Phillips® Tip Bit: SDM222IRB




SGDMRC1A



SGDMRCE4G



SGDMRC4AO




## Soft Grip Handles

Red	Green	Orange	Handle Type	A
SGDMRC1A	SGDMRC1AG	SGDMRC1AO	Stubby	2-5/8
SGDMRC4A	SGDMRC4AG	SGDMRC4AO	Standard	6
SGDMRCE4	SGDMRCE4G	SGDMRCE4O	5-Position	5-7/8

# RATCHETING SCREWDRIVERS/HARD HANDLE

SCREWDRIVERS

## Stubby Handle



Stock No.	Handle Type	Color	C	D
SSDMR1A	Stubby	Black	1-15/16	4-5/16
SSDMR1AO	Stubby	Orange	1-15/16	4-5/16

Includes SDM222IRB #2 Phillips® ACR® Bit. To service the drivers above, order RKRSSDMR4AC (Ratcheting Screwdriver Service Kit).



SSDMR1A

## Standard Handle

- Solid steel knurled shank with strong internal magnet
- Smooth ratchet action for precise control
- Contoured hard handle for comfort and easy maintenance
- Secure threaded end cap stores up to (8) insert bits

Stock No.	Handle Type	Color	C	D
SSDMR4B	Standard	Black	3-25/32	8-3/4
SSDMR4BO	Standard	Orange	3-25/32	8-3/4
SSDMR4BR	Standard	Red	3-25/32	8-3/4
SSDMR4BG	Standard	Green	3-25/32	8-3/4

Includes SDM211B (3/16") and SDM213B (9/32") Flat Tip bits plus SDM221IRB (#1), SDM222IRB (#2) and SDM223IRB (#3) Phillips® ACR® bits. To service the drivers above, order RKRSSDMR4AC (Ratcheting Screwdriver Service Kit).



SSDMR4BR




SSDMR4BO

## Long Handle

Stock No.	Handle Type	Color	C	D
SSDMR8A	Long	Black	7-7/16	12-15/16
SSDMR8AO	Long	Orange	7-7/16	12-15/16

Includes SDM211B (3/16") and SDM213B (9/32") Flat Tip bits plus SDM221IRB (#1), SDM222IRB (#2) and SDM223IRB (#3) Phillips® ACR® bits. To service the drivers above, order RKRSSDMR4AC (Ratcheting Screwdriver Service Kit).



SSDMR8AO



SSDMRT4R



SSDMRT10


## T-Handle

Stock No.	Handle	Color	A	B
SSDMRT1R	T-Handle, Stubby	Red	2	3-15/16
SSDMRT1O	T-Handle, Stubby	Orange	2	3-15/16

Stock No.	Handle	Color	A	B
SSDMRT4R	Standard	Red	3-7/8	5-27/32
SSDMRT4O	Standard	Orange	3-7/8	5-27/32

Stock No.	Handle	Color	A	B
SSDMRT8A	Long	Black	8	10

Includes the following bit: SDM222IRB #2 Phillips® ACR®. To service the drivers above, order RKRSSDMR4AC (Ratcheting Screwdriver Service Kit).



SSDMRT8A

## Interchangeable Shanks

- Use with handles in the soft grip ratcheting screwdriver system
- Neodymium magnet in shank holds bit securely (U.S. Patent RE36,797)
- 1/4" square drive shanks in standard and flexible styles allow attachment of a wide range of 1/4" drive sockets and accessories

### 1/4" Speeder Shank


- Ideal for aviation technicians and other applications where accessibility is limited

Stock No.	Description	A	B
SGDMRC1-10	Magnetic Shank/Bit Holder	3-1/4	2
SGDMRC4-40	Magnetic Shank/Bit Holder (5")	5	3-3/4
SGDMRC4-80	Magnetic Shank/Bit Holder	9	7-3/4
SGDMRC4-TM4	1/4" Square Drive Shank	5	3-3/4
SGDMRC4-TMF4	Flexible 1/4" Square Drive Shank	6-1/4	5
SGDMRC4-C6*	Magnetic Non-Conductive Composite Shank/Bit Holder (7-1/4")	7-1/4	6
SGDMRC-SP	1/4" Speeder Shank	13	—

SGDMRC4-C6 is not UL® Listed, U.S. Patent Number 6,260,445 B1 applies.

### SGDMRC-SP 1/4" Speeder Shank

- Ideal for aviation technicians and other applications where accessibility is limited



SGDMRC1-10



SGDMRC4-40



SGDMRC4-80



SGDMRC4-TM4



SGDMRC4-C6



SGDMRC4-TMF4



SGDMRC-SP



• Do not use screwdrivers as pry bars, chisels or punches  
• Read safety precautions on pages W1 to W4

## RATCHETING SCREWDRIVER SETS

### Ratcheting Screwdriver Sets

- SGDMRC starter sets include standard handle, medium and long magnetic bit holding shanks plus (2) flat tip bits, (2) Phillips® bits and (1) TORX® bit to meet most basic job requirements



SGDMRC103A

#### SGDMRC103A 8 pc Soft Grip Ratcheting Screwdriver Starter Set

Stock No.	Description
SGDMRC4A	Ratcheting Handle
SGDMRC4-40	Magnetic Shank/Bit Holder
SGDMRC4-80	Magnetic Shank/Bit Holder
SDM211B	3/16" Flat Tip Bit
SDM213B	9/32" Flat Tip Bit
SDM221IRB	#1 PHILLIPS® ACR® Bit
SDM222IRB	#2 PHILLIPS® ACR® Bit
SDMT15D	T15 TORX® Bit
PB146A	Storage Case

#### SGDMRC103AO 8 pc Ratcheting Soft Grip Screwdriver Set

- Same as SGDMRC103A set except has SGDMRC4O orange ratcheting handle

#### SGDMRC103AG 8 pc Ratcheting Soft Grip Screwdriver Set

- Same as SGDMRC103A set except has SGDMRC4AG green ratcheting handle



DHW1

SHORTORX

### TORX® Bit Set (Blue-Point®)

BMW® vehicles: Under dash and sensors in engine compartment; Cadillac® vehicles: Water pumps; Cadillac® CTS, 3.2 L (2003–2004)/Cadillac® Catera 3.0 L (1997–2001); oil drain plug; Ford® vehicles: Escort® (early models): Door hinge bolts; GM® vehicles: Fender applications; Jeep® vehicles: Cherokee® (1997–1998): Door hinge bolts; VW® vehicles (pre-1999): Exterior and interior door hinge bolts

Set Contains:

Stock No.	Description	Size	
SDMTAS15	T15	5/16	•
SDMTAS20	T20	5/16	•
SDMTAS25	T25	5/16	•
SDMTAS27	T27	5/16	•
SDMTAS30	T30	5/16	•
SDMTAS40	T40	5/16	•
SDMTAS45	T45	5/16	•
DHW1	5/16" Hex Drive Reversible Ratcheting Bit Wrench (Blue-Point®)	—	•

#### DHW1 5/16" Hex Drive Reversible Ratcheting Bit Wrench (Blue-Point®)

- Overall length: 10-3/4" (273 mm)
- Low head clearance for access to tight spots
- Internal ring in square drive provides more secure bit retention than magnetic models
- Knurled wheel for fingertip control
- Reverse lever positioned for one hand operation



SGDMRC108A

#### SGDMRC108A 8 pc Ratcheting Soft Grip Starter Screwdriver Set

Stock No.	Description
SGDMRC1A	Ratcheting Handle
SGDMRC4A	Ratcheting Handle
SGDMRC1-10	Magnetic Shank/Bit Holder
SGDMRC4-40	Magnetic Shank/Bit Holder
SGDMRC4-80	Magnetic Shank/Bit Holder
SGDMRC4-TM4	1/4" Drive Shank
SDM400A	Master Bit Kit
PB146A	Storage Case

#### SGDMRC108A 8 pc Ratcheting Soft Grip Screwdriver Set

- Same as SGDMRC108AO set except has SGDMRC1A and SGDMRC4A ratcheting handles

#### SGDMRC108AG 8 pc Ratcheting Soft Grip Screwdriver Set

- Same as SGDMRC108A set except has SGDMRC1AG and SGDMRC4AG green ratcheting handles



TM72SET

### Magnetic Ratchet and Bit Set

#### Magnetic Ratchet and Bit Set

- Ideal for accessing fasteners in tight areas
- Ratchet features magnetic retention for 1/4 hex bits
- Includes: SDM211 Flat Tip bit, SDM213B (9/32) Flat Tip bit, SDM221IRB (#1) Phillips® ACR® bit, SDM222IRB (#2) Phillips® ACR® bit, SDMT15D (T15) TORX® Bit
- Use RKRTM72A Service Kit

Stock No.			A	B	C	D
TM72SET	72	5°	7/16	15/16	1-3/4	4-7/16

## RATCHETING SCREWDRIVER SETS



YA480B

### Ratcheting Offset

#### YA480B Ratcheting Right Angle Screwdriver (Blue-Point®)

- Includes (1) flat tip bit, (1) #2 Phillips® bit and (1) #2 Pozidriv® bits

#### BTWSMPK 7 pc Bit Miniature Ratcheting Handle Set (Blue-Point®)

- Includes: BTWSM, BTWOS and BTWROS mini ratcheting handles; SDM213B (9/32") flat tip bit, SDM221IRB (#1), SDM222IRB (#2) Phillips® ACR® bits, SDMT15D (T15) TORX® bit

#### BTWOSK 5 pc Bit Miniature Ratcheting Handle Set (Blue-Point®)

- Includes (1) mini ratcheting handle, (1) Flat Tip bit (9/32"), (1) Phillips® ACR® bit (#1), (1) Phillips® ACR® bit (#2) and (1) TORX® bit (T15)



BTWSMPK

#### BTWS Straight Miniature Ratcheting Handle (Blue-Point®)

- Miniature ratcheting handle for use on 1/4" hex bits
- Ideal for working in confined spaces
- 72-tooth ratchet engagement with only 5° movement to engage the next tooth
- Magnetic holder keeps bits in place
- Raised knurled knob for fingertip control
- Reverse lever easily operated with one hand
- 4-1/2" compact overall length
- Vinyl grip for comfort and control



BTWOSK


#### BTWOS 25° Offset Miniature Ratcheting Handle (Blue-Point®)

- 25° offset miniature ratcheting handle for use on 1/4" hex bits
- Ideal for working in confined spaces
- 72-tooth ratchet engagement with only 5° movement to engage the next tooth
- Magnetic holder keeps bits in place
- Raised knurled knob for fingertip control
- Reverse lever easily operated with one hand
- 4-1/2" compact overall length
- Vinyl grip for comfort and control

#### BTWROS 25° Reverse Offset Miniature Ratcheting Handle (Blue-Point®)

- 25° Reverse Offset
- 72-tooth ratchet engagement with only 5° movement to engage the next tooth
- 25° offset handles help avoid knuckle injuries
- Magnetic holder keeps bits in place

## SCREW AND NUT STARTERS



### Aluminum Starters

- Spring loaded steel bits grip screw slot wall to withstand an 8 lb pull
- Bits release automatically when applied torque reaches a certain level

Stock No.	A	B	C	D
SS5A	5/16	Flat Tip	.032 x 9/32	5
SSM3*	5/16	Flat Tip	.032 x 9/32	2-1/2
SSM5A*	5/16	Flat Tip	.032 x 9/32	5-1/4
SSM6A*	9/32	PHILLIPS®	#3	5-1/2
GA260A	9/32	PHILLIPS®	#2	2-5/8
GA261B	9/32	PHILLIPS®	#3	5-5/8
GA199A	9/32	Combination	.032 x 9/32, #2	5-7/8

\*Aluminum handle with magnet.

#### SSR7 Recessed Aluminum Starter (Blue-Point®)

- Round aluminum body with knurled gripping area in center
- Designed to accommodate the most popular sizes of recessed screws: TORX®, Socket Head, Phillips®, etc.
- Opposite end handles #3, #4, #6, #8 and #10 nuts
- Overall length is 6-3/4"



- Do not use screwdrivers as pry bars, chisels or punches
- Do not use "cheater bars" on handles
- Read safety precautions on pages W1 to W4