



NIKKATA

Is your wise choice
是您明智的選擇

PREPAINTED METAL STEEL SHEET PREPAINTED METAL CEILING



*Wah! Look
at the roof. So outstanding,
magnificent and elegant. Come and
choose your favourite colour*

哇...望一望
屋顶多特出
美观 优雅
选出您最喜爱的颜色



享受舒适的生活...


Enjoy a comfortable life...

Makes life Colourful 让生活增添色彩

NIKKATA COLOUR REFERENCE INTERNATIONAL STANDARDS

| | | | |
|-----------------------|------------------------------------|----------------------|--------------------------------------|
| Product Type | : Prepainted Galvanized Iron Sheet | Type of Coating | : Polyester Colours Coating |
| Product Specification | : JIS G3312 | Preferred Substrates | : 55% Al-Zn G550 AZ100 |
| Zinc Coating | : JIS G3302 | | : 55% Al-Zn G300 AZ100 |
| Hard Quality | : CGCH | | : (Zinc/Aluminum alloy-coated steel) |
| Commercial Quality | : CGCC | Primer | : Pu or Epoxy 5um |
| (Annealed) | | Top Coat | : 15~25um |
| | | Reverse Coat | : Pu or Epoxy 5~12um |

SCHEMATIC DIAGRAM FOR SECTION OF STEEL COATING SHEET



SPECIFICATIONS

SUBSTRATE

Hot dip zinc coated and zinc-aluminium alloy coated steel sheet manufactured in accordance to JIS 3302 and ASTM A792 respectively.

- ~ Available in wide range of colours, sizes and mechanical characteristics
- ~ Corrosion resistance
- ~ High temperature oxidation resistance

COATING

• Pretreatment

Chromic acid sealed, zinc phosphate pretreatment is applied after alkaline cleaning.

• Primer

Galvanized steel is treated on both sides with phosphate conversion coating followed by application of an impervious epoxy primer incorporating a corrosion inhibiting compound.


• Top Coat

Oven-bake polyester / silicon modified polyester coating of not less than 10 micrometers, ensuring maximum durability.

• Backing System

Reverse surface of substrate coated with oven-bake grey backer applied over a corrosion resistant primer to a total dry film thickness of not less than 10 micrometers.

- ~ Heat reflectively
- ~ Superior protection and durability
- ~ Excellent cost effectiveness
- ~ Excellent formability





PREPAINTED METAL STEEL SHEET



810
橙色
A/ORANGE



820
暗蓝
T/BLE



830
红色
RED



840
暗青
YK/GREEN



850
亮青
E/GREEN



860
亮蓝
BLUE



870
牛奶色
A/BEIGE



880
警察蓝
F/BLE



910
ALUZINK



960
G.I



970
琉璃瓦红
DARK RED



990
巧克力
BROWN



1002
灰色
GREY



BACKCOAT

SK products are a perfect choice for decorating both interior and exterior of buildings in creating a new look.

SK 产品为阁下提供.....

- * Comprehensive range of products 用途广泛的产品系列
- * Value for money 物有所值
- * Long lasting 耐用
- * Wide variety of colours and profiles 广泛之色彩及款式

- * Fully demountable 装拆简便
- * Non-messy 简洁抗菌类滋生
- * Fast installation 安装快捷
- * Easy to clean and maintain 易于清洁及保养维修
- * Modern look 最新时尚




Create a cosy atmosphere with **SK** ceilings.

SK 天花板的简洁设计,能增添用餐情怡。

Enhance the quality of your merchandise with **SK** products

採用 **SK** 产品能加强店内陈列品的高雅形像。



Create a difference for your home with **SK** ceilings.

採用 **SK** 金屬天花板令家居別墅特式,显出个人品味



SK Products that are for use inside and outside the building decoration best choice, it is refreshing.
SK 產品確為用於建築物的內外裝璜的最佳選擇,令人耳目一新。




PREPAINTED METAL CEILING 金屬天花板



920
CEILING SILVER 银色



930
CEILING GOLD 金黄色



1001
CEILING SIGNAGE WHITE 水晶白



1003
CEILING GOLDEN OAK 金橡木



1004
CEILING BEIGE GRAIN WOOD 米色纹木



1005
CEILING XINYE ALDER WOOD 赤杨木



1006
CEILING XINYE ROSE WOOD 玫瑰纹木



1007
CEILING KS METALLIC BRONZE KS金属铜色



1008
CEILING KS WHITE KS米白色



1009
CEILING XINYE MATT WALNUT WOOD 磨砂胡桃木



1010
CEILING RED SHELLS PRINTING 红贝壳印花





FOR BUILDINGS THAT NEED AN EFFECTIVE & AFFORDABLE CHOICE

Weatherdek is a stylish lightweight roof and wall cladding profile. Manufactured from high tensile steel, the profile has been engineered to give rigidity and wide span capability. The bold ribs provide strong and striking appearance and is equally suitable for industrial, domestic and commercial applications.

NIKKATA METAL ROOFING PRODUCTS



SK System 762
Metal Roofing &
Wall cladding
工业瓦



SK System 760
Cooldec PU Foam
PU工业瓦



SK System 760
Pu Foam-crimp
Curve
PU弧形瓦



SK System 762
Cooldec OPP
(3in1)
(3合1)



SK Roofing
Crimp Curve
弧形瓦



SK Full Curved
& Half Circle
半圆瓦



SK 3 Mod Roofing
背3格



SK Step Roofing
Awning 125 & 250
& Fascia 250 & Cladding
凉蓬瓦



SK Nikka Tile
Step Roofing, Awning
& Fascia & Cladding
利嘉凉蓬瓦



SK Glazed Tile
& Fascia
琉璃瓦

HIGH-TENSILE GALVANISED C PURLINS

(For Buildings Long Lasting Beauty)



SK New Truss-Batten Series For Building Material Steel System



Why SK Steel Roof Truss?

'SK' Steel Systems offer a total steel solution in terms of design, fabrication and erection for a complete roofing system.



'SK' Roof Trusses




'SK' Steel Truss System




'SK' Roof Batten


Cooldec Standard Capping / Flashing




Ridge Capping Type 18" x 8'




Ridge Capping Type 12" x 8'




Ridge Capping Type 18" x 8'




Flahsing Type 9" x 8'




Flahsing Type 18" x 8'




Flahsing Type 18" x 8'




Flahsing Type 12" x 8'




Flahsing Type 12" x 8'




Fascia/Barge Capping Type 18" x 8'



Fascia/Barge Capping Type 12" x 8'



Corner Capping Type 9" x 8'



Corner Capping Type 9" x 8'



Valley Tray 24" x 8'



Valley Tray 18" x 8'

Manufactured In Malaysia by:



成功凉蓬鋼瓦貿易 (JM0274635-V)

SENG KONG AWNING TRADING

利嘉達金屬瓦工業有限公司 (551465-H)

NIKKATA METAL ROOFING INDUSTRIES SDN BHD

No. 3, MYP 129/1, Batu 3 1/2, Simpang Jeram, Jalan Bakri, 84000 Muar, Johor.

☎ 06-9868886 (Hunting Line) / 9868669 ☎ 06-9866669 / 9868186

✉ nikkata88@yahoo.com.my / sengkong88@yahoo.com.my

Web: www.nikkata.com.my / www.sengkong.myinfo.my / www.sengkong.muar.my

For Further inquiries, Please Contact / 請聯絡: