



BAHCOFIT MAGNETIC BIT HOLDER

Two Component Handle with Black Oxide Tip

| Product Code | Overall Length (Inches) | Blade Length (Inches) | Tip Size |
|--------------|----------------------------|--------------------------|----------|
| B705.1/4.125 | 9 | 5 | 1/4" |

Features

- The two component handle is a patented design which is 75% rubber and with vertical grooves provides the perfect grip.
- . Tip type symbol on the handle for quick identification
- · Black oxide tips prevent chipping of chrome to reduce possible contamination of
- . High performance alloy steel blades prevent corrosion and can be easily cleaned.









ERGO® SLOTTED SCREWDRIVERS WITH BOLSTER

Three Component Handle with Black Oxide Tips and Bolster

| (Inches) | (Inches) | (Inches) |
|--------------------------------|--|-------------------------------|
| 9 3/4 | 5 | 7/32 |
| 9 3/4 | 5 | 5/15 |
| 10 ³ / ₄ | 6 | 1/4 |
| 11 3/4 | 7 | 5/16 |
| 13 1/2 | 7 | 5/16 |
| 13 1/2 | 7 | 3/8 |
| 14 1/2 | 8 | 1/2 |
| 14 1/2 | 8 | 9/16 |
| | 9 3/4 9 3/4 10 3/4 11 3/4 13 1/2 13 1/2 14 1/2 | (Inches) (Inches) 9 3/4 |

** Dual grip handle for two-handed operation provides extra torque when necessary

- The three component ergonomically designed handle provides comfort and maximum grip even with oily hands.
- . Color coded handles indicates tip type and show tip type symbol on bottom of handle for quick identification.
- · Black oxide tips prevent chipping of chrome to reduce possible contamination at work location.
- · Blades are equipped with bolster for use with wrench when extra torque is required.









Snap-277 Industrial Brands









ERGO® SLOTTED SCREWDRIVERS

Three Component Handle with Black Oxide Tips

| Product Code | Overall Length (Inches) | Blade Length (Inches) | Tip Width (Inches) |
|--------------|----------------------------|--------------------------|--------------------|
| BE-8150 | 8 3/4 | 4 | 7/32 |
| BE-8144 | 8 3/4 | 4 | 1/4 |
| BE-8155 | 9 3/4 | 5 | 1/4 |
| BE-8256 | 10 3/4 | 6 | 5/6 |
| BE-8250 | 10 3/4 | 6 | 7/32 |
| BE-8255 | 10 3/4 | 6 | 1/4 |
| BE-8257 | 11 ¾ | 7 | 5/10 |
| BE-8258 | 141/2 | 8 | 3/8 |

Features

- . The three component ergonomically designed handle provides comfort and maximum
- · Color coded handles indicates tip type and show tip type symbol on bottom of handle for quick identification.
- · Black oxide tips prevent chipping of chrome to reduce possible contamination at work location.







To Michila





Diada Laurah

ERGO® 3-Component Handle

| Product Code | Overall Length (Inches) | (Inches) | (Inches) |
|--------------|----------------------------|----------|----------|
| BE-8330 | 3 1/4 | 1 | 9/64 |
| BE-8340 | 3 1/4 | 1 | 5/32 |
| BE-8350 | 3 1/4 | 1 | 7/32 |
| BE-8355 | 3 1/4 | 1 | 1/4 |
| BE-8360 | 3 1/4 | 1 | 5/16 |
| BE-8450 | 4 | 1 3/4 | 5/32 |
| BE-8455 | 4 | 1 3/4 | 1/4 |
| BE-8010 | 6 | 2 | 3/32 |
| BE-8020 | 6 | 2 | 1/8 |
| BE-8020L | 6 | 3 | 1/8 |
| BE-8002 | 7 | 2 1/3 | 3/32 |
| BE-8210 | 7 | 3 | 3/32 |
| BE-8030 | 7 3/4 | 3 | 9/64 |
| BE-8040 | 8 3/4 | 4 | 5/32 |
| BE-8220 | 9 | 5 | 1/8 |
| BE-8022 | 9 3/4 | 5 5 | 1/8 |
| BE-8230 | 9 3/4 | 5 | 9/64 |
| BE-8241 | 9 3/4 | 5 | 7/32 |
| BE-8251 | 10 3/4 | 6 | 1/4 |
| BE-8240 | 11 3/4 | 7 | 5/32 |
| BE-8225 | 12 1/2 | 8 | 1/8 |
| BE-8235 | 12 1/2 | 8 | 9/64 |

- The three component ergonomically designed handle provides comfort and maximum grip even with oily hands.
- . Color coded handles indicate tip type and show tip type symbol on butt of handle for quick identification.
- · Cabinet tip allows access to recessed screws.
- · Black oxide tips prevent chipping of chrome to reduce possible contamination at work location.





WILLIAMS



SLOTTED SCREWDRIVERS

| Premium | C | C | H | | DI-J |
|-----------|----------|-------|---------|-----|--------|
| Premillim | L-OMTOFF | L-rin | mandles | and | BIRDES |

| Product Code | Overall Length (Inches) | Blade Length (Inches) | Tip Width (Inches) |
|--------------|-------------------------|-----------------------|--------------------|
| SDS-62 | 3 1/2 | 1 3/4 | 1/4 |
| SDR-22 | 6 1/8 | 3 | 3/16 |
| SDR-24 | 7 1/8 | 4 | 1/4 |
| SDR-26 | 10 11/18 | 6 | 5/16 |
| SDR-28 | 12 11/16 | 8 | 3/8 |
| SDR-30 | 14 3/4 | 10 | 7/16 |
| SDS-33 | 17 13/16 | 12 | 3/8 |

Features

- . Comfort-grip handle with thumb stop allow for added turning power without discomfort or slippage.
- Hi-polish chrome blades prevent corrosion and can be easily cleaned.
- · Vapor-blasted tips grip fasteners and prevent chipping, extending tool life.
- · Blades are made from special alloy steel for extra strength.
- *SDS-33 features ¾" heavy-duty square shank





* AUSA


SDR-24

ELECTRICIAN'S SCREWDRIVERS W/THIN BLADE

Premium Comfort Grip Handles and Blades

| Product Code | Overall Length (Inches) | Blade Length (Inches) | Tip Width (Inches) |
|--------------|-------------------------|-----------------------|--------------------|
| SDE-4 | 7 15/16 | 4 | 1/4 |
| SDE-8 | 11 15/16 | 12 | 1/4 |
| SDE-43 | 6 11/16 | 3 | 3/16 |
| SDE-46 | 9 11/16 | 6 | 3/16 |
| SDE-50 | 13 3/4 | 10 | 3/16 |
| SDE-53 | 6 13/64 | 3 | 1/8 |

Features





- · Hi-polish chrome blades prevent corrosion and can be easily cleaned.
- · Vapor-blasted tips grip fasteners and prevent chipping, extending tool life.
- · Blades are made from special alloy steel for extra strength.





BAHCOFIT SLOTTED SCREWDRIVERS

Two Component Handle with Black Oxide Tip

| Product Code | Overall Length (Inches) | Blade Length (Inches) | Tip Width (Inches) |
|--------------|-------------------------|-----------------------|--------------------|
| B190.040.075 | 6 3/4 | 3 | 5/32 |
| B190.040.100 | 7 3/4 | 4 | 5/32 |
| B190.055.100 | 8 | 4 | 7/32 |
| B190.055.125 | 9 | 5 | 7/32 |
| B190.065.125 | 9 1/2 | 5 | 1/4 |
| B190.065.150 | 10 1/2 | 6 | 1/4 |
| B190.080.150 | 10 1/2 | 6 | 5/16 |
| B190.080.175 | 11 1/2 | 7 | 5/16 |
| B190.100.200 | 12 1/2 | 8 | 3/6 |
| B190.120.250 | 14 1/2 | 10 | 1/2 |
| B190.140.250 | 14 1/2 | 10 | 9/16 |
| B195.040.025 | 3 1/3 | 1 | 5/32 |
| B195.050.025 | 3 1/3 | 1 | 3/1e |
| B195.060.025 | 3 1/3 | 1 | 1/4 |

- The two component handle is a patented design which is 75% rubber and with vertical grooves provides the perfect grip.
- · Tip type symbol on the handle for quick identification
- · Black oxide tips prevent chipping of chrome to reduce possible contamination of work location.
- · High performance alloy steel blades prevent corrosion and can be easily cleaned.













Snap-on. Industrial Brands







BAHCOFIT ELECTRICIANS SCREWDRIVER

Two Component Handle with Black Oxide Tip

| Product Code | Overall Length (Inches) | Blade Length (Inches) | Tip Width (Inches) |
|--------------|-------------------------|-----------------------|--------------------|
| B191.025.075 | 6 ¾ | 3 | 3/32 |
| B191.030.075 | 6 3/4 | 3 | 1/8 |
| B191.030.100 | 7 3/4 | 4 | 1/8 |
| B191.030.200 | 11 3/4 | 8 | 1/8 |
| B191.035.100 | 7 3/4 | 4 | 9/64 |
| B191.040.100 | 7 3/4 | 4 | 5/32 |
| B191.040.125 | 8 ¾ | 5 | 5/32 |
| B191.040.250 | 13 3/4 | 10 | 5/32 |
| B191.055.125 | 9 | 5 | 7/32 |
| B191.055.150 | 10 | 6 | 7/32 |
| B191.055.300 | 16 | 12 | 7/32 |
| B191.065.150 | 10 1/2 | 6 | 1/4 |
| B191.065.300 | 16 1/2 | 12 | 1/4 |

Features

- The two component handle is a patented design which is 75% rubber and with vertical grooves provides the perfect grip.
- . Tip type symbol on the handle for quick identification
- · Black oxide tips prevent chipping of chrome to reduce possible contamination of
- · High performance alloy steel blades prevent corrosion and can be easily cleaned.







SLOTTED SCREWDRIVERS

Three Component Comfort Grip Handles

| Product Code | Overall Length (Inches) | Blade Length (Inches) | Tip Width (Inches) |
|--------------|-------------------------|-----------------------|--------------------|
| 24203A | 3 7/8 | 1 1/2 | 3/16 |
| 24205A | 7 3/4 | 4 | 3/16 |
| 24209A | 93/4 | 6 | 3/16 |
| 24215A | 12 11/16 | 9 | 3/16 |
| 24217A | 3 7/8 | 1 1/2 | 1/4 |
| 24219A | 8 1/4 | 4 | 1/4 |
| 24229A | 10 3/16 | 6 | 1/4 |
| 24237A | 10 9/16 | 6 | 5/16 |
| 24239A | 12 9/16 | 8 | 5/16 |
| 24241A | 12 9/16 | 8 | 3/8 |
| 24243A | 16 1/2 | 12 | 3/8 |

Features

- · 3 component handles provides a maximum comfort grip.
- · Size is shown on blade and tip style is shown on handle for easy identification.
- · Chrome blades prevent corrosion and can be easily cleaned.
- · Sand blasted tip for greater screw-tip adherence and high resistance against corrosion.



24209A





SLOTTED SCREWDRIVERS W/CABINET TIP

| Inree Component Comfort Grip riangles | | | | |
|---------------------------------------|-------------------------|-----------------------|--------------------|--|
| Product Code | Overall Length (Inches) | Blade Length (Inches) | Tip Width (Inches) | |
| 24201A | 6 11/16 | 4 | 1/8 | |
| 24207A | 6 13/16 | 3 | 3/16 | |
| 24211A | 9 3/4 | 6 | 3/16 | |
| 24213A | 13 11/16 | 10 | 3/16 | |

- · 3 component handles provides a maximum comfort grip.
- · Size is shown on blade and tip style is shown on handle for easy identification.
- · Chrome blades prevent corrosion and can be easily cleaned.
- · Sand blasted tip for greater screw-tip adherence and high resistance against corrosion.