



LAPLANDER FOLDING SAW

General Purpose Folding Saw

Product Code	Blade Length (Inch)	Teeth Per Inch
396-LAP	9	7

Product Code	Description
LAP-KNIFE	Folding Saw & Multipurpose Knife

Features

- A general purpose folding saw for cutting both green and dry wood, plastic, bone etc.
- Specially designed for wild-life enthusiasts, hunting and campers.
- XT toothing, 7TPI. Blade specially coated for rust protection and low friction.
- Two-component plastic handle for perfect grip, with leather strap.
- Safety lock, locked also when folded.



JAPANESE STYLE PULL SAWS

Cut on Pull Stroke

Product Code	Blade Length (Inch)	Teeth Per Inch (TPI)
PC-12-14-PS	12	14
PC-11-19-PS	11	19
PC-9-9/17-PS	9	9/17

Features

- Razor sharp teeth allows this pull saw to make clean cuts with little effort.
- Perfect for rip and cross-cut to flush-cutting moldings, treated lumber, door casings, PVC, ABS pipe, hard and soft woods, plywood, drywall and plastic pipe.
- This pull-to-cut saw allows undercutting with fast and accurate cuts.



PRIZECUT TOOLBOX HANDSAW

Product Code	Blade Length (Inch)	Teeth Per Inch (TPI)
300-14-F15/16-HP	14	15/16

Features

- The universal toothing is strong and hard wearing, suitable for both rip and cross cutting in all types of wood.
- Hard Point for longer life, rust protection lacquered.
- One-component solid handle.
- Comes with reusable plastic patented tooth protector.



PROFCUT TOOLBOX HANDSAW

Special-purpose Handsaw

Product Code	Blade Length (Inch)	Teeth Per Inch (TPI)
PC-15-TBX	15	11

Features

- Toolbox saw for fine cutting.
- Fine GT toothing, 11 TPI.
- Super sharp GT-toothing is specially developed for high cutting performance. The 3-sided ground tooth form ensures excellent results in all types of wood.
- Comfortable two component handle.
- Comes with reusable plastic patented tooth protector.





GENERAL PURPOSE SAW

Aluminum handle

Product Code	Blade Length (Inch)	Teeth Per Inch
369	14 1/2	14
369-BLADE	Replacement Blade	

Features

- For a variety of materials such as wood, plywood, plastics, aluminum and thin metal.
- Made of extra thick steel and with black color coating for improved rust protection.
- Equipped with aluminum handle and interchangeable blade, which can be positioned at five different angles.



SUPERIOR LAMINATOR SAW

ERGO® handle - Unique XT toothing - Low Friction Coating

Product Code	Blade Length (Inch)	Teeth Per Inch (TPI)	Type of cut
SUP-20-LAM	20	11/12	Fine

Features

- A handsaw for cutting laminate and wooden floors.
- Bevel ground teeth on thick blade for high precision and straight cutting with exceptionally good stability.
- Screwed, one piece two-component ERGO® handle.
- Handle placement provides even distribution of power along the tooth line.
- Low-friction, rust-protective coating.
- Comes with reusable plastic patented tooth protector.



PROFCUT GENERAL PURPOSE HANDSAWS

Comfortable two-component handle

Product Code	Blade Length (Inch)	Teeth Per Inch (TPI)
PC-19-GT7	19	7
PC-22-GT7	22	7
PC-22-FILE-U7	22	7 (Fileable)

Features

- Super sharp GT-toothing is specially developed for high cutting performance. The 3-sided ground tooth form ensures excellent results in all types of wood.
- Comfortable two component handle.
- Comes with reusable plastic patented tooth protector.



PRIZECUT UNIVERSAL SAW

Product Code	Blade Length (Inch)	Teeth Per Inch (TPI)
NP-16-U7/8-HP	16	7
NP-19-U7/8-HP	19	7
NP-22-U7/8-HP	22	7

Features

- The universal toothing is strong and hard wearing, suitable for both rip and cross cutting in all types of wood.
- Hard Point for longer life, rust protection lacquered.
- Two-component solid handle.
- Comes with reusable plastic patented tooth protector.



SUPERIOR HANDSAWS WITH XT TOOTHING

ERGO® handle - Unique XT toothing - Low Friction Coating

Product Code	Blade Length (Inch)	Teeth Per Inch (TPI)	Type of cut
Fine Tooth Pattern for smooth, consistent cuts through most materials			
2600-16-XT11-HP	16	11	Fine
2600-22-XT-HP	22	9	Medium
Aggressive tooth pattern for faster cuts through thick material			
2700-22-XT7-HP	22	7	Aggressive
2700-24-XT7-HP	24	7	Aggressive

Features

- Hard point saw with substantially thicker blade which results in less power-consuming side vibrations.
- Bevel ground teeth on thick blade for height precision and straight cutting with exceptionally good stability.
- Screwed, one piece two-component ERGO® handle.
- Handle placement provides even distribution of power along the tooth line.
- Comes with reusable plastic patented tooth protector.



2600-16-XT11-HP



SUPERIOR MITER HANDSAW WITH XT TOOTHING

ERGO® handle - Unique XT toothing - Low Friction Coating

Product Code	Blade Length (Inch)	Teeth Per Inch (TPI)	Type of cut
3090-20-XT11-HP	20	11	Fine

Features

- Bevel ground teeth on thick blade for high precision and straight cutting with exceptionally good stability.
- Screwed, one piece two-component ERGO® handle.
- Handle placement provides even distribution of power along the tooth line.
- Comes with reusable plastic patented tooth protector.



3090-20-XT11-HP



PROFESSIONAL HANDSAWS WITH XT TOOTHING

ERGO® handle - Unique XT toothing - Low Friction Coating

Product Code	Blade Length (Inch)	Teeth Per Inch (TPI)	Type of cut
2500-16-XT-HP	16	9	Medium
2500-19-XT-HP	19	9	Medium
2500-22-XT-HP	22	9	Medium

Features

- For medium thick materials, such as plywood, ordinary wood, fiber and chipboard or plastics.
- Hard point saw with substantially thicker blade which results in less power-consuming side vibrations.
- Screwed, one piece two-component ERGO® handle.
- Handle placement provides even distribution of power along the tooth line.
- Comes with reusable plastic patented tooth protector.



2500-XT



PROFCUT TOOLBOX HANDSAW

Comfortable two-component handle

Product Code	Blade Length (Inch)	Teeth Per Inch (TPI)
PC-15-GNP	15	15

Features

- Toolbox saw for general purpose cutting.
- Fine FT toothing, 15 TPI.
- Saw blade for cutting plastics, laminates, wood and soft metals like aluminum.
- Fleam toothing, hardpoint teeth for long lasting sharpness.
- Comfortable two component handle.
- Comes with reusable plastic patented tooth protector.



WARNING



PC-15-GNP





3180-14-XT11-HP



PC-12-TEN



NP-12-TEN



PC-10-DTF



PC-10-DTR



SUPERIOR BACKSAW WITH XT TOOTHING

ERGO® handle - Unique XT toothing - Low Friction Coating

Product Code	Blade Length (Inch)	Teeth Per Inch (TPI)	Type of cut
3180-14-XT11-HP	14	11	Fine

Features

- Specially adapted for cutting of small-diameter timber and miter guide sawing of all sizes of materials.
- Bevel ground teeth on thick blade for high precision and straight cutting with exceptionally good stability.
- Screwed, one piece two-component ERGO® handle.
- Handle placement provides even distribution of power along the tooth line.
- Comes with reusable plastic patented tooth protector.



PROFCUT BACKSAW

For Straight and Miter Cuts

Product Code	Blade Length (Inch)	Teeth Per Inch (TPI)
PC-12-TEN	12	11

Features

- Specially adapted for cutting of small-diameter timber and miter guide sawing of all sizes of materials.
- Fine UT toothing with 11 TPI.
- The universal toothing is strong and hard wearing, suitable for both rip and cross cutting in all types of wood.
- 3-sided ground tooth form ensures excellent results in all types of wood.
- Comfortable two component handle.
- Comes with reusable plastic patented tooth protector.



PRIZECUT BACKSAW

Product Code	Blade Length (Inch)	Teeth Per Inch (TPI)
NP-12-TEN	12	13

Features

- Specially adapted for cutting of small-diameter timber and miter guide sawing, all sizes of materials.
- The universal toothing is strong and hard wearing, suitable for both rip and cross cutting in all types of wood.
- Hard Point for longer life, rust protection lacquered.
- One-component solid handle.
- Comes with reusable plastic patented tooth protector.



PROFCUT DOVETAIL HANDSAWS

Fine Cut Detail Saws

Product Code	Style	Blade Length (Inch)	Teeth Per Inch (TPI)
PC-10-DTF	Reversible handle for left / right sawing	10	15/16
PC-10-DTR	Angled / flush cutting	10	13/14

Features

- Special-purpose saw for wood and plastic materials.
- Fine universal toothing with hard point teeth and light steel back for rigidity.
- Blade width is 2-3/8".
- Comes with reusable plastic patented tooth protector.



SUPERIOR VENEER SAW WITH XT TOOTHING

ERGO® handle - Unique XT toothing - Low Friction Coating

Product Code	Blade Length (Inch)	Teeth Per Inch (TPI)	Type of cut
3240-14-XT11-HP	14	11	Fine

Features

- For fine and medium thick materials, such as plywood, laminates and plastics.
- Bevel ground teeth on thick blade for high precision and straight cutting with exceptionally good stability.
- Curved, toothed nose for starting cuts in the middle of the surface of the work piece.
- Screwed, one piece two-component ERGO® handle.
- Handle placement provides even distribution of power along the tooth line.
- Comes with reusable plastic patented tooth protector.



3240-14-XT11-HP



PROFCUT VENEER SAW

For Veneer and Other Fine Sawing

Product Code	Blade Length (Inch)	Teeth Per Inch (TPI)
PC-12-VEN	12	11

Features

- For fine and medium thick materials, such as plywood, laminates and plastics.
- Fine UT toothing with 11 TPI.
- Rounded cutting nose for pocket cuts
- The universal toothing is strong and hard wearing, suitable for both rip and cross cutting in all types of wood.
- 3-sided ground tooth form ensures excellent results in all types of wood.
- Comfortable-two component handle.
- Comes with reusable plastic patented tooth protector.



PC-12-VEN



PRIZECUT VENEER SAW

Product Code	Blade Length (Inch)	Teeth Per Inch (TPI)
NP-12-VEN	12	13

Features

- For fine and medium thick materials, such as plywood, laminates and plastics.
- The universal toothing is strong and hard wearing, suitable for both rip and cross cutting in all types of wood.
- Hard Point for longer life, rust protection lacquered.
- Two-component solid handle.
- Comes with reusable plastic patented tooth protector.



NP-12-VEN



3150-12-XT9-HP



SUPERIOR COMPASS SAW WITH XT TOOTHING

Unique XT tothing - Low Friction Coating

Product Code	Blade Length (Inch)	Teeth Per Inch (TPI)	Type of cut
3150-12-XT9-HP	12	9	Medium

Features

- For all kinds of woods and plastics.
- Bevel ground teeth on thick blade for high precision and straight cutting.
- Exceptionally good stability, working more on pull than on push.
- Handle placement provides even distribution of power along the tooth line.
- Comes with reusable plastic patented tooth protector.



PC-12-COM



PROFCUT COMPASS HANDSAWS

For Contour Cuts

Product Code	Blade Length (Inch)	Teeth Per Inch (TPI)
PC-12-COM	12	9

Features

- For all kinds of wood and plastic material.
- Long lasting sharpness from the unique XT-tothing, hardpoint teeth.
- Handle placement provides even distribution of power along the tooth line.
- Comfortable-two component handle.
- Comes with reusable plastic patented tooth protector.



NP-12-COM



PRIZECUT COMPASS HANDSAWS

Product Code	Blade Length (Inch)	Teeth Per Inch (TPI)
NP-12-COM	12	7

Features

- For all kinds of wood and plastic material.
- The universal tothing is strong and hard wearing, suitable for both rip and cross cutting in all types of wood.
- Hard Point for longer life, rust protection lacquered.
- One-component solid handle.
- Comes with reusable plastic patented tooth protector.



PC-6-DRY



DRY WALL SAW

Jab Saw

Product Code	Blade Length (Inch)
PC-6-DRY	6

Features

- Cuts drywall, wallboard, plywood, and plastic.
- Blade cuts in both directions (push and pull).
- Sturdy blade with sharp point for punching through drywall.



PROFCUT INSULATION SAW

Special Purpose Saw

Product Code	Blade Length (Inch)	Teeth Per Inch
PC-22-INS	22	WT Toothing

Features

- Specially designed for cutting insulation material
- Mineral wood
- Cuts plastic up to 3/4" thick
- Cuts Styrofoam up to 3/4" thick
- Handsaw has a wave formed sharpened edge (WT toothing) that allows it to slice through the material creating minimal wast
- Should be stored in sleeve for rust protection



PC-22-INS



PROFCUT TIMBER SAW

Comfortable two-component handle with Fileable Blade

Product Code	Blade Length (Inch)	Teeth Per Inch
PC-24-TIM	24	3 1/2

Features

- A handsaw for cutting Timber.
- Fleam-toothed, non-hardpoint. Can be re-sharpened by using the file 272. Effective on the push as well as on the pull stroke.
- Comfortable-two component handle.
- Comes with reusable plastic patented tooth protector.



PC-24-TIM



PROFCUT POLYSTYRENE, FOAM HANDSAW

Special-purpose handsaw

Product Code	Blade Length (Inch)	Teeth Per Inch (TPI)
PC-16-DECO	16	Special

Features

- Special toothing for cutting polystyrene and foam.
- Specially developed toothing with very fine ground teeth and gullets designed to combine excellent finish with minimized clogging.
- Comfortable-two component handle.
- Comes with reusable plastic patented tooth protector.



PC-16-DECO



PROFCUT LAMINATOR SAW

Special-purpose handsaw

Product Code	Blade Length (Inch)	Teeth Per Inch
PC-20-LAM	20	11/12

Features

- A handsaw for cutting laminate and wooden floors.
- Long lasting sharpness from the unique XT-toothing, hardpoint teeth.
- Comfortable-two component handle.
- Comes with reusable plastic patented tooth protector.



PC-20-LAM



PC-24-PLS



PROFCUT PLASTER SAW

Special-purpose Handsaw

Product Code	Blade Length (Inch)	Teeth Per Inch
PC-24-PLS	24	7

Features

- A handsaw for cutting plaster.
- Super sharp GT-toothing is specially developed for high cutting performance. The 3-sided ground tooth form ensures excellent results in all types of wood.
- Comfortable two component handle.
- Comes with reusable plastic patented tooth protector.



296



STRADIVARIUS - MUSICAL SAW

Specially made for musical applications

Product Code	Blade Length (Inch)
296	30

Features

- Polished blade with flat back and un-ground teeth, total length 34 1/4".
- Specially made for musical applications.
- Traditional wood handle with brass hardware.



301

303-5p

216-150-R



COPING SAW

Wooden beech handle

Product Code	Description	Blade Length (Inch)	Teeth Per Inch
301	Coping Saw	6 1/2	14
303-5P	Coping Saw Blades (5 Pack)	6 1/2	14
216-150-R	Rod Blade	6	Grit

Features

- Nickel-plated steel frame. Orange-lacquered, wooden beech handle.
- Interchangeable blade fitted on retaining pins, turnable 360°.
- Blade of hardened and tempered carbon steel, teeth milled and set, 14TPI.