

Sanicare SD13 PLUS

is a special formulated cationic sanitizer with blend of quaternary ammonium compounds (0.05% DDAC + 0.05% BKC) which kill 99.99% germs such as bacteria, viruses, and fungi effectively yet non-toxic, alcohol free which make it suitable for misting or spraying treatment. By inclusion of new technology, Sanicare SD13 PLUS contain twin chain QAC (DDAC), which is 4 times powerful bacteriocidal, virucidal, tuberculostatic, sporostatic, and fungicidal than conventional single chain QAC such as BKC/BAC.



Sanicare SD13 PLUS has 0.05% BKC with the present of 0.05% DDAC, which is equivalent to 4 times effectiveness of 0.05% BKC, and therefore Sanicare SD13 PLUS provides, 5 times more protection against germs than any other generic QAC based sanitizers. Scientific evidence have showed that the safe level for QAC on skin $\leq 0.1\%$ or $\leq 1000\text{ppm}$. Sanicare SD13 PLUS with total of 0.1% QACs make it safe on skin and compatible on all hard non porous surfaces.

KEY FEATURES & BENEFIT

- Delivers bacteriocidal, virucidal, and fungicidal action less than 2 minutes
- Kills 99.99% germs
- No skin irritation as the level of active QACs compounds are safe on skin ($\leq 1000\text{ppm}$)
- Compatible on most type of surfaces
- No added dye or fragrance thus safe for all types of skin
- Alcohol free, safe to spray and mist as it is not flammable
- Prolonged protection
- Convenient to use, no dilution required, cost saving
- Rinse free application

USE INSTRUCTIONS:

Hard surface sanitizing:

1. Apply adequate amount of Sanicare SD13 Plus until the surface is fully covered.
2. Wipe with dry, clean cloth.

Misting Area (Whole room):

1. Wear personal protection equipment.
2. Evacuate people from the area.
3. Start the misting treatment for 15-30 minutes to disperse and chemical action to occur.
4. Additional 30-45 minutes is required to allow the droplets to settle out of the air and onto the surfaces.

Surface Spray / Mist

1. Wear personal protection equipment.
2. Evacuate people from the area.
3. Spray / Mist on surface until the surface is fully cover.
4. Wipe with dry and clean cloth

Precautions for misting:

1. Operate at downtime/after work
2. Do not perform misting treatment in patient-care areas
3. Ensure the area is vacated during misting process
4. Prevent eye contact
5. Misting should continue until mist water starts to form on walls and other surfaces