



No Lesen : PU012503

Licence No :

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

UTAMA CABLES SDN. BHD.
JA 955, PLOT 5C-D
KAWASAN PERINDUSTRIAN MERLIMAU
77300 MERLIMAU
MELAKA, MALAYSIA

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

POWER CABLES WITH EXTRUDED SOLID INSULATION

Please refer to detail in the SCHEDULE

sebagai mematuhi keperluan

as complying with

IEC 60502-1 : 2004

Mohd Azanuddin bin Salleh
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 410334-X)
1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 60-3-55446400
Faks : 60-3-55446466

<http://www.sirim.my>
<http://www.malysiancertified.com.my>

Tarikh Mula Pensijilan : 30 December 2004

Certified Since

Sah Sehingga : 30 December 2021

Valid Until

Tarikh Dikeluarkan : 28 December 2020

Issue Date

No Siri : 060442

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

UTAMA CABLES SDN. BHD.



Trade Mark : **UTAMA**
 Model : XLPE INSULATED PVC SHEATHED, NON-ARMoured, SHAPED STRANDED
 PLAIN ANNEALED COPPER CONDUCTOR 2-CORE, 3-CORE, 4-CORE (1.5, 2.5,
 4, 6, 10, 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300, 400, 500)MM²

Rating : 600/1000V

Trade Mark : **UTAMA**
 Model : XLPE INSULATED PVC SHEATHED, NON-ARMoured, STRANDED CIRCULAR
 COMPACTED PLAIN ALUMINIUM CONDUCTOR SINGLE CORE (16, 25, 35, 50,
 70, 95, 120, 150, 185, 240, 300, 400, 500, 630, 800, 1000)MM²

Rating : 600/1000V

Trade Mark : **UTAMA**
 Model : XLPE INSULATED PVC SHEATHED, ARMoured, SHAPED STRANDED PLAIN
 ALUMINIUM CONDUCTOR 2-CORE, 3-CORE, 4-CORE (16, 25, 35, 50, 70, 95,
 120, 150, 185, 240, 300, 400, 500)MM²

Rating : 600/1000V

Trade Mark : **UTAMA**
 Model : XLPE INSULATED PVC SHEATHED, ARMoured MULTICORE, AUXILIARY
 STRANDED COPPER CONDUCTOR 7, 12, 19, 27, 37, 48-CORE (1.5, 2.5, 4)MM²

Rating : 600/1000V

Trade Mark : **UTAMA**
 Model : XLPE INSULATED PVC SHEATHED ARMoured, STRANDED CIRCULAR
 COMPACTED PLAIN ANNEALED COPPER CONDUCTOR SINGLE CORE (16, 25,
 35, 50, 70, 95, 120, 150, 185, 240, 300, 400, 500, 630)MM²

Rating : 600/1000V

Trade Mark : **UTAMA**
 Model : XLPE INSULATED PVC SHEATHED, ARMoured, SHAPED STRANDED PLAIN
 ANNEALED COPPER CONDUCTOR 2-CORE, 3-CORE, 4-CORE (1.5, 2.5, 4, 6,
 10, 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300, 400, 500)MM²

Rating : 600/1000V

SCHEDULE

UTAMA CABLES SDN. BHD.



Trade Mark : **UTAMA**
Model : **XLPE INSULATED PVC SHEATHED, NON-ARMoured, STRANDED CIRCULAR
COMPACTED PLAIN ANNEALED COPPER CONDUCTOR SINGLE CORE (16, 25,
35, 50, 70, 95, 120, 150, 185, 240, 300, 400, 500, 630, 800, 1000)MM²**
Rating : **600/1000V**

End of page
