

**SAFETY DATA SHEET** according to the Occupational Safety and Health  
(Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations  
2013 and Pesticides Act 1974



**RESIGEN**

Version 2 / MAL  
102000003299

1/11

Revision Date: 11.07.2019  
Print Date: 18.07.2019

**SECTION 1: IDENTIFICATION OF THE HAZARDOUS CHEMICAL AND OF THE SUPPLIER**

**1.1 Product identifier**

Trade name RESIGEN  
Product code (UVP) 05947987

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use Insecticide

**1.3 Details of the supplier of the safety data sheet**

Supplier	Bayer AG Kaiser-Wilhelm-Allee 1 51373 Leverkusen Germany	Local distributor Bayer Co. (Malaysia) Sdn Bhd B-19-1 & B-19-2, The Ascent Paradigm, No. 1, Jalan SS 7/26A, Kelana Jaya, 47301 Petaling Jaya, Selangor. Malaysia
----------	---	---

Telephone 03 7801 3088 (office hours)

Telefax 03 7886 3338

**1.4 Emergency telephone no.**

In case of POISONING,  
please contact NATIONAL POISON CENTRE  
-1-800-88-8099 (office hours)  
- 012-4309499 (after office hours)

Global Incident Response Hotline (24h) +1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

**SECTION 2: HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**

Classification according to the Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Flammable liquids: Category 3  
H226 Flammable liquid and vapour.

Aspiration hazard: Category 1  
H304 May be fatal if swallowed and enters airways.

Eye irritation: Category 2  
H319 Causes serious eye irritation.

Acute toxicity: Category 4  
H332 Harmful if inhaled.

Acute aquatic toxicity: Category 1  
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1  
H410 Very toxic to aquatic life with long lasting effects.

**SAFETY DATA SHEET** according to the Occupational Safety and Health  
(Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations  
2013 and Pesticides Act 1974



**RESIGEN**

Version 2 / MAL  
102000003299

2/11  
Revision Date: 11.07.2019  
Print Date: 18.07.2019

Skin sensitisation: Category 1  
H317 May cause an allergic skin reaction.

**2.2 Label elements**

**Labelling according to the Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013**

Hazard label for supply/use required.

**Hazardous components which must be listed on the label:**

- S-Bioallethrin
- Permethrin
- Piperonyl butoxide
- Distillates (petroleum), hydro- treated light; Kerosine — unspecified



**Signal word:** Danger

**Hazard statements**

H226 Flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H410 Very toxic to aquatic life with long lasting effects.

**Precautionary statements**

P240 Ground/bond container and receiving equipment.  
P280 Wear protective gloves/ protective clothing/ eye protection.  
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.  
P501 Dispose of contents/container in accordance with local regulation.

**2.3 Other hazards**

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

**SECTION 3: COMPOSITION AND INFORMATION OF THE INGREDIENTS OF THE HAZARDOUS CHEMICAL**

**3.2 Mixtures**

**Chemical nature**

Emulsifiable concentrate (EC)  
S-Bioallethrin/Permethrin/PBO 7,2:173,1:155,9 g/l

**Hazardous components**

Name	CAS-No.	Conc. [%]
S-Bioallethrin	28434-00-6	0.77
Permethrin	52645-53-1	18.60



**SAFETY DATA SHEET** according to the Occupational Safety and Health  
(Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations  
2013 and Pesticides Act 1974



**RESIGEN**

Version 2 / MAL  
102000003299

3/11

Revision Date: 11.07.2019  
Print Date: 18.07.2019

Piperonyl butoxide	51-03-6	16.80
Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt	68584-23-6	> 5.00 – < 10.00
2-Methylpropan-1-ol	78-83-1	> 1.00 – < 5.00
3-Phenoxybenzyl alcohol	13826-35-2	< 1
Distillates (petroleum), hydrotreated light	64742-47-8	> 10.00

**Further information**

S-Bioallethrin	28434-00-6	M-Factor: 10 (acute)
Permethrin	52645-53-1	M-Factor: 1,000 (acute), 1,000 (chronic)
Piperonyl butoxide	51-03-6	M-Factor: 1 (acute)

**SECTION 4: FIRST AID MEASURES**

**4.1 Description of first aid measures**

<b>General advice</b>	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
<b>Inhalation</b>	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
<b>Skin contact</b>	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. In case of skin irritation, application of oils or lotions containing vitamin E may be considered. If symptoms persist, call a physician.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. Apply soothing eye drops, if needed anaesthetic eye drops. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Rinse mouth. Do NOT induce vomiting. Do not leave victim unattended. Call a physician or poison control center immediately.

**4.2 Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	Local: Skin and eye paraesthesia which may be severe, Usually transient with resolution within 24 hours, Skin, eye and mucous membrane irritation, Cough, Sneezing  Systemic: discomfort in the chest, tachycardia, Hypotension, Nausea, Abdominal pain, Diarrhoea, Vomiting, Blurred vision, Headache, Anorexia, Somnolence, Coma, Convulsions, Tremors, Prostration, Airway hyperreaction, Pulmonary oedema, Palpitation, Muscular fasciculation, Apathy, Dizziness
-----------------	---

**4.3 Indication of any immediate medical attention and special treatment needed**

<b>Risks</b>	This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.
--------------	--

**SAFETY DATA SHEET** according to the Occupational Safety and Health  
(Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations  
2013 and Pesticides Act 1974



**RESIGEN**

Version 2 / MAL  
102000003299

4/11

Revision Date: 11.07.2019

Print Date: 18.07.2019

**Treatment**

Systemic treatment: Initial treatment: symptomatic. Monitor: respiratory and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Keep respiratory tract clear. Oxygen or artificial respiration if needed. In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens. If not effective, phenobarbital may be used. Contraindication: atropine. Contraindication: derivatives of adrenaline. There is no specific antidote. Recovery is spontaneous and without sequelae.

In case of skin irritation, application of oils or lotions containing vitamin E may be considered.

---

**SECTION 5: FIREFIGHTING MEASURES**

**5.1 Extinguishing media**

**Suitable**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Unsuitable**

High volume water jet

**5.2 Special hazards arising from the substance or mixture**

Dangerous gases are evolved in the event of a fire.

**5.3 Advice for firefighters**

**Special protective equipment for firefighters**

In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

**Further information**

Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth.

---

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment and emergency procedures**

**Precautions**

Keep people away from and upwind of spill/leak. Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke.

**6.2 Environmental precautions**

Do not allow to get into surface water, drains and ground water.

**6.3 Methods and materials for containment and cleaning up**

**Methods for cleaning up**

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Clean floors and contaminated objects with plenty of water.

**Additional advice**

Check also for any local site procedures.



**SAFETY DATA SHEET** according to the Occupational Safety and Health  
(Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations  
2013 and Pesticides Act 1974



**RESIGEN**

Version 2 / MAL  
102000003299

5/11

Revision Date: 11.07.2019  
Print Date: 18.07.2019

**6.4 Reference to other sections**

Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

**SECTION 7: HANDLING AND STORAGE**

**7.1 Precautions for safe handling**

**Advice on safe handling**

No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.

**Advice on protection against fire and explosion**

Keep away from heat and sources of ignition. Vapours may form explosive mixture with air. Take measures to prevent the build up of electrostatic charge. Use only explosion-proof equipment.

**Hygiene measures**

When using, do not eat, drink or smoke. Remove soiled clothing immediately and clean thoroughly before using again. Contaminated work clothing should not be allowed out of the workplace. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Wash hands immediately after work, if necessary take a shower.

**7.2 Conditions for safe storage, including any incompatibilities**

**Requirements for storage areas and containers**

Store in a place accessible by authorized persons only. Keep away from direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from freezing.

**Advice on common storage**

Keep away from food, drink and animal feedingstuffs.

**Suitable materials**

Coex EVOH (1000L IBC)

**7.3 Specific end use(s)**

Refer to the label and/or leaflet.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
S-Bioallethrin	28434-00-6	0.75 mg/m <sup>3</sup> (SK-SEN)		OES BCS*
Permethrin	52645-53-1	5 mg/m <sup>3</sup> (TWA)	03 2000	MY OEL
Permethrin	52645-53-1	10 mg/m <sup>3</sup> (SK-SEN)		OES BCS*
Piperonyl butoxide	51-03-6	50 ppm (TWA)		OES BCS*
2-Methylpropan-1-ol	78-83-1	152 mg/m <sup>3</sup> /50 ppm (TWA)	03 2000	MY OEL
3-Phenoxybenzyl alcohol	13826-35-2	0.1 mg/m <sup>3</sup> /5 ppm (TWA)		OES BCS*

**SAFETY DATA SHEET** according to the Occupational Safety and Health  
(Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations  
2013 and Pesticides Act 1974



**RESIGEN**

Version 2 / MAL  
102000003299

6/11

Revision Date: 11.07.2019  
Print Date: 18.07.2019

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

**8.2 Exposure controls**

**Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection**

Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

**Hand protection**

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.  
Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

**Eye protection**

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

**Skin and body protection**

Wear standard coveralls and Category 3 Type 4 suit.  
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.  
If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

Form	Liquid, clear
Colour	beige to brown
Odour	characteristic
Flash point	48 °C
Ignition temperature	230 °C The data refer to the solvent.
Relative vapour density	4.5



**SAFETY DATA SHEET** according to the Occupational Safety and Health  
(Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations  
2013 and Pesticides Act 1974



**RESIGEN**

Version 2 / MAL  
102000003299

7/11  
Revision Date: 11.07.2019  
Print Date: 18.07.2019

	The data refer to the solvent.
Density	ca. 0.93 g/cm <sup>3</sup> ( 20 °C)
Water solubility	miscible
Partition coefficient: n-octanol/water	Permethrin: log Pow: 5.95 Piperonyl butoxide: log Pow: 4.75
Viscosity, kinematic	4.3 mm <sup>2</sup> /s ( 40 °C)
Surface tension	25.9 mN/m ( 40 °C)
9.2 Other information	Further safety related physical-chemical data are not known.

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No hazardous reactions when stored and handled according to prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous decomposition products No decomposition products expected under normal conditions of use.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 2,000 mg/kg

Acute inhalation toxicity ATE (Mix) 2.67 mg/l

Acute dermal toxicity LD50 (Rat) > 9,300 mg/kg

Skin corrosion/irritation Irritating to skin.  
Calculation method

Serious eye damage/eye irritation Severe eye irritation.  
Calculation method

Respiratory or skin sensitisation Skin: Non-sensitizing. (Mouse)  
OECD Test Guideline 429, local lymph node assay (LLNA)

### Assessment STOT Specific target organ toxicity – single exposure

S-bioallethrin: Based on available data, the classification criteria are not met.

Permethrin: Based on available data, the classification criteria are not met.

Piperonyl butoxide: Based on available data, the classification criteria are not met.

**SAFETY DATA SHEET** according to the Occupational Safety and Health  
(Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations  
2013 and Pesticides Act 1974



**RESIGEN**

Version 2 / MAL  
102000003299

8/11  
Revision Date: 11.07.2019  
Print Date: 18.07.2019

**Assessment STOT Specific target organ toxicity – repeated exposure**

S-bioallethrin did not cause specific target organ toxicity in experimental animal studies.  
Permethrin did not cause specific target organ toxicity in experimental animal studies.  
Piperonyl butoxide did not cause specific target organ toxicity in experimental animal studies.

**Assessment mutagenicity**

S-bioallethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.  
Permethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.  
Piperonyl butoxide was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

**Assessment carcinogenicity**

S-bioallethrin was not carcinogenic in lifetime feeding studies in rats and mice.  
Permethrin caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver, Lungs. The mechanism that triggers tumours in rodents is not relevant for the low exposures encountered under normal use conditions.  
Piperonyl butoxide was not carcinogenic in lifetime feeding studies in rats and mice.

**Assessment toxicity to reproduction**

S-bioallethrin did not cause reproductive toxicity in a two-generation study in rats.  
Permethrin did not cause reproductive toxicity in a two-generation study in rats.  
Piperonyl butoxide did not cause reproductive toxicity in a two-generation study in rats.

**Assessment developmental toxicity**

S-bioallethrin did not cause developmental toxicity in rats and rabbits.  
Permethrin did not cause developmental toxicity in rats and rabbits.  
Piperonyl butoxide did not cause developmental toxicity in rats and rabbits.

**Aspiration hazard**

May be fatal if swallowed and enters airways.

**Further information**

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

---

**SECTION 12: ECOLOGICAL INFORMATION**

**12.1 Toxicity**

**Toxicity to fish**

LC50 (Oncorhynchus mykiss (rainbow trout)) 0.0105 mg/l  
Exposure time: 96 h  
The value mentioned relates to the active ingredient S-bioallethrin.

LC50 (Poecilia reticulata (guppy)) 0.0076 mg/l  
Exposure time: 96 h  
The value mentioned relates to the active ingredient permethrin.

LC50 (Cyprinodon variegatus (sheepshead minnow)) 3.94 mg/l  
Exposure time: 96 h  
The value mentioned relates to the active ingredient piperonyl butoxide.

**Toxicity to aquatic invertebrates**

EC50 (Daphnia (water flea)) 0.016 mg/l  
Exposure time: 96 h  
The value mentioned relates to the active ingredient S-bioallethrin.



**SAFETY DATA SHEET** according to the Occupational Safety and Health  
(Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations  
2013 and Pesticides Act 1974



**RESIGEN**

Version 2 / MAL  
102000003299

9/11  
Revision Date: 11.07.2019  
Print Date: 18.07.2019

EC50 (Daphnia magna (Water flea)) 0.00017 mg/l  
Exposure time: 48 h  
The value mentioned relates to the active ingredient permethrin.

EC50 (Daphnia magna (Water flea)) 0.51 mg/l  
Exposure time: 48 h  
The value mentioned relates to the active ingredient piperonyl butoxide.

**Toxicity to aquatic plants**

EC50 (Raphidocelis subcapitata (freshwater green alga)) 3.9 mg/l  
Exposure time: 72 h  
The value mentioned relates to the active ingredient S-bioallethrin.

EC50 (Raphidocelis subcapitata (freshwater green alga)) 0.497 mg/l  
Exposure time: 72 h  
The value mentioned relates to the active ingredient permethrin.

EC50 (Algae) > 9.1 mg/l  
Exposure time: 72 h  
The value mentioned relates to the active ingredient piperonyl butoxide.

**12.2 Persistence and degradability**

**Biodegradability**

S-bioallethrin:  
Not rapidly biodegradable  
Permethrin:  
Not rapidly biodegradable  
Piperonyl butoxide:  
Not rapidly biodegradable

**Koc**

S-bioallethrin: Koc: 9500  
Permethrin: Koc: 100000  
Piperonyl butoxide: Koc: 399 - 830

**12.3 Bioaccumulative potential**

**Bioaccumulation**

S-bioallethrin: Bioconcentration factor (BCF) 260  
Does not bioaccumulate.  
Permethrin: Bioconcentration factor (BCF) 300  
Does not bioaccumulate.  
Piperonyl butoxide:  
Potential bioaccumulation

**12.4 Mobility in soil**

**Mobility in soil**

S-bioallethrin: Slightly mobile in soils  
Permethrin: Immobile in soil  
Piperonyl butoxide: Moderately mobile in soils

**12.5 Results of PBT and vPvB assessment**

**PBT and vPvB assessment**

S-bioallethrin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).  
Permethrin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).  
Piperonyl butoxide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

**SAFETY DATA SHEET** according to the Occupational Safety and Health  
(Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations  
2013 and Pesticides Act 1974



**RESIGEN**

Version 2 / MAL  
102000003299

10/11  
Revision Date: 11.07.2019  
Print Date: 18.07.2019

**12.6 Other adverse effects**

**Additional ecological information** No other effects to be mentioned.

**SECTION 13: DISPOSAL INFORMATION**

**13.1 Waste treatment methods**

**Product** In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

**Contaminated packaging** Not completely emptied packagings should be disposed of as hazardous waste.

**SECTION 14: TRANSPORT INFORMATION**

**ADR/RID/ADN**

14.1 UN number	1993
14.2 Proper shipping name	FLAMMABLE LIQUID, N.O.S. (PERMETHRIN, Kerosine solution)
14.3 Transport hazard class(es)	3
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	30
Tunnel Code	D/E

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

**IMDG**

14.1 UN number	1993
14.2 Proper shipping name	FLAMMABLE LIQUID, N.O.S. (PERMETHRIN, Kerosine solution)
14.3 Transport hazard class(es)	3
14.4 Packaging Group	III
14.5 Marine pollutant	YES

**IATA**

14.1 UN number	1993
14.2 Proper shipping name	FLAMMABLE LIQUID, N.O.S. (PERMETHRIN, Kerosine solution)
14.3 Transport hazard class(es)	3
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	NO

**14.6 Special precautions for user**

See sections 6 to 8 of this Safety Data Sheet.

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**

No transport in bulk according to the IBC Code.



**SAFETY DATA SHEET** according to the Occupational Safety and Health  
(Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations  
2013 and Pesticides Act 1974



**RESIGEN**

Version 2 / MAL  
102000003299

11/11

Revision Date: 11.07.2019

Print Date: 18.07.2019

---

**SECTION 15: REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Further information**

WHO-classification: III (Slightly hazardous)

---

**SECTION 16: OTHER INFORMATION**

The information contained within this Safety Data Sheet is in accordance to The Industry Code of Practice on Chemical Classification and Hazard Communication 2013 (ICOP) which is promulgated under Section 37 of Occupational Safety and Health Act 1994 (OSHA 1994) and serves as a guidance to chemical suppliers to comply with the provisions of Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013 [P.U. (A) 310/2013] which have been gazetted on 11 October 2013, hereinafter is referred to as "the Regulations". This data sheet complements the user's instructions, but does not replace them. The information contained therein is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with the current Malaysia legislation, including the Pesticides Act 1974. Addressees are requested to observe any additional national requirements.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--