according to Regulation (EC) No. 1907/2006



Syngenta Crop Protection Sdn Bhd

Co. No: 199701022335 (437832-V)

MR1-02-02, Srl Acappella Commercial Annex,

No. 1 Jalan Lompet Tinggi 13/33, Seksyen 13,

40100 Shah Alam, Selangor Darul Ehsan, Malaysia. Tel: 603-5510 9878, 5510 8878 Fax: 603-5510 2818

GST Reg No: 001842941952

# MATIKUS W/BLK

Version Revision Date: 4.0 22.09.2021

SDS Number: S174416462

This version replaces all previous versions.

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : MATIKUS W/BLK

Design code : A14003A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Rodenticide

Substance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Syngenta Crop Protection AG

Rosentalstrasse 67, Postfach

CH-4002 Basel Switzerland

Telephone : +41 61 323 11 11

Telefax : +41 61 323 12 12

E-mail address of person

responsible for the SDS

: sds.ch@syngenta.com

1.4 Emergency telephone number

Emergency telephone

: +44 1484 538444

number

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Reproductive toxicity, Category 1A H360D: May damage the unborn child.

Specific target organ toxicity - repeated H373: May cause damage to organs through

exposure, Category 2, Blood prolonged or repeated exposure.

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Signal word : Danger

Hazard statements : H360D May damage the unborn child.

H373 May cause damage to organs (Blood) through

according to Regulation (EC) No. 1907/2006



# MATIKUS W/BLK

Version Revision Date: 4.0 22.09.2021

SDS Number: S174416462

This version replaces all previous versions.

prolonged or repeated exposure.

Precautionary statements

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been

read and understood.

P260 Do not breathe dust.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection/ hearing protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Hazardous components which must be listed on the label:

brodifacoum (ISO)

Additional Labelling

Restricted to professional users.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)	
brodifacoum (ISO)	56073-10-0 259-980-5 607-172-00-1	Acute Tox. 1; H300 Acute Tox. 1; H330 Acute Tox. 1; H310	>= 0.003 - < 0.02	

according to Regulation (EC) No. 1907/2006



# MATIKUS W/BLK

Version Revision Date: 4.0 22.09.2021

SDS Number: S174416462 This version replaces all previous versions.

	specific concentration limit Repr. 1A; H360D >= 0.003 %	
	M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	
	Skin Sens. 1B; H317 Repr. 1A; H360D STOT RE 1; H372 (Blood) Aquatic Acute 1; H400 Aquatic Chronic 1; H410	

# SECTION 4: First aid measures

## 4.1 Description of first aid measures

General advice : Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled : Move the victim to fresh air.

If breathing is irregular or stopped, administer artificial

respiration.

Keep patient warm and at rest.

Call a physician or poison control centre immediately.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

according to Regulation (EC) No. 1907/2006



# MATIKUS W/BLK

Version Revision Date: 4.0 22.09.2021

SDS Number: S174416462 This version replaces all previous versions.

for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed

Take victim immediately to hospital.

Do NOT induce vomiting.

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms

Symptoms of poisoning are typical of anticoagulants. In severe cases there may be bruising, haematomas of the

joints, blood in the faeces and urine

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment

This product contains anticoagulants with an effect similar to warfarin in that they act by interfering with the synthesis of prothrombin.

The specific measure of effect is the prothrombin time. Note this may not become prolonged until 12-18 hours after ingestion.

The specific antidote is vitamin K1 (Phytomenandione). Initially, antidote should be given by injection (10-20mg, or 0.25mg/kg for children), by slow intravenous infusion at a rate not exceeding 1mg/minute. In severe cases the use of fresh

frozen plasma may be required.

Maintenance treatment is given orally (40mg/day in divided doses for adults; up to 20mg/day in divided doses for children).

The prothrombin time and the haemoglobin should be monitored. Patients should be kept under medical supervision until the prothrombin time has been normal for 3 consecutive days.

Oral treatment may need continuing for several months (20mg/day in divided doses for adults and up to 20mg/day in divided doses for children). (For animal cases the dose is 2-5mg/kg).

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Extinguis

Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

according to Regulation (EC) No. 1907/2006



# MATIKUS W/BLK

Version 4.0

Revision Date: 22.09.2021

SDS Number: S174416462

This version replaces all previous versions.

or

Water spray

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread

fire

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

As the product contains combustible organic components, fire

will produce dense black smoke containing hazardous

products of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

#### 5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear full protective clothing and self-contained breathing

apparatus.

Further information : Do not allow run-off from fire fighting to enter drains or water

courses

Cool closed containers exposed to fire with water spray.

#### SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions

Refer to protective measures listed in sections 7 and 8.

Avoid dust formation.

#### 6.2 Environmental precautions

Environmental precautions

Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

# 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13). Do not create a powder cloud by using a brush or compressed

air.

Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

#### 6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

according to Regulation (EC) No. 1907/2006



# MATIKUS W/BLK

Version Revision Date: 4.0 22.09.2021

SDS Number: S174416462

This version replaces all previous versions.

**SECTION 7: Handling and storage** 

## 7.1 Precautions for safe handling

Advice on safe handling : No special protective measures against fire required.

Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and

animal feedingstuffs.

7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the

approval conditions laid down on the product label.

# SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
kaolin	1332-58-7	TWA (alveolate dust)	3 mg/m3	CH SUVA
		TWA (Respirable dust)	0.1 mg/m3	2004/37/EC
	Further inform	nation: Carcinogens	or mutagens	
brodifacoum (ISO)	56073-10-0	TWA	0.002 mg/m3	Syngenta

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
propane-1,2-diol	Workers	Inhalation	Long-term systemic effects	168 mg/m3
	Consumers	Inhalation	Long-term local effects	10 mg/m3
	Consumers	Inhalation	Long-term systemic effects	30 mg/m3
	Workers	Inhalation	Long-term local effects	10 mg/m3

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
propane-1,2-diol	Fresh water	260 mg/l
**************************************	Marine water	26 mg/l

according to Regulation (EC) No. 1907/2006



# MATIKUS W/BLK

Version 4.0 Revision Date: 22.09.2021

SDS Number: S174416462

This version replaces all previous versions.

- ARTH STUTION OF GUILBRUSS OF THE STUTION OF THE S

	Intermittent use/release	183 mg/l
	Sewage treatment plant	20000 mg/l
and the second of the second o	Marine sediment	57.2 mg/kg
	Fresh water sediment	572 mg/kg
	Soil	50 mg/kg

#### 8.2 Exposure controls

#### **Engineering measures**

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

### Personal protective equipment

Eye protection Hand protection

No special protective equipment required.

: Nitrile rubber : > 480 min : 0.5 mm

Material Break through time Glove thickness

Remarks

Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

The selected protective gloves have to satisfy the

specifications of Regulation (EU) 2016/425 and the standard

EN 374 derived from it.

Skin and body protection

Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate:

Dust impervious protective suit

Respiratory protection

No personal respiratory protective equipment normally

required.

When workers are facing concentrations above the exposure

according to Regulation (EC) No. 1907/2006



MATIKUS W/BLK

Version Revision Date: 22.09.2021

SDS Number: S174416462

This version replaces all previous versions.

limit they must use appropriate certified respirators.

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment. When selecting personal protective equipment, seek

appropriate professional advice.

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Physical state : solid
Colour : red
Odour : odourless

Odour Threshold : No data available

Melting point/range : > 50 °C

Boiling point/boiling range : No data available

Flammability : No data available

Upper explosion limit / Upper :

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Vapour pressure : No data available

Density : No data available

according to Regulation (EC) No. 1907/2006



# MATIKUS W/BLK

Version Revision 4.0 22.09.2

Revision Date: SDS Number: 22.09.2021 S174416462

This version replaces all previous versions.

Relative vapour density

: No data available

Particle characteristics

Particle size : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

# SECTION 10: Stability and reactivity

## 10.1 Reactivity

None reasonably foreseeable.

## 10.2 Chemical stability

Stable under normal conditions.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : None known.

## 10.6 Hazardous decomposition products

Hazardous decomposition

products

: No hazardous decomposition products are known.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of :

exposure

Ingestion Inhalation

Skin contact Eye contact

according to Regulation (EC) No. 1907/2006



# MATIKUS W/BLK

Version Revision Date: 4.0 22.09.2021

SDS Number: S174416462

This version replaces all previous versions.

**Acute toxicity** 

Components:

brodifacoum (ISO):

Acute oral toxicity : LD50 (Rat, female): 0.561 mg/kg

LD50 (Rat, male): 0.418 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): 0.00305 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

LC50 (Rat, male): 0.00486 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male): 5.21 mg/kg

LD50 (Rat, female): 3.16 mg/kg

Skin corrosion/irritation

Components:

brodifacoum (ISO):

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Components:

brodifacoum (ISO):

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitisation

Components:

brodifacoum (ISO):

Test Type : Buehler Test Species : Guinea pig

Result : The product is a skin sensitiser, sub-category 1B.

according to Regulation (EC) No. 1907/2006



MATIKUS W/BLK

Version Revision Date: SDS Number: This version replaces all previous versions. 4.0

22.09.2021 S174416462

Germ cell mutagenicity

Components:

brodifacoum (ISO):

Germ cell mutagenicity-

Assessment

: Animal testing did not show any mutagenic effects.

Carcinogenicity

Components:

brodifacoum (ISO):

Carcinogenicity -Assessment

No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Components:

brodifacoum (ISO):

Reproductive toxicity -

Some evidence of adverse effects on development, based on animal experiments.

Assessment

STOT - repeated exposure

Components:

brodifacoum (ISO):

**Target Organs** 

Blood

Assessment

The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 1.

11.2 Information on other hazards

**Endocrine disrupting properties** 

Product:

Assessment The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : No data is available on the product itself.

according to Regulation (EC) No. 1907/2006



# MATIKUS W/BLK

Version 4.0

Revision Date: 22.09.2021

SDS Number: S174416462

This version replaces all previous versions.

## Components:

brodifacoum (ISO):

Remarks : Excessive exposure slows blood clotting time and can cause

bleeding, shock and death.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

## Components:

brodifacoum (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.04 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.45 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

0.27 mg/l

Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)):

0.01 mg/l

End point: Growth rate Exposure time: 72 h

M-Factor (Acute aquatic

toxicity)

10

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 30 min

M-Factor (Chronic aquatic

toxicity)

10

## 12.2 Persistence and degradability

#### Components:

brodifacoum (ISO):

Biodegradability : Result: Not rapidly biodegradable

Stability in water : Degradation half life: ca. 300 d

Remarks: Persistent in water.

according to Regulation (EC) No. 1907/2006



# MATIKUS W/BLK

Version Revision Date: 4.0 22.09.2021

SDS Number: S174416462

This version replaces all previous versions.

## 12.3 Bioaccumulative potential

#### Components:

brodifacoum (ISO):

Bioaccumulation : Remarks: bioaccumulative

#### 12.4 Mobility in soil

## Components:

#### brodifacoum (ISO):

Distribution among

environmental compartments

Remarks: Low mobility in soil.

Stability in soil

Dissipation time: 157 d

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

# Components:

brodifacoum (ISO):

Assessment : PBT substance

## 12.6 Endocrine disrupting properties

## Product:

Assessment The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### 12.7 Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product Do not contaminate ponds, waterways or ditches with

chemical or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or

according to Regulation (EC) No. 1907/2006



# MATIKUS W/BLK

Version 4.0

Revision Date: 22.09.2021

SDS Number: S174416462 This version replaces all previous versions.

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.

Contaminated packaging

Empty remaining contents.

Triple rinse containers.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

Not regulated as a dangerous good

## 14.2 UN proper shipping name

Not regulated as a dangerous good

## 14.3 Transport hazard class(es)

Not regulated as a dangerous good

## 14.4 Packing group

Not regulated as a dangerous good

## 14.5 Environmental hazards

Not regulated as a dangerous good

## 14.6 Special precautions for user

Remarks

Not classified as dangerous in the meaning of transport

regulations.

# 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

Conditions of restriction for the following entries should be

considered:

brodifacoum (ISO) (Number on list

30)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that

deplete the ozone layer

: Not applicable

Regulation (EU) 2019/1021 on persistent organic

: Not applicable

pollutants (recast)

Regulation (EC) No 649/2012 of the European

: Not applicable

according to Regulation (EC) No. 1907/2006



# MATIKUS W/BLK

Version 4.0 Revision Date: 22.09.2021

SDS Number: S174416462

This version replaces all previous versions.

Parliament and the Council concerning the export and

import of dangerous chemicals

PIC Ordinance, ChemPICO (814.82)

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

## Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Article 13 Maternity ordinance (SR 822.111.52): Expectant and nursing mothers are only permitted to come into contact with this product during the course of their work if, based on a risk assessment carried out in accordance with Article 63 of Ordinance 1 on the Employment Act (ArGV 1) (SR 822.111), the chemicals in question have been found not to cause any specific harm to mothers or children or if such harm can be ruled out by taking appropriate protective measures.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2): Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

## 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

## **SECTION 16: Other information**

#### Full text of H-Statements

H300 : Fatal if swallowed.

H310 : Fatal in contact with skin.

H317 : May cause an allergic skin reaction.

H330 : Fatal if inhaled.

H360D : May damage the unborn child.

H372 : Causes damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

## Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Repr. : Reproductive toxicity

according to Regulation (EC) No. 1907/2006



# MATIKUS W/BLK

Version Revision Date: SDS Number: This version replaces all previous versions. 4.0 22.09.2021 S174416462

Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure

2004/37/EC : Europe. Directive 2004/37/EC on the protection of workers

from the risks related to exposure to carcinogens or mutagens

at work

CH SUVA : Switzerland. Limit values at the work place

2004/37/EC / TWA : Long term exposure limit CH SUVA / TWA : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

Classification of the mixture: Classification procedure:

Repr. 1A H360D Calculation method

STOT RE 2 H373 Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

according to Regulation (EC) No. 1907/2006



# MATIKUS W/BLK

Version Revision Date: 4.0 22.09.2021

SDS Number: S174416462

This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CH / EN