

Risalah Data Keselamatan

Safety data sheet

Mukasurat (Page): 1/27

BASF Risalah Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 07.03.2022

Produk (Product): **Tenopa®**

Versi (Version): 4.0

(30264788/SDS_GEN_MY/MS)

Tarikh cetakan (Date of print): 07.03.2022

1. Pengenalan bahan kimia dan pembekal

Tenopa®

Kegunaan: racun serangga

Syarikat:

BASF (Malaysia) Sdn Bhd
Lot 19.02 Level 19, 1 Powerhouse
No 1 Persiaran Bandar Utama
47800 Petaling Jaya
Selangor D.E, MALAYSIA
Nombor Telefon: +60 3 7612 1888
Nombor Telefax: +60 3 7612 1777

Maklumat kecemasan:

Nombor Kecemasan Kebangsaan
+603 7612 1999
Nombor Kecemasan Antarabangsa:
Nombor Telefon: +49 180 2273-112

2. Pengenalan Bahaya

Pengelasan bahan dan campuran:

Toksik kepada pembiakan: Kat. Kategori tambahan untuk kesan pada atau melalui penyusuan.

Bahaya akut kepada persekitaran akuatik: Kat. 1

Bahaya kronik kepada persekitaran akuatik.: Kat. 1

Unsur label dan pernyataan berjaga-jaga:

Piktogram:



Kata Isyarat:
Amaran

Pernyataan Bahaya:

H362 Boleh memudaratkan bayi yang menyusu badan.
H400 Sangat toksik kepada hidupan akuatik.
H410 Sangat toksik kepada hidupan akuatik dengan kesan yang berpanjangan.

Pernyataan berjaga-jaga:

P101 Jika nasihat perubatan diperlukan, dapatkan bekas atau label produk.
P102 Jauhkan daripada kanak-kanak.
P103 Baca label sebelum menggunakan produk.

Pernyataan Berjaga-jaga (Pencegahan):

P260 Jangan sedut debu/wasap/gas/ kabut/wap/semburan.
P262 Jangan biarkan terkena mata, kulit atau pakaian.
P263 Elak daripada persentuhan semasa mengandung dan menyusu.
P270 Jangan makan, minum atau merokok semasa menggunakan produk ini.
Basuh bahagian badan yang tercemar sebersih-bersihnya selepas pengendalian.
P273 Elakkan pelepasan bahan ke persekitaran.

Pernyataan Berjaga-jaga (Tindak Balas):

P391 Pungut tumpahan.
P308 + P313 Jika terdedah kepada bahan atau terkena bahan: Dapatkan nasihat/rawatan perubatan.

Pernyataan Berjaga-jaga (Pelupusan):

P501 Buangkan kandungan dan bekas ke tempat pengumpulan bahan sisa merbahaya atau khas.

Bahaya lain yang tidak menyebabkan pengelasan:

Lihat seksyen 12 - Keputusan PBT dan Penilaian vPvB

Jika berkenaan, maklumat yang diberikan dalam bahagian ini tentang bahaya lain tidak menyebabkan pengelasan tetapi mungkin menyumbang kepada bahaya bahan atau campuran secara keseluruhan.

Boleh menyebabkan paraestesia. ALPHA-CYPERMETHRIN

Boleh menyebabkan tindakbalas alahan : Mengandungi 1,2-BENZISOTIAZOL-3(2H)-ON

3. Komposisi dan Maklumat Mengenai Ramuan Bahan Kimia

Kedaaan kimia

biosid, racun serangga, pekatan ampaian (SC)

BASF Risalah Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 07.03.2022

Produk (Product): **Tenopa®**

Versi (Version): 4.0

(30264788/SDS_GEN_MY/MS)

Tarikh cetakan (Date of print): 07.03.2022

Ramuan berbahaya

| Alphacypermethrin technical

Kandungan (berat/berat): 2.92 %
Nombor CAS: 67375-30-8Acute Tox.: Kat. 4 (Penyedutan - habuk)
Acute Tox.: Kat. 3 (oral)
STOT SE: Kat. 3 (irr. to respiratory syst.)
STOT RE (Sistem saraf): Kat. 2
Aquatic Acute: Kat. 1
Aquatic Chronic: Kat. 1
Faktor-M akut: 1000
Faktor-M kronik: 1000

Benzamide, N-[[[4-[2-chloro-4-(trifluoromethyl)phenoxy]-2- fluorophenyl]amino]carbonyl]-2,6-difluoro-

Kandungan (berat/berat): 2.92 %
Nombor CAS: 101463-69-8Repr.: Kat.
Aquatic Acute: Kat. 1
Aquatic Chronic: Kat. 1
Faktor-M akut: 10000
Faktor-M kronik: 10000

| 1,2-benzisotiazol-3(2H)-on

Kandungan (berat/berat): < 0.05 %
Nombor CAS: 2634-33-5Acute Tox.: Kat. 4 (oral)
Skin Corr./Irrit.: Kat. 2
Eye Dam./Irrit.: Kat. 1
Skin Sens.: Kat. 1
Aquatic Acute: Kat. 1
Aquatic Chronic: Kat. 1
Faktor-M akut: 1
Faktor-M kronik: 1

propan-1,2-diol

Kandungan (berat/berat): < 15 %
Nombor CAS: 57-55-6

Bagi pengelasan yang tidak ditulis dengan penuh dalam bahagian ini, teks lengkap boleh didapati di bahagian 16.

4. Langkah-Langkah Pertolongan Cemas

Nasihat am:

Tanggalkan pakaian yang tercemar.

Jika tersedut:

| Tenangkan pesakit, alihkan ke tempat berudara bersih, dapatkan rawatan perubatan.

Apabila terkena kulit:

Basuh bersih-bersih dengan sabun dan air.

Apabila terkena mata:

Basuh mata yang terkena produk selama sekurang-kurangnya 15 minit di bawah aliran air sambil membuka mata.

Apabila tertelan:

Segera berkumur, kemudian minum 200-300 ml air, dapatkan rawatan perubatan.

Nota kepada doktor:

Gejala: Maklumat, iaitu maklumat tambahan mengenai simptom dan kesan boleh termasuk di dalam fasa palabelan GHS yang tersedia ada dalam Seksyen 2 dan di dalam penaksiran Toksikologi yang tersedia ada dalam Seksyen 11., Simptom dan/atau kesan tidak diketahui setakat ini

Nota kepada doktor:

Rawatan: Rawat mengikut gejala (nyahcemar, fungsi utama), tiada penawar khusus diketahui.

5. Langkah-Langkah Pemadaman Kebakaran

Bahan pemadam yang sesuai:

semburan air, karbon dioksida, busa, serbuk kering

Bahaya tertentu:

karbon monoksida, karbon dioksida, hidrogen klorida, hidrogen florida, hidrogen sianida, nitrogen oksida, sebatian halogen, sulfur oksida, sianida

Bahan/kumpulan bahan yang dinyatakan boleh dibebaskan jika berlaku kebakaran.

Peralatan perlindungan khusus:

Gunakan alat pernafasan serba lengkap dan pakaian pelindung kimia.

Maklumat lanjut:

Dalam hal kebakaran dan/atau letupan jangan menyedut wasap. Pastikan bekas sejuk dengan menyembur air pada bekas jika terdedah kepada kebakaran. Kumpul air pemadam api yang tercemar secara berasingan, jangan biarkan ia mengalir ke dalam sistem pembetung atau efluen. Lupuskan sisa kebakaran dan air pemadam api yang tercemar menurut peraturan rasmi.

6. Langkah-Langkah Pelepasan Tidak Sengaja

Langkah pencegahan diri:

Gunakan pakaian pelindung diri. Elakkan dari bersentuhan dengan kulit, mata dan pakaian. Jangan bernafaskan wap/semburan

Langkah berjaga-jaga untuk alam sekitar:

Jangan lepaskan ke dalam subtanah/tanah. Jangan lepaskan ke dalam parit/air permukaan/air tanah.

Kaedah pembersihan atau penyerapan:

Bagi sejumlah kecil: Kutip dengan bahan penyerap yang sesuai (contohnya pasir, habuk gergaji, pengikat serba guna, kieselguhr).

Bagi sejumlah besar: Bina benteng tumpahan. Pam produk.

Lupuskan bahan yang diserap mengikut peraturan. Kumpul sisa ke dalam bekas yang sesuai, yang boleh dilabel dan ditutup ketat. Basuh bersih Bersih-lantai dan objek yang tercemar dengan air dan bahan pencuci, patuhi peraturan alam sekitar.

7. Pengendalian dan Penyimpanan;

Pengendalian

Tiada langkah khusus diperlukan dengan syarat produk disimpan dan digunakan dengan betul. Pastikan pengalihudaraan menyeluruh di kawasan simpanan dan di tempat kerja. Jangan makan, minum atau merokok apabila menggunakannya. Tangan dan/atau muka hendaklah dibasuh sebelum rehat dan setelah tamat waktu bekerja.

Perlindungan terhadap kebakaran dan letupan:

Tiada langkah berjaga-jaga yang khusus diperlukan. Bahan/produk tidak mudah terbakar. Produk tidak meletup.

Penyimpanan

Asingkan daripada makanan dan makanan haiwan.

Maklumat lanjut tentang keadaan penyimpanan: Jauhkan daripada panas. Lindungi daripada pancaran terus cahaya matahari.

Kestabilan penyimpanan:

Tempoh penyimpanan: 36 bulan

Lindungi daripada suhu di bawah : -10 °C

Produk boleh menghablur di bawah had suhu tersebut.

Lindungi daripada suhu melebihi : 40 °C

Perubahan ciri produk boleh berlaku jika bahan/produk disimpan melebihi suhu yang dinyatakan bagi tempoh yang panjang.

8. Kawalan pendedahan dan perlindungan diri

Komponen dengan parameter kawalan tempat kerja

| Tiada had pendedahan pekerjaan tertentu yang diketahui.

Peralatan perlindungan peribadi

Perlindungan pernafasan:

Perlindungan pernafasan yang sesuai bagi kepekatan yang rendah atau kesan jangka pendek: Penapis gabungan bagi gas/wap sebatian organik, tak organik, asid tak organik, alkali dan zarah toksik (contohnya EN 14387 Jenis ABEK-P3)

Perlindungan tangan:

Sarung tangan kalis kimia yang sesuai (EN ISO 374-1) jika terkena secara langsung yang berpanjangan (Disyorkan: Indeks pelindung 6, sama dengan masa penelapan > 480 minit mengikut EN ISO 374-1): Misalnya getah nitril (0.4 mm), getah kloroprena (0.5 mm), polivinilklorida (0.7 mm) dan lainnya.

Perlindungan mata:

Kaca mata keselamatan dengan pelindung sisi (gogal berbingkai) (contohnya EN 166)

Perlindungan badan:

Perlindungan badan mesti dipilih bergantung kepada aktiviti dan pendedahan, contohnya apron, kasut perlindungan, pakaian perlindungan bahan kimia (Berdasarkan DIN-EN 465)

BASF Risalah Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 07.03.2022

Produk (Product): **Tenopa®**

Versi (Version): 4.0

(30264788/SDS_GEN_MY/MS)

Tarikh cetakan (Date of print): 07.03.2022

Langkah kebersihan dan keselamatan am:

Kendalikan mengikut amalan kesihatan dan keselamatan industri yang baik. Disyorkan memakai pakaian kerja yang tertutup. Simpan pakaian kerja secara berasingan. Jauhkan daripada makanan, minuman dan barang makanan haiwan.

9. Sifat Fizikal dan Kimia

Bentuk:	cecair	
Warna:	putih	
Bau:	sedikit berbau	
Ambang bau:	Tidak ditentukan disebabkan oleh bahaya kesihatan yang mungkin melalui penyedutan.	
nilai pH:	dianggarkan 6 - 8 (20 °C) (diukur dengan bahan yang tidak dicairkan)	
takat lebur:	Produk belum diuji.	
takat didih:	dianggarkan 100 °C Maklumat terpakai kepada pelarut.	
Takat kilat:	Tidak mudah terbakar.	(Arahan 92/69/EEC, A.9)
Tahap penyejatan:	Tidak boleh digunakan	
Kemudahbakaran (pepejal/gas):	Tidak boleh digunakan	
Had letupan bawah:	Hasil pengalaman kami dengan produk ini dan pengetahuan kami mengenai komposisinya kami menjangka tidak terdapat bahaya selagi produk ini digunakan dengan cara yang sesuai dan menurut penggunaan yang dicadangkan.	
Had letupan atas:	Hasil pengalaman kami dengan produk ini dan pengetahuan kami mengenai komposisinya kami menjangka tidak terdapat bahaya selagi produk ini digunakan dengan cara yang sesuai dan menurut penggunaan yang dicadangkan.	
Suhu pencucuhan:	500 °C	(Arahan 92/69/EEC, A.15)
Penguraian terma:	195 °C , 30 kJ/kg	(DDK (OECD 113))
	400 °C , > 120 kJ/kg	(DDK (OECD 113))

BASF Risalah Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 07.03.2022

Versi (Version): 4.0

Produk (Product): **Tenopa®**

(30264788/SDS_GEN_MY/MS)

Tarikh cetakan (Date of print): 07.03.2022

Bahaya letupan:	Bahan tidak boleh mengurai sendiri menurut peraturan-peraturan pengangkutan UN, kelas 4.1	(Arahan 92/69/EEC, A.14)
Sifat yang menggalakkan kebakaran:	tidak mudah meletup	
Tekanan Wap:	dianggarkan 23 hPa (20 °C)	
	Maklumat terpakai kepada pelarut.	
Kepekatan:	dianggarkan 1.03 g/cm ³ (20 °C)	
Ketumpatan wap relatif (udara):	Tidak boleh digunakan	
Keterlarutan dalam air:	mudah terserak	
Pekali petakan n-oktanol/air (log Pow):	Tidak boleh digunakan	
Kelikatan, dinamik:	dianggarkan 100 mPa.s (20 °C, 100 1/s)	

Maklumat lain:

Jika perlu, maklumat tentang parameter fizikal and kimia ada dinyatakan didalam bahagian ini.

10. Kestabilan dan Kereaktifan

Keadaan yang perlu dielakkan:

Lihat MSDS bahagian 7 - Pengendalian dan Penyimpanan.

Penguraian terma:	195 °C, 30 kJ/kg (DDK (OECD 113))
Penguraian terma:	400 °C, > 120 kJ/kg (DDK (OECD 113))
Penguraian terma:	Bahan tidak boleh mengurai sendiri menurut peraturan-peraturan pengangkutan UN, kelas 4.1

Bahan yang perlu dielakkan:

bes kuat, asid kuat, agen pengoksida yang kuat

Tindak balas berbahaya:

Tiada produk penguraian yang berbahaya jika disimpan dan dikendalikan seperti yang ditetapkan/dinyatakan.

Bahan penguraian berbahaya:

Tiada produk penguraian yang berbahaya jika disimpan dan dikendalikan seperti yang ditetapkan/dinyatakan.

11. Maklumat Toksikologi

Ketoksikan akut

BASF Risalah Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 07.03.2022

Produk (Product): **Tenopa®**

Versi (Version): 4.0

(30264788/SDS_GEN_MY/MS)

Tarikh cetakan (Date of print): 07.03.2022

Penilaian ketoksikan akut:

Tidak toksik selepas sekali ditelan. Tidak toksik selepas sekali terkena kulit Tidak toksik jika tersedut. Produk belum diuji. Penyataan diambil daripada bahan/produk yang mempunyai struktur dan komposisi yang sama.

Data eksperimen/dikira:

LD50 tikus (melalui mulut): 4,478 mg/kg

LC50 tikus (melalui penyedutan): > 2.37 mg/l 4 h

Kepekatan tertinggi boleh dicapai secara teknikal Tiada kematian diperhatikan Aerosol diuji

LD50 tikus (dermal): > 2,000 mg/kg

Tiada kematian diperhatikan

Kerengsaan

Penilaian kesan merengsa:

Tidak merengsakan kulit. Tidak merengsakan mata. Produk belum diuji. Penyataan diambil daripada bahan/produk yang mempunyai struktur dan komposisi yang sama.

Data eksperimen/dikira:

Kakisan/Kerengsaan kulit arnab:

Kerosakkan/kerengsaan mata yang serius arnab:

Pemekaan pernafasan/kulit

Penilaian pemekaan:

Tidak terdapat bukti pemekaan kulit yang berpotensi. Produk belum diuji. Penyataan diambil daripada bahan/produk yang mempunyai struktur dan komposisi yang sama.

Data eksperimen/dikira:

ujian Buehler terubah suai marmut:

Kemutagenan sel germa

Penilaian kemutagenan:

Produk belum diuji. Penyataan diambil daripada ciri setiap komponen. Ujian kemutagenan membuktikan tiada potensi genotoksik .

Kekarsinogenan

Penilaian kekarsinogenan:

Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Maklumat tentang : Benzamide, N-[[[4-[2-chloro-4-(trifluoromethyl)phenoxy]-2-fluorophenyl]amino]carbonyl]-2,6-difluoro-

Penilaian kekarsinogenan:

Cetusan tumor dalam kajian haiwan disebabkan oleh kesan bukan genotoksik boleh berbalik yang dos ambang dapat diperolehi. Potensi karsinogen pada asasnya boleh dielakkan selepas pendedahan tunggal atau jangka pendek terhadap bahan pada kepekatan rendah

Ketoksikan pembiakan

BASF Risalah Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 07.03.2022

Produk (Product): **Tenopa®**

Versi (Version): 4.0

(30264788/SDS_GEN_MY/MS)

Tarikh cetakan (Date of print): 07.03.2022

Penilaian ketoksikan pembiakan:

Produk belum diuji. Penyataan diambil daripada ciri setiap komponen. Keputusan kajian haiwan tidak menunjukkan kesan gangguan kesuburan.

Ketoksikan perkembangan

Penilaian keteratogenan:

Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Maklumat tentang : Benzamide, N-[[[4-[2-chloro-4-(trifluoromethyl)phenoxy]-2-fluorophenyl]amino]carbonyl]-2,6-difluoro-

Penilaian keteratogenan:

Boleh menyebabkan mudarat pada bayi yang meminum susu ibu.

Ketoksikan khusus organ sasaran (sekali pendedahan):

Penilaian sekali STOT:

Berdasarkan maklumat yang ada, ketoksikan organ sasaran yang khusus adalah tidak dijangka selepas sekali pendedahan.

Catatan: Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Ketoksikan dos berulang dan Ketoksikan organ sasaran tertentu (pededahan berulang)

Penilaian ketoksikan dos berulang:

Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Maklumat tentang : Alphacypermethrin technical

Penilaian ketoksikan dos berulang:

Pendedahan berulang-ulang melalui mulut mungkin memberi kesan kepada organ tertentu.

Merosakkan sistem saraf pinggiran.

Maklumat tentang : Benzamide, N-[[[4-[2-chloro-4-(trifluoromethyl)phenoxy]-2-fluorophenyl]amino]carbonyl]-2,6-difluoro-

Penilaian ketoksikan dos berulang:

Bahan boleh menyebabkan pembentukan methemoglobin selepas pengambilan dos yang tinggi secara berulang.

Bahaya penyedutan

Tiada bahaya penyedutan dijangka.

Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Maklumat lain yang berkaitan dengan ketoksikan

Penyalahgunaan boleh memudaratkan kesihatan.

12. Maklumat Ekologi

Keekotoksikan

Penilaian ketoksikan akuatik:

Sangat toksik kepada hidupan akuatik dengan kesan yang berpanjangan.

Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Maklumat tentang : Alphacypermethrin technical

Ketoksikan kepada ikan:

LC50 (96 h) 0.00093 mg/l, *Pimephales promelas* (OPP 72-2 (Garispanduan EPA), Alirkan.)

Maklumat tentang : Benzamide, N-[[[4-[2-chloro-4-(trifluoromethyl)phenoxy]-2-fluorophenyl]amino]carbonyl]-2,6-difluoro-

Ketoksikan kepada ikan:

LC50 (96 h) > 0.0049 mg/l, *Oncorhynchus mykiss* (Alirkan.)

LC50 (96 h) > 0.00519 mg/l, *Brachydanio rerio* (OPP 72-2 (Garispanduan EPA), Alirkan.)

Maklumat tentang : Alphacypermethrin technical

Invertebrat air:

EC50 (48 h) 12,6 ng/l,

Maklumat tentang : Benzamide, N-[[[4-[2-chloro-4-(trifluoromethyl)phenoxy]-2-fluorophenyl]amino]carbonyl]-2,6-difluoro-

Invertebrat air:

EC50 (48 h) dianggarkan 0.000051 mg/l, *Daphnia magna* (Garispanduan OECD 202, Bahagian 1, statik)

Maklumat tentang : Alphacypermethrin technical

Tumbuhan akuatik:

EC50 (7 hari) > 0.00139 mg/l (kadar pertumbuhan), *Lemna gibba* (Garispanduan OECD 201)

Tiada kesan kepekatan yang diperhatikan (7 hari) > 0.00139 mg/l (kadar pertumbuhan), *Lemna gibba* (OECD guideline 221, statik)

EC50 (72 h) > 0.027 mg/l (kadar pertumbuhan), *Anabaena flos-aquae* (Garispanduan OECD 201)

Maklumat tentang : Benzamide, N-[[[4-[2-chloro-4-(trifluoromethyl)phenoxy]-2-fluorophenyl]amino]carbonyl]-2,6-difluoro-

Tumbuhan akuatik:

EC50 (96 h) > 0.004 mg/l, *Selenastrum capricornutum*

Maklumat tentang : Alphacypermethrin technical

Ketoksikan kronik kepada ikan:

Tiada kesan kepekatan yang diperhatikan (34 hari) 0,03 µg/L, *Pimephales promelas* (, Alirkan.)

Maklumat tentang : Benzamide, N-[[[4-[2-chloro-4-(trifluoromethyl)phenoxy]-2-fluorophenyl]amino]carbonyl]-2,6-difluoro-

Ketoksikan kronik kepada ikan:

Tiada kesan kepekatan yang diperhatikan (34 hari) > 0.00082 mg/l, Pimephales promelas (Alirkan.)

Maklumat tentang : Alphacypermethrin technical

Ketoksikan kronik kepada invertebrata akuatik:

Tiada kesan kepekatan yang diperhatikan (21 hari), 0,03 µg/L, Daphnia magna (, semistatik)

Maklumat tentang : Benzamide, N-[[[4-[2-chloro-4-(trifluoromethyl)phenoxy]-2-fluorophenyl]amino]carbonyl]-2,6-difluoro-

Ketoksikan kronik kepada invertebrata akuatik:

Tiada kesan kepekatan yang diperhatikan (21 hari), < 0.00003 mg/l, Daphnia magna

Mobiliti

Penilaian pengangkutan di antara bahagian di persekitaran:

Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Maklumat tentang : Alphacypermethrin technical

Penilaian pengangkutan di antara bahagian di persekitaran:

Diikuti dengan pendedahan kepada tanah, penyerapan ke atas zarah tanah

Maklumat tentang : Benzamide, N-[[[4-[2-chloro-4-(trifluoromethyl)phenoxy]-2-fluorophenyl]amino]carbonyl]-2,6-difluoro-

Penilaian pengangkutan di antara bahagian di persekitaran:

Bahan tidak akan menyejat ke atmosfera daripada permukaan air

Diikuti dengan pendedahan kepada tanah, penyerapan ke atas zarah tanah

Keterusan dan boleh keterdegradasikan

Penilaian biodegradasi dan penyingkiran (H₂O):

Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Maklumat tentang : Alphacypermethrin technical

Penilaian biodegradasi dan penyingkiran (H₂O):

Tidak mudah terbiodegradasikan (oleh kriteria OECD).

Maklumat tentang : Benzamide, N-[[[4-[2-chloro-4-(trifluoromethyl)phenoxy]-2-fluorophenyl]amino]carbonyl]-2,6-difluoro-

Penilaian biodegradasi dan penyingkiran (H₂O):

Tidak mudah terbiodegradasikan (oleh kriteria OECD).

Potensi Biotumpukan

Penilaian potensi bioakumulasi:

Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Maklumat tentang : Alphacypermethrin technical

Potensi Biotumpukan:

Faktor Kebiopekatan: 155 - 910 (73 hari), Cyprinus carpio (Garis panduan OECD 305 C)

BASF Risalah Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 07.03.2022

Produk (Product): **Tenopa®**

Versi (Version): 4.0

(30264788/SDS_GEN_MY/MS)

Tarikh cetakan (Date of print): 07.03.2022

Maklumat tentang : Benzamide, N-[[[4-[2-chloro-4-(trifluoromethyl)phenoxy]-2-fluorophenyl]amino]carbonyl]-2,6-difluoro-
Potensi Biotumpukan:
Faktor Kebiopekatan: 25,720, Oncorhynchus mykiss
Dijangka terakumulasi dalam organisma.

Maklumat tambahan

Nasihat ekotoksikologi lain:
Jangan lepaskan produk ke persekitaran tanpa kawalan.

13. Maklumat Pelupusan

Mestilah dibuang atau dibakar mengikut peraturan tempatan.

Pembungkusan tercemar:
Bungkusan yang tercemar hendaklah dikosongkan sejauh yang boleh dan dilupuskan dengan cara yang sama melupuskan bahan/produk.

14. Maklumat Pengangkutan

Pengangkutan domestik:

Kelas bahaya:	9
Kumpulan pembungkusan:	III
Nombor-ID:	UN 3082
Label Bahaya:	9, EHSM
Nama penghantaran yang betul:	BAHAN YANG MEMBAHAYAKAN ALAM SEKITAR, CECAIR, N.O.S (mengandungi ALPHA-CYPERMETHRIN, FLUFENOXURON)

Maklumat lanjut

Kod Hazchem:3Z

Nombor IERG:47

Pengangkutan laut

IMDG

Kelas bahaya:	9
Kumpulan pembungkusan:	III
Nombor-ID:	UN 3082
Label Bahaya:	9, EHSM
Bahan pencemar laut:	YA
Nama penghantaran yang betul:	BAHAN YANG MEMBAHAYAKAN ALAM SEKITAR, CECAIR, N.O.S (mengandungi ALPHA-CYPERMETHRIN, FLUFENOXURON)

Pengangkutan udara

IATA/ICAO

BASF Risalah Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 07.03.2022

Versi (Version): 4.0

Produk (Product): **Tenopa®**

(30264788/SDS_GEN_MY/MS)

Tarikh cetakan (Date of print): 07.03.2022

Kelas bahaya:	9
Kumpulan pembungkusan:	III
Nombor-ID:	UN 3082
Label Bahaya:	9, EHSM
Nama penghantaran yang betul:	BAHAN YANG MEMBAHAYAKAN ALAM SEKITAR, CECAIR, N.O.S (mengandungi ALPHA-CYPERMETHRIN, FLUFENOXURON)

Pengangkutan secara pukal menurut Lampiran II MARPOL dan IBC

Peraturan:	Tidak dinilai
Penghantaran yang diluluskan:	Tidak dinilai
Nama pencemaran:	Tidak dinilai
Kategori pencemaran:	Tidak dinilai
Jenis Kapal:	Tidak dinilai

Maklumat lanjut

Peraturan-peraturan berikut digunapakai untuk produk yang mengandungi kuantiti bersih 5L atau kurang daripada itu

ADR, RID, AND: Peraturan Khas 375;

JT/T617.3;

IMDG: 2.10.2.7;

IATA: A197;

TDG: Peraturan Khas 99(2);

49CFR: §171.4 (c) (2).

15. Maklumat Pengawalseliaan

Peraturan lain

Jika maklumat peraturan lain yang berkenaan tidak dinyatakan dibahagian lain didalam risalah data keselamatan ini, ianya akan dinyatakan bahagian ini.

16. Maklumat lain

Teks penuh pengelasan, simbol bahaya dan pernyataan bahaya, jika dinyatakan dalam seksyen 2 atau 3:

Acute Tox.	Ketoksikan akut
STOT SE	Pendedahan tunggal STOT
STOT RE	Pendedahan berulang STOT
Aquatic Acute	Bahaya akut kepada persekitaran akuatik
Aquatic Chronic	Bahaya kronik kepada persekitaran akuatik.
Repr.	Toksik kepada pembiakan
Skin Corr./Irrit.	Kakisan/kerengsaan kulit

BASF Risalah Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 07.03.2022

Versi (Version): 4.0

Produk (Product): **Tenopa®**

(30264788/SDS_GEN_MY/MS)

Tarikh cetakan (Date of print): 07.03.2022

Eye Dam./Irrit.

Skin Sens.

Kerengsaan mata/ kerosakan mata yang serius

Pemeka kulit

Garis menegak pada margin sebelah kiri tangan menunjukkan pindaan dari versi sebelumnya.

Data yang terdapat dalam risalah data keselamatan ini adalah berdasarkan pengetahuan dan pengalaman kami, dan menerangkan tentang produk yang berkaitan dengan keperluan keselamatan sahaja. Data tidak menyatakan ciri produk (spesifikasi produk). Data dalam risalah data keselamatan ini juga tidak menyatakan apa-apa ciri khusus atau kesesuaian produk yang dipersetujui untuk apa-apa tujuan tertentu. Penerima produk bertanggungjawab untuk memastikan bahawa apa-apa hak pemilikan serta undang-undang dan perundangan sedia ada dipatuhi.

BASF Risalah Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 07.03.2022

Produk (Product): **Tenopa®**

Versi (Version): 4.0

(30264788/SDS_GEN_MY/MS)

Tarikh cetakan (Date of print): 07.03.2022

1. Identification of the chemical and of the supplier

Tenopa®

Use: insecticide

Company:

BASF (Malaysia) Sdn Bhd
Lot 19.02 Level 19, 1 Powerhouse
No 1 Persiaran Bandar Utama
47800 Petaling Jaya
Selangor D.E, MALAYSIA
Telephone: +60 3 7612 1888
Telefax number: +60 3 7612 1777

Emergency information:

National emergency number:

+603 7612 1999

International emergency number:

Telephone: +49 180 2273-112

2. Hazard identification

Classification of the substance and mixture:

Reproductive toxicity: Cat. Additional category for effects on or via lactation.

Hazardous to the aquatic environment - acute: Cat. 1

Hazardous to the aquatic environment - chronic: Cat. 1

Label elements and precautionary statement:

Pictogram:



Signal Word:

Warning

Hazard Statement:

H362

May cause harm to breast-fed children.

H400

Very toxic to aquatic life.

H410

Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

BASF Risalah Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 07.03.2022

Versi (Version): 4.0

Produk (Product): **Tenopa®**

(30264788/SDS_GEN_MY/MS)

Tarikh cetakan (Date of print): 07.03.2022

P101 If medical advice is needed, have product container or label at hand.
 P102 Keep out of reach of children.
 P103 Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P260 Do not breathe dust or mist.
 P262 Do not get in eyes, on skin, or on clothing.
 P263 Avoid contact during pregnancy and while nursing.
 P270 Do not eat, drink or smoke when using this product.
 P264 Wash contaminated body parts thoroughly after handling.
 P273 Avoid release to the environment.

Precautionary Statements (Response):

P391 Collect spillage.
 P308 + P313 IF exposed or concerned: Get medical attention.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste collection point.

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

May cause paraesthesia. ALPHA-CYPERMETHRIN

| May produce an allergic reaction. Contains: 1,2-BENZISOTHIAZOL-3(2H)-ONE

3. Composition/information on ingredients**Chemical nature**

biocide, insecticide, suspension concentrate (SC)

Hazardous ingredients

alpha-cypermethrin

Content (W/W): 2.92 %
 CAS Number: 67375-30-8

Acute Tox.: Cat. 4 (Inhalation - dust)
 Acute Tox.: Cat. 3 (oral)
 STOT SE: Cat. 3 (irr. to respiratory syst.)
 STOT RE (Nervous system): Cat. 2
 Aquatic Acute: Cat. 1
 Aquatic Chronic: Cat. 1
 M-factor acute: 1000
 M-factor chronic: 1000

Flufenoxuron

BASF Risalah Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 07.03.2022

Versi (Version): 4.0

Produk (Product): **Tenopa®**

(30264788/SDS_GEN_MY/MS)

Tarikh cetakan (Date of print): 07.03.2022

Content (W/W): 2.92 %
CAS Number: 101463-69-8Repr.: Cat. Add. cat. lact.
Aquatic Acute: Cat. 1
Aquatic Chronic: Cat. 1
M-factor acute: 10000
M-factor chronic: 10000

| 1,2-benzisothiazol-3(2H)-one

Content (W/W): < 0.05 %
CAS Number: 2634-33-5Acute Tox.: Cat. 4 (oral)
Skin Corr./Irrit.: Cat. 2
Eye Dam./Irrit.: Cat. 1
Skin Sens.: Cat. 1
Aquatic Acute: Cat. 1
Aquatic Chronic: Cat. 1
M-factor acute: 1
M-factor chronic: 1

propane-1,2-diol

Content (W/W): < 15 %
CAS Number: 57-55-6

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

| Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

| Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

| Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Note to physician:

| Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, carbon dioxide, foam, dry powder

Specific hazards:

carbon monoxide, carbon dioxide, hydrogen chloride, hydrogen fluoride, hydrogen cyanide, nitrogen oxides, halogenated compounds, sulfur oxides, cyanides

The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Do not breathe vapour/spray.

Environmental precautions:

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 36 Months

Protect from temperatures below: -10 °C

The product can crystallize below the limit temperature.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure controls and personal protection

Components with occupational exposure limits

| No substance specific occupational exposure limits known.

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	liquid
Colour:	white
Odour:	slight odour
Odour threshold:	Not determined due to potential health hazard by inhalation.

BASF Risalah Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 07.03.2022

Versi (Version): 4.0

Produk (Product): **Tenopa®**

(30264788/SDS_GEN_MY/MS)

Tarikh cetakan (Date of print): 07.03.2022

pH value:	approx. 6 - 8 (20 °C) (measured with the undiluted substance)	
Melting point:	The product has not been tested.	
Boiling point:	approx. 100 °C Information applies to the solvent.	
Flash point:		(Directive 92/69/EEC, A.9)
Evaporation rate:	Non-flammable. not applicable	
Flammability (solid/gas):	not applicable	
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Ignition temperature:	500 °C	(Directive 92/69/EEC, A.15)
Thermal decomposition:	195 °C , 30 kJ/kg	(DSC (OECD 113))
	400 °C , > 120 kJ/kg	(DSC (OECD 113))
	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	
Explosion hazard:	not explosive	(Directive 92/69/EEC, A.14)
Fire promoting properties:	not fire-propagating	(UN Test O.2 (oxidizing liquids))
Vapour pressure:	approx. 23 hPa (20 °C) Information applies to the solvent.	
Density:	approx. 1.03 g/cm ³ (20 °C)	
Relative vapour density (air):	not applicable	
Solubility in water:	dispersible	
Partitioning coefficient n-octanol/water (log Pow):	not applicable	

BASF Risalah Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 07.03.2022

Produk (Product): **Tenopa®**

Versi (Version): 4.0

(30264788/SDS_GEN_MY/MS)

Tarikh cetakan (Date of print): 07.03.2022

Viscosity, dynamic: approx. 100 mPa.s
(20 °C, 100 1/s)

Other Information:If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:

See SDS section 7 - Handling and storage.

Thermal decomposition: 195 °C, 30 kJ/kg (DSC (OECD 113))

Thermal decomposition: 400 °C, > 120 kJ/kg (DSC (OECD 113))

Thermal decomposition: Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

Substances to avoid:

strong bases, strong acids, strong oxidizing agents

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

LD50 rat (oral): 4,478 mg/kg

LC50 rat (by inhalation): > 2.37 mg/l 4 h

Highest concentration technically achievable. No mortality was observed. An aerosol was tested.

LD50 rat (dermal): > 2,000 mg/kg

No mortality was observed.

Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

BASF Risalah Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 07.03.2022

Produk (Product): **Tenopa®**

Versi (Version): 4.0

(30264788/SDS_GEN_MY/MS)

Tarikh cetakan (Date of print): 07.03.2022

Experimental/calculated data:

Skin corrosion/irritation rabbit:

Serious eye damage/irritation rabbit:

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

modified Buehler test guinea pig:

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Flufenoxuron

Assessment of carcinogenicity:

The induction of tumors in animal studies was due to a reversible, nongenotoxic effect for which a threshold dose can be derived. A carcinogenic potential can essentially be excluded after a single or short-term exposure to the substance at low concentrations.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Flufenoxuron

Assessment of teratogenicity:

May cause harm to breastfed babies.

Specific target organ toxicity (single exposure):

Assessment of STOT single:

BASF Risalah Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 07.03.2022

Produk (Product): **Tenopa®**

Versi (Version): 4.0

(30264788/SDS_GEN_MY/MS)

Tarikh cetakan (Date of print): 07.03.2022

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: alpha-cypermethrin

Assessment of repeated dose toxicity:

Repeated oral exposure may affect certain organs. Damages the peripheral nerve system.

Information on: Flufenoxuron

Assessment of repeated dose toxicity:

The substance may cause the formation of methemoglobin after repeated uptake of high doses.

Aspiration hazard

No aspiration hazard expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: alpha-cypermethrin

Toxicity to fish:

LC50 (96 h) 0.00093 mg/l, Pimephales promelas (OPP 72-1 (EPA-Guideline), Flow through.)

Information on: Flufenoxuron

Toxicity to fish:

LC50 (96 h) > 0.0049 mg/l, Oncorhynchus mykiss (Flow through.)

LC50 (96 h) > 0.00519 mg/l, Brachydanio rerio (OPP 72-1 (EPA-Guideline), Flow through.)

Information on: alpha-cypermethrin

BASF Risalah Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 07.03.2022

Versi (Version): 4.0

Produk (Product): **Tenopa®**

(30264788/SDS_GEN_MY/MS)

Tarikh cetakan (Date of print): 07.03.2022

Aquatic invertebrates:
EC50 (48 h) 12,6 ng/l, Chironomus riparius

Information on: Flufenoxuron
Aquatic invertebrates:
EC50 (48 h) approx. 0.000051 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Information on: alpha-cypermethrin
Aquatic plants:
EC50 (7 d) > 0.00139 mg/l (growth rate), Lemna gibba (OECD Guideline 201)

No observed effect concentration (7 d) > 0.00139 mg/l (growth rate), Lemna gibba (OECD guideline 221, static)

EC50 (72 h) > 0.027 mg/l (growth rate), Anabaena flos-aquae (OECD Guideline 201)

Information on: Flufenoxuron
Aquatic plants:
EC50 (96 h) > 0.004 mg/l, Selenastrum capricornutum

Information on: alpha-cypermethrin
Chronic toxicity to fish:
No observed effect concentration (34 d) 0,03 µg/L, Pimephales promelas (OPP 72-4 (EPA-Guideline), Flow through.)

Information on: Flufenoxuron
Chronic toxicity to fish:
No observed effect concentration (34 d) > 0.00082 mg/l, Pimephales promelas (Flow through.)

Information on: alpha-cypermethrin
Chronic toxicity to aquatic invertebrates:
No observed effect concentration (21 d), 0,03 µg/L, Daphnia magna (OPP 72-4 (EPA-Guideline), semistatic)

Information on: Flufenoxuron
Chronic toxicity to aquatic invertebrates:
No observed effect concentration (21 d), < 0.00003 mg/l, Daphnia magna

Mobility

Assessment transport between environmental compartments:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: alpha-cypermethrin
Assessment transport between environmental compartments:
Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

BASF Risalah Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 07.03.2022

Produk (Product): **Tenopa®**

Versi (Version): 4.0

(30264788/SDS_GEN_MY/MS)

Tarikh cetakan (Date of print): 07.03.2022

Information on: Flufenoxuron

Assessment transport between environmental compartments:

The substance will not evaporate into the atmosphere from the water surface.

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: alpha-cypermethrin

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

Information on: Flufenoxuron

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

Bioaccumulation potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: alpha-cypermethrin

Bioaccumulation potential:

Bioconcentration factor: 155 - 910 (73 d), *Cyprinus carpio* (OECD Guideline 305 C)

Information on: Flufenoxuron

Bioaccumulation potential:

Bioconcentration factor: 25,720, *Oncorhynchus mykiss*

Accumulation in organisms is expected.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

BASF Risalah Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 07.03.2022

Produk (Product): **Tenopa®**

Versi (Version): 4.0

(30264788/SDS_GEN_MY/MS)

Tarikh cetakan (Date of print): 07.03.2022

14. Transport Information

Domestic transport:

Hazard class: 9
 Packing group: III
 ID number: UN 3082
 Hazard label: 9, EHSM
 Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
 N.O.S. (contains ALPHA-CYPERMETHRIN, FLUFENOXURON)

Further information

Hazchem Code:3Z

IERG Number:47

Sea transport

IMDG

Hazard class: 9
 Packing group: III
 ID number: UN 3082
 Hazard label: 9, EHSM
 Marine pollutant: YES
 Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
 N.O.S. (contains ALPHA-CYPERMETHRIN, FLUFENOXURON)

Air transport

IATA/ICAO

Hazard class: 9
 Packing group: III
 ID number: UN 3082
 Hazard label: 9, EHSM
 Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
 N.O.S. (contains ALPHA-CYPERMETHRIN, FLUFENOXURON)

Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation: Not evaluated
 Shipment approved: Not evaluated
 Pollution name: Not evaluated
 Pollution category: Not evaluated
 Ship Type: Not evaluated

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road

BASF Risalah Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 07.03.2022

Produk (Product): **Tenopa®**

Versi (Version): 4.0

(30264788/SDS_GEN_MY/MS)

Tarikh cetakan (Date of print): 07.03.2022

Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Acute Tox.	Acute toxicity
STOT SE	Specific target organ toxicity — single exposure
STOT RE	Specific target organ toxicity — repeated exposure
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Repr.	Reproductive toxicity
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
Skin Sens.	Skin sensitization

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.