



170





SABRE SAW BLADES


170
PRODUCTS

PRODUCT INDEX

<i>SABRE SAW BLADES FOR METAL</i>	36
<i>SABRE SAW BLADES FOR WOOD & METAL</i>	39
<i>SABRE SAW BLADES FOR WOOD</i>	42
<i>SABRE SAW BLADES FOR SPECIAL APPLICATIONS</i>	44
<i>SABRE SAW BLADES SETS</i>	46

More information:







**MANUFACTURED TO THE
HIGHEST STANDARDS
IN OUR FACTORY IN SWEDEN**



170



**LONG-LIFE SANDFLEX® BI-METAL BLADES
WITH SHARP TEETH (HSS 8% COBALT)**



**QUICK SABRE SAW BLADE SELECTION
THANKS TO THE CLEAR BLADE MARKINGS**



**MANUFACTURED IN OUR FACTORY
IN EUROPE – FROM THE BI-METAL PROCESS
TO MANUFACTURING THE FINAL PRODUCT**

More information:





FULL OF POWER

Bahco has an exceptional range of reciprocating saw blades. Each of the four separate categories has a wide range of shapes, lengths and tothing, with one for every application.

Our sabre saw blades are manufactured in our own factory in Europe – from the Bi-Metal process to manufacturing the final product. Our Bi-Metal (Sandflex®) blades are famous for their high quality and time-saving performance, and are highly respected by professionals. Our tough carbide tipped blades deliver impressive cutting power in any situation.

Whatever the task, you will produce faster, cleaner and more accurate cuts, time after time.

FULL SUPPORT



SELECT THE RIGHT TOOTHING (TPI)



Teeth per inch

Material thickness	≤ 3 mm	3-10 mm	11-20 mm	21-50 mm	≥ 50 mm
Metal Saw Blades	24	18	14 - 10 - 8/12	8/12	
Metal and Wood Saw Blades		10/14	10 - 8/12	6 - 5/8	4/6
Wood Saw Blades		11	7	7 - 5	5
Special Saw Blades		GRIT	6	6	3

SABRE SAW BLADE SHAPES

Our range of sabre saw blades includes a variety of blade shapes for different styles of cutting.

Standard (ST) For fast and aggressive straight cuts, but still flexible for narrow cutting.	Scroll (SC) For contour sawing and sawing in difficult-to-reach places.	Demolition (DSL) Extra thick and wide saw blades for demolition and heavy-duty work.	High Slope (HSL) The wide body makes it highly resistant to bending, allowing straight cuts in wood.	Heavy Standard (HST) The wide body makes it highly resistant to bending, allowing straighter cuts.	SLOPE (SL) Thick blades with a narrow nose for sawing in tight spots, but highly resistant to bending.	Pallet repair (PR) The rounded front design prevents the blade from getting stuck.



FULL RANGE

170 PRODUCTS

									
SABRE SAW BLADES FOR METAL	 100-300 mm	✓	✓	✓	✓	✓	✓	✓	
	 150-300 mm	✓	✓	✓	✓	✓			✓
	 100-150 mm		✓			✓	✓		
	 100 mm		✓			✓		✓	
SABRE SAW BLADES FOR WOOD & METAL	 150-300 mm	✓	✓	✓					
	 150-300 mm	✓		✓	✓				
	 228 mm	✓		✓	✓	✓	✓		
	 228 mm	✓	✓						
SABRE SAW BLADES FOR WOOD	 228-300 mm		✓	✓					
	 228-300 mm	✓	✓						
	 228 mm			✓	✓		✓		
	 150-300 mm			✓		✓			
SABRE SAW BLADES FOR SPECIAL APPLICATIONS	 150-300 mm	✓	✓	✓					
	 300 mm				✓				
	 100-150 mm					✓	✓		

More information:



SABRE SAW BLADES FOR METAL



86 PRODUCTS



MADE IN SWEDEN: FROM THE BI-METAL TO THE BLADE ITSELF

IMPROVED BLADE DESIGN BASED ON THE APPLICATION

VIRTUALLY UNBREAKABLE SANDFLEX® BI-METAL BLADES

SIMPLE SAW BLADE SELECTION THANKS TO THE PRINTED MATERIAL INFORMATION

SHARP LONG-LIFE TEETH (HSS 8% COBALT)

EASIER PENETRATION THANKS TO PRECISION-GROUND TOOTH GEOMETRY

3940-M

SABRE SAW BI-METAL BLADES FOR METAL



FEATURES:

- The metal blade family is designed for demanding metal cutting
- A virtually unbreakable Sandflex® bi-metal blade for all materials and type of cut
- The standard-shaped (ST) blades with high performance and precision-ground teeth
- Standard-shape (ST) for fast and aggressive straight cuts but still flexible for narrow cutting

- Slope-shaped nose for various types of cuts
- Packaging alternative 1: Retail packed either in -2P = 2 blades or -5P = 5 blades per pack
- Packaging alternative 2: Industrial pack, -10P = 10 blades or in big industrial packs -100P = 100 blades per box

ASSORTMENT:

Profile	Material	Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9
3940-100-14-ST-2P	7314150364312	2	5	100	0,9	14	ST	28		
3940-100-14-ST-5P	7314150364329	5	5	100	0,9	14	ST	70		
3940-100-14-ST-10P	7314150364336	10	1	100	0,9	14	ST	115		
3940-100-18-ST-2P	7314150364343	2	5	100	0,9	18	ST	28		
3940-100-18-ST-5P	7314150364350	5	5	100	0,9	18	ST	70		
3940-100-18-ST-10P	7314150364367	10	1	100	0,9	18	ST	115		
3940-150-14-ST-2P	7314150364152	2	5	150	0,9	14	ST	44		
3940-150-14-ST-5P	7314150364169	5	5	150	0,9	14	ST	110		
3940-150-14-ST-10P	7314150364176	10	1	150	0,9	14	ST	185		
3940-150-14-ST-100P	7314150364183	100	1	150	0,9	14	ST	1765		

Profile	Material	Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9
3940-150-18-ST-2P	7314150364077	2	5	150	0,9	18	ST	44		
3940-150-18-ST-5P	7314150364084	5	5	150	0,9	18	ST	110		
3940-150-18-ST-10P	7314150364091	10	1	150	0,9	18	ST	175		
3940-150-18-ST-100P	7314150364107	100	1	150	0,9	18	ST	1700		
3940-228-14-ST-2P	7314150364114	2	5	228	0,9	14	ST	64		
3940-228-14-ST-5P	7314150364121	5	5	228	0,9	14	ST	160		
3940-228-14-ST-10P	7314150364138	10	1	228	0,9	14	ST	290		
3940-228-14-ST-100P	7314150364145	100	1	228	0,9	14	ST	2780		
3940-228-18-ST-2P	7314150364190	2	5	228	0,9	18	ST	68		
3940-228-18-ST-5P	7314150364206	5	5	228	0,9	18	ST	170		



3940-228-18-ST-10P	7314150364213	10	1	228	0,9	18	ST	295
3940-228-18-ST-100P	7314150364220	100	1	228	0,9	18	ST	3200
3940-300-14-ST-2P	7314150364237	2	5	300	0,9	14	ST	92
3940-300-14-ST-5P	7314150364244	5	5	300	0,9	14	ST	230
3940-300-14-ST-10P	7314150364251	10	1	300	0,9	14	ST	400

3940-300-14-ST-100P	7314150364268	100	1	300	0,9	14	ST	3890
3940-300-18-ST-2P	7314150364275	2	5	300	0,9	18	ST	92
3940-300-18-ST-5P	7314150364282	5	5	300	0,9	18	ST	230
3940-300-18-ST-10P	7314150364299	10	1	300	0,9	18	ST	400
3940-300-18-ST-100P	7314150364305	100	1	300	0,9	18	ST	3900

3940-HM

SABRE SAW BI-METAL BLADES FOR HEAVY METAL



FEATURES:

- The Heavy Metal blade family is designed for demanding metal cutting in thick materials
- A virtually unbreakable Sandflex® bi-metal blade for all materials and type of cut
- Version 1: Heavy standard (HST) Bi-Metal blades with precision ground teeth are a series of extra thick blades with a wider body that makes it more rigid and has a higher resistance to fracturing and bending, allowing straighter cuts

- Version 2: Standard (ST) Bi-Metal blades with coarse precision ground teeth are a series of flexible blades
- with a standard body that makes it more flexible and easy to bend into position
- Slope-shaped nose for various types of cuts
- Packaging alternative 1: Retail packed either in -2P = 2 blades or -5P = 5 blades per pack
- Packaging alternative 2: Industrial pack, -10P = 10 blades per box

ASSORTMENT:

3940-150-10-HST-2P	7314150364015	2	5	150	1,07	10	HST	56
3940-150-10-HST-5P	7314150364022	5	5	150	1,07	10	HST	140
3940-150-10-HST-10P	7314150364039	10	1	150	1,07	10	HST	280
3940-150-10-ST-100P	7314150362196	100	1	150	0,9	10	ST	1850
3940-150-10-ST-2P	7314150362165	2	5	150	0,9	10	ST	44
3940-150-10-ST-5P	7314150362172	5	5	150	0,9	10	ST	110
3940-150-10-ST-10P	7314150362189	10	1	150	0,9	10	ST	190
3940-150-14-HST-2P	7314150362325	2	5	150	1,07	14	HST	56
3940-150-14-HST-5P	7314150362363	5	5	150	1,07	14	HST	140
3940-150-14-HST-10P	7314150362370	10	1	150	1,07	14	HST	275
3940-150-18-HST-2P	7314150364046	2	5	150	1,07	18	HST	60
3940-150-18-HST-5P	7314150364053	5	5	150	1,07	18	HST	150
3940-150-18-HST-10P	7314150364060	10	1	150	1,07	18	HST	280
3940-150-8/12-ST-2P	7314150362127	2	5	150	0,9	8/12	ST	44
3940-150-8/12-ST-5P	7314150362134	5	5	150	0,9	8/12	ST	110
3940-150-8/12-ST-10P	7314150362141	10	1	150	0,9	8/12	ST	180
3940-150-8/12-ST-100P	7314150362158	100	1	150	0,9	8/12	ST	1700
3940-228-10-HST-2P	7314150362387	2	5	228	1,07	10	HST	84
3940-228-10-HST-5P	7314150362394	5	5	228	1,07	10	HST	211
3940-228-10-HST-10P	7314150362400	10	1	228	1,07	10	HST	422
3940-228-10-ST-2P	7314150362080	2	5	228	0,9	10	ST	64
3940-228-10-ST-5P	7314150362097	5	5	228	0,9	10	ST	160

3940-228-10-ST-10P	7314150362103	10	1	228	0,9	10	ST	300
3940-228-10-ST-100P	7314150362110	100	1	228	0,9	10	ST	2820
3940-228-14-HST-2P	7314150362202	2	5	228	1,07	14	HST	84,5
3940-228-14-HST-5P	7314150362219	5	5	228	1,07	14	HST	211
3940-228-14-HST-10P	7314150362226	10	1	228	1,07	14	HST	422
3940-228-18-HST-2P	7314150362233	2	5	228	1,07	18	HST	84,5
3940-228-18-HST-5P	7314150362264	5	5	228	1,07	18	HST	211
3940-228-18-HST-10P	7314150362271	10	1	228	1,07	18	HST	422
3940-228-8/12-ST-2P	7314150362042	2	5	228	1,3	8/12	ST	220
3940-228-8/12-ST-5P	7314150362059	5	5	228	1,3	8/12	ST	85
3940-228-8/12-ST-10P	7314150362066	10	1	228	1,3	8/12	ST	400
3940-228-8/12-ST-100P	7314150362073	100	1	228	1,3	8/12	ST	3960
3940-300-10-HST-2P	7314150362424	2	5	300	1,07	10	HST	128
3940-300-10-HST-5P	7314150362431	5	5	300	1,07	10	HST	320
3940-300-10-HST-10P	7314150362448	10	1	300	1,07	10	HST	600
3940-300-14-HST-2P	7314150362288	2	5	300	1,07	14	HST	112
3940-300-14-HST-5P	7314150362295	5	5	300	1,07	14	HST	280
3940-300-14-HST-10P	7314150362301	10	1	300	1,07	14	HST	560
3940-300-18-HST-2P	7314150363988	2	5	300	1,07	18	HST	112
3940-300-18-HST-5P	7314150363995	5	5	300	1,07	18	HST	280
3940-300-18-HST-10P	7314150364008	10	1	300	1,07	18	HST	560



3940-FM

SABRE SAW BI-METAL BLADES FOR FINE METAL



FEATURES:

- The Fine Metal blade family is designed for metal cutting in thin materials
- A virtually unbreakable Sandflex® bi-metal blade for all materials and type of cut
- The standard-shaped (ST) blades with high performance and precision-ground teeth
- Standard-shape (ST) for fast and aggressive straight cuts but still flexible for narrow cutting
- Slope-shaped nose for various types of cuts

- Packaging alternative 1: Retail packed either in -2P = 2 blades or -5P = 5 blades per pack
- Packaging alternative 2: Industrial pack, -10P = 10 blades or in big industrial packs -100P = 100 blades per box
- Packaging alternative 1: Retail packed either in -2P = 2 blades or -5P = 5 blades per pack
- Packaging alternative 2: Industrial pack, -10P = 10 blades per box

ASSORTMENT:

3940-100-24-ST-2P	7314150364411	2	5	100	0,9	24	ST	280	
3940-100-24-ST-5P	7314150364428	5	5	100	0,9	24	ST	70	
3940-100-24-ST-10P	7314150364435	10	1	100	0,9	24	ST	115	
3940-150-24-ST-2P	7314150364374	2	5	150	0,9	24	ST	44	

3940-150-24-ST-5P	7314150364381	5	5	150	0,9	24	ST	110	
3940-150-24-ST-10P	7314150364398	10	1	150	0,9	24	ST	190	
3940-150-24-ST-100P	7314150364404	100	1	150	0,9	24	ST	1850	

3940-PM

SABRE SAW BI-METAL BLADES FOR METAL PRECISION



FEATURES:

- The Precision Metal scroll-shaped blades with high performance and precision-ground teeth
- A virtually unbreakable Sandflex® bi-metal blade for all materials and type of cut
- Specially developed for cutting metal
- Scroll (SC) shape for contour sawing and in difficult-to-reach places

- Packaging alternative 1: Retail packed either in -2P = 2 blades or -5P = 5 blades per pack
- Packaging alternative 2: Industrial pack, -10P = 10 blades per box

ASSORTMENT:

3940-100-14-SC-2P	7314150364466	2	5	100	0,9	14	SC	18	
3940-100-14-SC-5P	7314150364473	5	5	100	0,9	14	SC	45	
3940-100-18-SC-2P	7314150364442	2	5	100	0,9	18	SC	18	

3940-100-18-SC-5P	7314150364459	5	5	100	0,9	18	SC	45	
3940-100-24-SC-2P	7314150364558	2	5	100	0,9	24	SC	18	
3940-100-24-SC-5P	7314150364565	5	5	100	0,9	24	SC	45	



SABRE SAW BLADES FOR WOOD & METAL

36 PRODUCTS



SIMPLE SAW BLADE SELECTION THANKS TO THE PRINTED MATERIAL INFORMATION



VIRTUALLY UNBREAKABLE SANDFLEX® BI-METAL BLADES

IMPROVED BLADE DESIGN BASED ON THE APPLICATION



MADE FOR BOTH THE EMERGENCY SERVICES AND PROFESSIONAL CRAFTSMEN

LONG-LIFE TEETH (HSS 8% COBALT)

SPECIALLY MADE FOR AGGRESSIVE STRAIGHT CUTS

3940-WM

SABRE SAW BI-METAL BLADES FOR WOOD & METAL



FEATURES:

- The Wood and Metal blade family is designed for demanding cutting in wood, even with embedded nails, but it can also be used for thick metal materials
- A virtually unbreakable Sandflex® bi-metal blade for all materials and types of cut
- Version 1: Slope-shaped (SL) Bi-Metal blades with precision ground teeth are a series of thicker blades with a narrow nose that makes it accessible in narrow places but still rigid and has a higher resistance to fracturing and bending, allowing straighter cuts
- Version 2: Standard (ST) Bi-Metal blades with coarse precision ground teeth are a series of flexible blades with standard body that makes it more flexible and easy to bend into position
- Packaging alternative 1: Retail packed either in -2P = 2 blades or -5P = 5 blades per pack
- Packaging alternative 2: Industrial pack, -10P = 10 blades or in big industrial packs -100P = 100 blades per box

ASSORTMENT:

3940-150-4/6-SC-2P	7314150361823	2	5	150	1,3	4/6	SC	45
3940-150-4/6-SC-5P	7314150361830	5	5	150	1,3	4/6	SC	105
3940-150-4/6-SC-10P	7314150361847	10	1	150	1,3	4/6	SC	180
3940-150-5/8-SL-2P	7314150361687	2	2	150	1,3	5/8	SL	44
3940-150-5/8-SL-5P	7314150361700	5	5	150	1,3	5/8	SL	100
3940-150-5/8-SL-10P	7314150361717	10	1	150	1,3	5/8	SL	180
3940-150-5/8-SL-100P	7314150361724	100	1	150	1,3	5/8	SL	1688
3940-150-6-ST-2P	7314150361762	2	5	150	0,9	6	ST	60
3940-150-6-ST-5P	7314150361779	5	5	150	0,9	6	ST	140
3940-150-6-ST-10P	7314150361786	10	1	150	0,9	6	ST	150

3940-228-6-SL-2P	7314150361731	2	5	228	1,3	6	SL	64
3940-228-6-SL-5P	7314150361748	5	5	228	1,3	6	SL	160
3940-228-6-SL-10P	7314150361755	10	1	228	1,3	6	SL	330
3940-300-6-SL-2P	7314150361793	2	5	300	1,3	6	SL	110
3940-300-6-SL-5P	7314150361809	5	5	300	1,3	6	SL	255
3940-300-6-SL-10P	7314150361816	10	1	300	1,3	6	SL	460
3940-300-8/12-SL-2P	7314150361878	2	5	300	1,3	8/12	SL	104
3940-300-8/12-SL-5P	7314150361885	5	5	300	1,3	8/12	SL	260
3940-300-8/12-SL-10P	7314150361892	10	1	300	1,3	8/12	SL	465
3940-300-8/12-SL-100P	7314150361908	100	1	300	1,3	8/12	SL	4650



3940-FR

SABRE SAW BI-METAL BLADES FOR FIRE & RESCUE



FEATURES:

- The Fire & Rescue bi-metal blade with precision ground teeth is an extra heavy duty blade for metal/demolition applications, to be used in extreme conditions
- A virtually unbreakable Sandflex® bi-metal blade for all materials and types of cut
- Designed for use by the emergency services

- Slope-shaped for various cuts
- Packaging alternative 1: Retail packed either in -2P = 2 blades or -5P = 5 blades per pack
- Packaging alternative 2: Industrial pack, -10P = 10 blades or in big industrial packs -100P = 100 blades per box

ASSORTMENT:

Part No.	Barcode	2P	5P	Length	Width	Teeth	Material	Weight
3940-228-10-DSL-2P	7314150362004	2	5	228	1,6	10	DSL	95
3940-228-10-DSL-5P	7314150362011	5	5	228	1,6	10	DSL	238

Part No.	Barcode	10P	1 <th>Length</th> <th>Width</th> <th>Teeth</th> <th>Material</th> <th>Weight</th>	Length	Width	Teeth	Material	Weight
3940-228-10-DSL-10P	7314150362028	10	1	228	1,6	10	DSL	476

3940-D

SABRE SAW BI-METAL BLADES FOR DEMOLITION



FEATURES:

- The Sandflex® Demolition slope (DSL) Bi-Metal blades are a series of extra thick and wide saw blades for demolition and heavy-duty work
- Perfect for nail-embedded wood
- A virtually unbreakable Sandflex® bi-metal blade for all materials and types of cut

- Slope-shaped for various types of cuts
- Packaging alternative 1: Retail packed either in -2P = 2 blades or -5P = 5 blades per pack
- Packaging alternative 2: Industrial pack, -10P = 10 blades or in big industrial packs -100P = 100 blades per box

ASSORTMENT:

Part No.	Barcode	2P	5P	Length	Width	Teeth	Material	Weight
3940-150-5/8-DSL-2P	7314150361977	2	5	150	1,6	5/8	DSL	60
3940-150-5/8-DSL-5P	7314150361984	5	5	150	1,6	5/8	DSL	150
3940-150-5/8-DSL-10P	7314150361991	10	1	150	1,6	5/8	DSL	280
3940-228-5/8-DSL-2P	7314150361915	2	5	228	1,6	5/8	DSL	120
3940-228-5/8-DSL-5P	7314150361922	5	5	228	1,6	5/8	DSL	260

Part No.	Barcode	10P	1	Length	Width	Teeth	Material	Weight
3940-228-5/8-DSL-10P	7314150361939	10	1	228	1,6	5/8	DSL	490
3940-300-5/8-DSL-2P	7314150361946	2	5	300	1,6	5/8	DSL	150
3940-300-5/8-DSL-5P	7314150361953	5	5	300	1,6	5/8	DSL	370
3940-300-5/8-DSL-10P	7314150361960	10	1	300	1,6	5/8	DSL	690



3940-PR

SABRE SAW BI-METAL BLADES FOR PALLET REPAIR



FEATURES:

- The pallet repair blade is developed in close co-operation with pallet repair shops
- The unique front design prevents the blade front from getting stuck in close by wood beams when cutting nails in damaged parts of the pallet
- Virtually unbreakable Sandflex® bi-metal blade for all materials and type of cut
- By increasing the shank radius we have improved the fatigue strength
- 10/14 TPI has proved to be the most popular toothing amongst users in pallet repair shops. This toothing has good material removal rate in wood with nails and high strength to tooth breakage
- The packing quantities are 10 or 100 pcs in plastic tubes

ASSORTMENT:

Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9	Icon 10
3940-228-10/14-PR09-10P	7314150361519	10	1	228	0,9	10/14	PR	300	
3940-228-10/14-PR09-100P	7314150361526	100	1	228	0,9	10/14	PR	2900	

Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9	Icon 10
3940-228-10/14-PR13-100P	7314150361649	100	1	228	0,9	10/14	PR	4080	
3940-228-8/12-PR13-100P	7314150361601	100	1	228	1,3	8/12	PR	4045	



APPLICATION:
Pallet

PRODUCT:
Sabre Saw Bi-Metal Blade for Pallet Repair

More information:



SABRE SAW BLADES FOR WOOD



24 PRODUCTS



SIMPLE SAW BLADE SELECTION THANKS TO THE PRINTED MATERIAL INFORMATION



SPECIAL TOOTHING FOR FAST CROSS-CUTTING AND RIPPING

IMPROVED BLADE DESIGN BASED ON THE APPLICATION

STRONG HIGH-CARBON STEEL BLADES

LONG-LASTING INDUCTION-HARDENED TEETH

THE BEVEL-GROUND WOOD-CUTTING TOOTHING ALLOWS FASTER CROSS-CUTTING AND RIP-CUTTING

THE LOW-FRICTION COATING MINIMISES HEAT GENERATION

3942-W

SABRE SAW HCS BLADES FOR WOOD



FEATURES:

- Unique bevel-ground teeth provide a quick cut and deliver the best results in wood
- The blade is made of High Carbon Steel and the teeth are induction hardened for a very long life before being coated for minimum friction
- The toothing allows considerably faster cutting compared to traditional blades; 7 for all-round wood cut
- Packaging alternative 1: Retail packed either in -2P = 2 blades or -5P = 5 blades per pack
- Packaging alternative 2: Industrial pack, -10P = 10 blades per box

ASSORTMENT:

Product Code	Material	Length (mm)	Width (mm)	Teeth	Material	Weight (kg)
3942-228-7-HSL-2P	7314150364725	2	5	228	1	7 HSL 102
3942-228-7-HSL-5P	7314150364732	5	5	228	1	7 HSL 216
3942-228-7-HSL-10P	7314150364749	10	1	228	1	7 HSL 408

Product Code	Material	Length (mm)	Width (mm)	Teeth	Material	Weight (kg)
3942-300-7-HSL-2P	7314150364756	2	5	300	1	7 HSL 134
3942-300-7-HSL-5P	7314150364763	5	5	300	1	7 HSL 284
3942-300-7-HSL-10P	7314150364770	10	1	300	1	7 HSL 368



3942-CW

SABRE SAW HCS BLADES FOR COARSE WOOD



FEATURES:

- Unique bevel-ground teeth provide a quick cut and deliver the best results in coarse wood
- The tothing allows considerably faster cutting compared to traditional blades; 5 for coarse and very fast cuts
- The blade is made of High Carbon Steel and the teeth are induction hardened for a very long life before being coated for minimum friction

ASSORTMENT:

3942-228-5-HSL-2P	7314150364633	2	5	228	1	5	HSL	102	
3942-228-5-HSL-5P	7314150364640	5	5	228	1	5	HSL	216	
3942-228-5-HSL-10P	7314150364657	10	1	228	1	5	HSL	408	

3942-300-5-HSL-2P	7314150364664	2	5	300	1	5	HSL	134	
3942-300-5-HSL-5P	7314150364671	5	5	300	1	5	HSL	284	
3942-300-5-HSL-10P	7314150364688	10	1	300	1	5	HSL	368	

3942-WP

SABRE SAW HCS BLADES FOR WOOD & PLASTIC



FEATURES:

- The blade is made of High Carbon Steel and the teeth are induction hardened for a very long life before being coated for minimum friction
- Unique bevel-ground teeth provide a quick cut and deliver the best results in wood and plastic
- The tothing allows considerably faster cutting compared to traditional blades; 11 for fine cuts

ASSORTMENT:

3942-228-11-HSL-2P	7314150364817	2	5	228	1	11	HSL	102	
3942-228-11-HSL-5P	7314150364824	5	5	228	1	11	HSL	216	

3942-228-11-HSL-10P	7314150364831	10	1	228	1	11	HSL	408	

3942-PB

SABRE SAW BI-METAL BLADES FOR PLASTER & BOARDS



FEATURES:

- The Plaster and Board Bi-Metal blade is designed for demanding cutting in both plaster and different types of wooden chip boards
- Slope (SL) shape for various types of cuts
- The tothing allows considerably faster cutting compared to traditional blades
- The blade is coated for minimum friction
- A virtually unbreakable Sandflex® Bi-Metal blade for all materials and type of cut

ASSORTMENT:

3942-150-7-SL-2P	7314150364510	2	5	150	1,1	7	SL	46	
3942-150-7-SL-10P	7314150364534	10	1	150	1,1	7	SL	190	
3942-150-7-SL-5P	7314150364527	5	5	150	1,1	7	SL	115	
3942-228-7-SL-2P	7314150364480	2	5	228	1,1	7	SL	76	
3942-228-7-SL-5P	7314150364497	5	5	228	1,1	7	SL	190	

3942-228-7-SL-10P	7314150364503	10	1	228	1,1	7	SL	360	
3942-300-7-SL-2P	7314150364596	2	5	300	1,1	7	SL	112	
3942-300-7-SL-5P	7314150364602	5	5	300	1,1	7	SL	280	
3942-300-7-SL-10P	7314150364619	10	1	300	1,1	7	SL	525	

More information:



SABRE SAW BLADES FOR SPECIAL APPLICATIONS



7 PRODUCTS



**CARBIDE TIPPED FOR CUTTING
STONES AND BRICKS**

IMPROVED BLADE DESIGN
BASED ON THE APPLICATION

SIMPLE SAW BLADE SELECTION
THANKS TO THE PRINTED
MATERIAL INFORMATION

CARBIDE TIPPED TEETH ARE IDEAL
FOR DEMANDING APPLICATIONS

FOR FAST AND AGGRESSIVE
STRAIGHT CUTS

3946-CT

SABRE SAW CARBIDE TIPPED BLADES FOR STONE MATERIALS



FEATURES:

- A new wide range of 3 and 6 TPI carbide tipped blades for cutting of non-ferrous materials such as lightweight concrete, bricks, fibreglass
- Comes in two shapes, Slope (SL) shape for various types of cuts and Standard (ST) shape for fast and aggressive straight cuts

ASSORTMENT:

Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9
3946-150-6-SL-1P	7314150364916	1	5	150	0,9	6	SL	45
3946-228-3-ST-1P	7314150364886	1	5	228	0,9	3	ST	60
3946-228-6-ST-1P	7314150402748	1	5	228	1,3	6	ST	95

Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9
3946-300-3-ST-1P	7314150364879	1	5	300	1,5	3	ST	100
3946-300-6-ST-1P	7314150364923	1	5	300	1,3	6	ST	120



3946-CG

SABRE SAW CARBIDE GRIT BLADES FOR TILE & GLASS



FEATURES:

- Carbide Grit for cutting hard materials such as tiles, ceramics and glass|Shape Standard (ST)

ASSORTMENT:

3946-100-G-ST-2P	7314150364830	2	5	100	0,9	Grit	ST	45	

3946-150-G-ST-2P	7314150364947	2	5	150	0,9	Grit	ST	120	

3944

SABRE SAW STAINLESS STEEL BLADES FOR MEAT & ICE



FEATURES:

- Reciprocating blade made for cutting meat/bone and frozen materials
- 3 TPI blade made in stainless steel

ASSORTMENT:

3944-300-3-MEAT-1P	7314150364862	1	10	300	1,25	3	ST	60	

More information:



SABRE SAW BLADE SETS

5 PRODUCTS

**ALWAYS THE RIGHT
BLADE TO HAND**

3940-METAL-SET-5P

SABRE SAW BI-METAL BLADE SET FOR METAL



FEATURES:

- Metal blade set with five blades for cutting metal and fine metal
- A virtually unbreakable Sandflex® bi-metal blade for all materials and type of cut
- The standard-shaped (ST) blades with high performance and precision-ground teeth
- Standard (ST) shape for fast and aggressive straight cuts but still flexible for narrow cutting

ASSORTMENT:

3940-METAL-SET-5P	7314150401673	1	5	125

3940-HDD-SET-5P

SABRE SAW BI-METAL BLADE SET FOR HEAVY METAL & DEMOLITION



FEATURES:

- Set of five demolition bi-metal blades, all extra thick and wide for demolition and heavy-duty work
- Perfect for all jobs from demolition of walls with nail-embedded wood to thick steel beams
- A virtually unbreakable Sandflex® bi-metal blade for all materials and type of cut
- Three slope-shaped (SL) and two Heavy metal blades (HSL) for various types of cuts

ASSORTMENT:

3940-HDD-SET-5P	7314150401703	1	5	222

3940-MIX-SET-5P

SABRE SAW BLADE SET FOR WOOD & METAL



FEATURES:

- Mixed set of five blades with metal blades for cutting metal and fine metal as well as demanding cutting in wood with embedded nails
- Three blades for metal, one for wood and metal, and one for wood

ASSORTMENT:

3940-MIX-SET-5P	7314150401659	1	5	150

3940-MIX-SET-10P

SABRE SAW BLADE SET FOR PLASTER, WOOD & METAL



FEATURES:

- Mixed set of ten blades for cutting metal and fine metal as well as demanding cutting in wood, even with embedded nails
- Six blades for metal, one for wood and metal, two for wood and one for plaster and boards

ASSORTMENT:

3940-MIX-SET-10P	7314150401666	1	10	245



3942-WOOD-SET-5P

SABRE SAW BLADE SET FOR WOOD



FEATURES:

- Set of five blades for wood cutting
- Four blades in HCS for pure in-wood and plastic materials
- One blade for wood with embedded nails

ASSORTMENT:

3942-WOOD-SET-5P	7314150401680	1	5	191



APPLICATION:
Wood

PRODUCT:
Sabre Saw HCS Blade for Wood