



Locking Button Extensions (Power)

Use with power or impact sockets with retention holes.

Stock No.	A	В
PF3	1/2	3
PF6	1/2	6
PF11A	1/2	11





Universal Joints (Power)

Stock No.	A	В
PFU8A	3/4	1-31/32






Adaptors (Power)

Stock No.	Α	В	С	D
PA4F	1/2	3/8	15/16	1-13/16
PA2A	3/8	1/2	3/4	1-5/16



A3017A



Hex-To Square-Adaptors (Power)

Stock No.	Retention Type	A	В	С
A3017A	Lock Button	7/16	1-1/4	1-3/4
A3042	Lock Button	1/4	1	2
A3044	Lock Button	1/4	1	4
A3046	Lock Button	1/4	1-1/4	6

POWER BIT SOCKETS



PFTX30E



TORX®/Standard (Power), Industrial (3/8")

#]	Stock No.	A	В	С	D
T27	PFTX27E	1-49/64	45/64	11/16	FTX27E2
T30	PFTX30E	1-49/64	45/64	11/16	FTX30E2
T40	PFTX40E	1-49/64	45/64	11/16	FTX40E2

PFAM6E



Hex/Standard (Power), mm, Industrial (3/8")

		A	В	С	D
4	PFAM4E	52.3	25.4	17.2	FAM4E2
5	PFAM5E	52.3	25.4	17.2	FAM5E
6	PFAM6E	52.6	25.7	17.2	FAM6E2
7	PFAM7E	52.6	25.7	17.2	FAM7E2
8	PFAM8E	52.2	25.1	17.2	FAM8E2
9	PFAM9E	52.6	25.7	17.8	FAM9E2
10	PFAM10E	52.6	25.7	17.8	SAM10E2



PFA8E



Hex/Standard (Power), inches, Industrial (3/8")

DÎ		A	В	С	D
1/8	PFA4E	2-1/16	1	11/16	TMA4E2
9/64	PFA4.5E	2-1/16	1	11/16	TMA4.5E2
5/32	PFA5E	2-1/16	1	11/16	FA5E2
3/16	PFA6E	2-1/16	1	11/16	FA6E2
7/32	PFA7E	2-5/64	1-1/64	11/16	FA7E2
1/4	PFA8E	2-5/64	1-1/64	11/16	FA8E2
5/16	PFA10E	2-1/16	1	11/16	FA10E2
3/8	PFA12E	2-3/32	1-1/32	11/16	FA12E2

182



MAGNETIC AND SURFACE DRIVE SOCKETS

Shallow Magnetic, mm, Industrial

	6	A	В	D	E
10	MFIMMD10	15.1	17.2	28.6	7.1
10	MFIMM10A	15.1	17.2	29.1	4.7
12	MFIMM12	18.1	19.1	28.6	3.7
13	MFIMM13	19.4	19.4	28.6	3.9
15	MFIMM15	21.6	21.8	28.6	3.9





MFIMMD10 3/8" Drive 12-Point Metric 10 mm Shallow Magnetic Power Socket

- For use on Detroit Diesel® 60 series, the MFIMMD10 is used on the three camshaft gear thrust plate bolts located inside the camshaft gear cover within the front gear case on the engine
- The mechanic must go through the cover to start the bolts; if one is dropped, it is very labor intensive and time consuming to retrieve
- Applies to 2002 and later 60 series Detroit Diesel® engines with the compact gear case (please note: earlier engines with the tall gear case have 13 mm six-point bolts)
- · Magnetic sockets are perfect for installing and removing a fastener as the magnetic feature will hold the fastener in the socket, saving time and frustration
- Power sockets designed and intended for use with power nut runners; do not use with impact drivers
- · Industrial, black-oxide, finish helps protect against corrosion

Shallow Magnetic, inches, Industrial

	6	A	В	D	E
5/16	MFIM101	15/32	11/16	1-1/16	3/32
3/8	MFIM121	17/32	11/16	1-1/16	1/8
7/16	MFIM141	5/8	11/16	1-1/16	5/32
1/2	MFIM161	25/32	25/32	1-1/16	5/32
9/16	MFIM181	7/8	7/8	1-1/16	5/32





Deep Magnetic Spring Loaded, mm, Industrial

	6	A	В	D	E
10	SMFIMM10B	15.1	17.2	50.8	7.1
12	SMFIMM12B	18.1	19.1	50.8	7.1
13	SMFIMM13B	19.4	19.4	50.8	7.6





SMFIMM10B

Deep, mm, Natural

	6	A	В	С	D	E
10	DFSM10	14.5	17.2	42.5	54.0	8.4





Surface Drive (M-Series)

For use in the industrial market for assembly line work. The lead-in chamfer and special design of these sockets will engage with a fastener while rotating on a power nut runner.

	6	А	В	С	D	E
10	M2110	16.5	19.1	16.5	31.8	7.4
10	M2210	16.5	19.1	39.1	50.8	7.4





M2110





- Do not use power sockets or accessories with impact drivers.
- Do not use power tools or accessories with impact drivers.
- not use adaptors with impact and adaptor. Read Safety Precautions on pages W1–W4





Colors Available 230RFSMLEFG

Red	Orange	Green
FR	FO	FG


ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS.

	Stock No.	Description
Also Includes	RAF80A	3/8" Drive Dual 80® Technology Low-Profile Ratchet

230RFSMLEFR 30 pc 3/8" Drive Dual 80® Technology Low-Profile Ratchet/Flank Drive® Low-Profile Socket **Master Set**

	6-Point Metric	O]	12-Point SAE		TORX®
8	RFSM8	1/4	RF081	TORX® E10	RFLE100
9	RFSM9	5/16	RF101	TORX® E11	RFLE110
10	RFSM10	11/32	RF111	TORX® E12	RFLE120
11	RFSM11	3/8	RF121	TORX® E14	RFLE140
12	RFSM12	7/16	RF141	TORX® E16	RFLE160
13	RFSM13	1/2	RF161	TORX® E18	RFLE180
14	RFSM14	9/16	RF181	TORX® E8	RFLE80
15	RFSM15	5/8	RF201		
16	RFSM16	11/16	RF221		
17	RFSM17	3/4	RF241		
18	RFSM18				
19	RFSM19				

ASME®/ANSI® B107.10



6/12-Point, Inches, Chrome

	6-Point Shallow Socket	6-Point Semi-Deep Socket	6-Point Deep Socket
1/4	FS081	FSS081	SFS081
5/16	FS101	FSS101	SFS101
3/8	FS121	FSS121	SFS121
7/16	FS141	FSS141	SFS141
1/2	FS161	FSS161	SFS161
9/16	FS181	FSS181	SFS181
5/8	FS201	FSS201	SFS201
11/16	FS221	FSS221	SFS221
3/4	FS241	FSS241	SFS241
13/16	FS261	FSS261	SFS261
7/8	FS281	FSS281	SFS281
15/16	FS301	FSS301	SFS301
1	FS321	FSS321	SFS321

239SFSSFG 39 pc 3/8" Drive 6-Point SAE Flank Drive® Shallow/Semi/Deep Combination Socket Foam Set

- Includes (13) shallow sockets; (13) semi-deep sockets and (13) deep sockets (1/4-1") in a foam organizer
- Snap-on® sockets using the Flank Drive® wrenching system grip the fastener on the flanks/flats which deliver 15-25% more turning power
- Nickel-chrome plating helps protect against corrosion and is easy to wipe clean
- Manufactured from the highest quality proprietary steel, providing optimum strength and durability
- 6-point configuration and Flank Drive® wrenching system

Foam Organizer

- · Modular design provides in-drawer reconfiguration for new tools
- Each tool is precision fitted providing ultimate tool protection
- · Contrasting colors provide visual control which eliminates time searching for missing tools
- Closed cell cross-linked foam resist oils, solvents, and fuels-easy to clean
- Pockets for miscellaneous tools

245SFMSFG **Colors Available** Orange Green FR FO FG ADD SUFFIX TO STOCK NUMBER

245SFMSFR 45 pc 3/8" Drive 6-Point Metric Flank Drive® Shallow/Semi/Deep Combination Socket Foam Set

	6-Point Shallow Socket	6-Point Semi-Deep Socket	6-Point Deep Socket
6	FSM61	FSMS6	SFSM6
7	FSM71	FSMS7	SFSM7
8	FSM81	FSMS8	SFSM8
9	FSM91	FSMS9	SFSM9
10	FSM101	FSMS10	SFSM10
11	FSM111	FSMS11	SFSM11
12	FSM121	FSMS12	SFSM12

	6-Point Shallow Socket	6-Point Semi-Deep Socket	6-Point Deep Socket
13	FSM131	FSMS13	SFSM13
14	FSM141	FSMS14	SFSM14
15	FSM151	FSMS15	SFSM15
16	FSM161	FSMS16	SFSM16
17	FSM171	FSMS17	SFSM17
18	FSM181	FSMS18	SFSM18
19	FSM191	FSMS19	SFSM19
20	FSM201	FSMS20	SFSM20

184





12-Point, inches, Chrome

Size, inches	Stock No.	Size, inches	Stock No.
1/4	F081	5/8	F201
5/16	F101	11/16	F221
3/8	F121	3/4	F241
7/16	F141	13/16	F261
1/2	F161	7/8	F281
9/16	F181		

Also Includes:	F4LB	3/8" Drive 17-27/32" Speeder Drive Handle
	F80	3/8" Drive Dual 80® Technology Standard Handle Ratchet
	FU8A	3/8" Drive 2-1/16" Friction Ball Universal Joint
	FXK11	3/8" Drive 11" Knurled Friction Ball Extension
	FXK3	3/8" Drive 3" Knurled Friction Ball Extension
	FXK6	3/8" Drive 6" Knurled Friction Ball Extension
	F10LD	3/8" Drive 9-9/16" Breaker Bar

Set includes storage case.

218AFP 18 pc 3/8" Drive 12-Point SAE General Service Socket Set

- Includes (18) tools (1/4-7/8")
- Includes Dual 80® Technology Standard Handle Ratchet, Speeder, Breaker Bar, Universal Joint and 3, 6 and 11" Knurled Extensions



6-Point, inches, Chrome

ΦŢ	6-Point Shallow Socket
3/8	FS121
7/16	FS141
1/2	FS161
9/16	FS181
5/8	FS201
11/16	FS221
3/4	FS241

Also	F80	3/8" Drive Dual 80® Technology Standard Handle Ratchet
Includes: F	FXK3	3/8" Drive 3" Knurled Friction Ball Extension
	FXK6	3/8" Drive 6" Knurled Friction Ball Extension

Set includes storage case.

210AFSP 10 pc 3/8" Drive 6-Point SAE General Service Set

 Set includes (7) 6-Point Shallow Sockets (3/8, 7/16, 1/2, 9/16, 5/8, 11/16 and 3/4") F80 Standard Handle Sealed Ratchet and (2) Knurled Extensions (FXK3 3" and FXK6 6")







- Do not use chrome or industrial finish hand tools with power drivers or impact drivers.
 Do not immerse sealed ratchet in fluids.
 Do not immerse sealed ratchet in fluids.
 Do not replace worn parts individually; use entire contents of the service kit.
 Frequently inspect, clean and lubricate all non-sealed ratchet mechanisms with light oil

• Read Safety Precautions on pages W1-W4





6-Point, inches, Chrome

	6-Point Shallow Socket		6-Point Shallow Socket
1/4	FS081	5/8	FS201
5/16	FS101	11/16	FS221
3/8	FS121	3/4	FS241
7/16	FS141	13/16	FS261
1/2	FS161	7/8	FS281
9/16	FS181	310.00	

Also Includes:	F4LB	3/8" Drive 17-27/32" Speeder Drive Handle
	F80	3/8" Drive Dual 80® Technology Standard Handle Ratchet
	FU8A	3/8" Drive 2-1/16" Friction Ball Universal Joint
	FXK11	3/8" Drive 11" Knurled Friction Ball Extension
	FXK3	3/8" Drive 3" Knurled Friction Ball Extension
	FXK6	3/8" Drive 6" Knurled Friction Ball Extension
	F10LD	3/8" Drive 9-9/16" Breaker Bar

Set includes storage case.

218AFSP 18 pc 3/8" Drive 6-Point SAE Shallow General Service Socket Set

- Includes (18) tools (1/4-7/8")
- Includes Dual 80® Technology Standard Handle Ratchet, Speeder, Breaker Bar, Universal Joint, and 3, 6 and 11" Knurled Extensions in a storage tray



2101GSS01FR 101 pc 3/8" Drive General Service Foam Set

Stock No.	Description				
204RT01FG	4 pc 3/8" Drive Dual 80® Technology Ratchet Foam Set				
204RT02FG	4 pc 3/8" Drive Dual 80° Technology Flex Head Ratchet Foam Set				
209AFXAFG	9 pc 3/8" Drive Extension and Adaptor Foam Set				
245SFMSFG	45 pc 3/8" Drive 6-Point Metric Flank Drive® Shallow/Semi/Deep Combination Socket Foam Set				
239SFSSFG	39 pc 3/8" Drive 6-Point SAE Flank Drive® Shallow/Semi/Deep Combination Socket Foam Set				

Sets shown include foam organizer



2101GSS02FG 101 pc 3/8" Drive Soft Grip General Service Foam Set

Stock No.	Description				
204RT03FG	4 pc 3/8" Drive Dual 80® Technology Soft Grip Ratchet Foam Set				
204RT04FG	4 pc 3/8" Drive Dual 80° Technology Soft Grip Flex-Head Ratchet Foam Set				
209AFXAFG	9 pc 3/8" Drive Extension and Adaptor Foam Set				
245SFMSFG	45 pc 3/8" Drive 6-Point Metric Flank Drive® Shallow/Semi/Deep Combination Socket Foam Set				
239SFSSFG	39 pc 3/8" Drive 6-Point SAE Flank Drive® Shallow/Semi/Deep Combination Socket Foam Set				

Sets shown include foam organizer

Colors Available



ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS. **Colors Available**



FOR SPECIAL COLORS.

186



251FSMBFR 51 pc 3/8" Drive 6-Point Metric/SAE Flank Drive® **General Service Foam Set**

Stock No.	Description
FL80	3/8" Drive Dual 80° Technology Long Handle Ratchet
FU8A	3/8" Drive 2-1/16" Friction Ball Universal Joint
FXK3	3/8" Drive 3" Knurled Friction Ball Extension
FXK6	3/8" Drive 6" Knurled Friction Ball Extension
FXK11	3/8" Drive 11" Knurled Friction Ball Extension

	6-Point Metric Shallow Socket		6-Point Metric Deep Socket	@]	6-Point SAE Shallow Socket	O I	6-Point SAE Deep Socket
8 mm	FSM81	8 mm	SFSM8	1/4"	FS081	1/4"	SFS081
9 mm	FSM91	9 mm	SFSM9	5/16"	FS101	5/16"	SFS101
10 mm	FSM101	10 mm	SFSM10	3/8"	FS121	3/8"	SFS121
11 mm	FSM111	11 mm	SFSM11	7/16"	FS141	7/16"	SFS141
12 mm	FSM121	12 mm	SFSM12	1/2"	FS161	1/2"	SFS161
13 mm	FSM131	13 mm	SFSM13	9/16"	FS181	9/16"	SFS181
14 mm	FSM141	14 mm	SFSM14	5/8"	FS201	5/8"	SFS201
15 mm	FSM151	15 mm	SFSM15	11/16"	FS221	11/16"	SFS221
16 mm	FSM161	16 mm	SFSM16	3/4"	FS241	3/4"	SFS241
17 mm	FSM171	17 mm	SFSM17	13/16"	FS261	13/16"	SFS261
18 mm	FSM181	18 mm	SFSM18	7/8"	FS281	7/8"	SFS281
19 mm	FSM191	19 mm	SFSM19				



251FSMBFR

ASME®/ANSI® B107.10

251YFSMBFR 51 pc 3/8" Drive 6-Point Metric/SAE Flank Drive® Xtra General Service Foam Set

Stock No.	Description 3/8" Drive Dual 80® Technology Long Handle Ratchet				
FL80					
FU8A	3/8" Drive 2-1/16" Friction Ball Universal Joint				
FXK3	3/8" Drive 3" Knurled Friction Ball Extension				
FXK6	3/8" Drive 6" Knurled Friction Ball Extension				
FXK11	3/8" Drive 11" Knurled Friction Ball Extension				

ASME®/ANSI® B107.10

	6-Point Metric FDX Shallow Socket		6-Point Metric FDX Deep Socket	@]	6-Point SAE FDX Shallow Socket	O I	6-Point SAE FDX Deep Socket
8 mm	YFSM81	8 mm	YSFSM8	1/4"	YFS081	1/4"	YSFS081
9 mm	YFSM91	9 mm	YSFSM9	5/16"	YFS101	5/16"	YSFS101
10 mm	YFSM101	10 mm	YSFSM10	3/8"	YFS121	3/8"	YSFS121
11 mm	YFSM111	11 mm	YSFSM11	7/16"	YFS141	7/16"	YSFS141
12 mm	YFSM121	12 mm	YSFSM12	1/2"	YFS161	1/2"	YSFS161
13 mm	YFSM131	13 mm	YSFSM13	9/16"	YFS181	9/16"	YSFS181
14 mm	YFSM141	14 mm	YSFSM14	5/8"	YFS201	5/8"	YSFS201
15 mm	YFSM151	15 mm	YSFSM15	11/16"	YFS221	11/16"	YSFS221
16 mm	YFSM161	16 mm	YSFSM16	3/4"	YFS241	3/4"	YSFS241
17 mm	YFSM171	17 mm	YSFSM17	13/16"	YFS261	13/16"	YSFS261
18 mm	YFSM181	18 mm	YSFSM18	7/8"	YFS281	7/8"	YSFS281
19 mm	YFSM191	19 mm	YSFSM19				



251YFSMBFR





- Do not use chrome or industrial finish hand tools with power drivers or impact drivers.
 Do not immerse sealed ratchet in fluids.
 Do not immerse sealed ratchet in fluids.
 Do not replace worn parts individually; use entire contents of the service kit.
 Frequently inspect, clean and lubricate all non-sealed ratchet mechanisms with light oil
 Read Safety Precautions on pages W1–W4





222AFSP

6-Point, inches, Chrome

	6-Point Shallow Socket		6-Point Shallow Socket
3/8	F121	3/8	SFS121
7/16	F141	7/16	SFS141
1/2	F161	1/2	SFS161
9/16	F181	9/16	SFS181
5/8	F201	5/8	SFS201
11/16	F221	11/16	SFS221
3/4	F241	3/4	SFS241

Also Includes:	F80	3/8" Drive Dual 80® Technology Standard Handle Ratchet
	FU8A	3/8" Drive 2-1/16" Friction Ball Universal Joint
	F10LD	3/8" Drive 9-9/16" Breaker Bar
	FXK3	3/8" Drive 3" Knurled Friction Ball Extension
	FXK4	3/8" Drive 4" Knurled Friction Ball Extension
	FXK8	3/8" Drive 8" Knurled Friction Ball Extension
	S9704KA	3/8" Drive 6-Point SAE 13/16" Flank Drive® Shallow Spark Plug Socket
	S9706KA	3/8" Drive 6-Point SAE 5/8" Flank Drive® Shallow Spark Plug Socket
	PB17B	Storage Case

Set includes storage case

222AFSP 22 pc 3/8" Drive 6-Point SAE General Service Socket Set

- Includes (7) Shallow Sockets (3/8-3/4") and (7) Deep Sockets (3/8-3/4")
 Includes Dual 80® Technology Standard Handle Ratchet, 13/16" Spark Plug Socket, 5/8" Spark Plug Socket, Breaker Bar, Universal Joint and 3, 4 and 8" Knurled Extensions in a storage case

Build Your Own Set

The 206AFSP Handle Set is the foundation for the ideal basic general service set. Add any of the suggested socket sets or choose from various special-purpose sockets available in fractional and metric sizes.

□ Ţ	Stock No.	~ □	Stock No.
11 pc. 3/8" Drive 12-Point SAE Deep Flank Drive® Socket Set	211SFY	12 pc. 3/8" Drive 12-Point Metric Flank Drive® Deep Socket Set	212SFMY
11 pc. 3/8" Drive 6-Point SAE Flank Drive® Socket Set	211SFSY	12 pc. 3/8" Drive 6-Point Metric Flank Drive® Semi-Deep Socket Set	212FSMSY
11 pc. 3/8" Drive 6-Point SAE Flank Drive® Shallow Socket Set	211FSY	12 pc. 3/8" Drive 6-Point Metric Flank Drive® Deep Socket Set	212SFSMY
7 pc. 3/8" Drive 6-Point SAE Flank Drive® Deep Universal Socket Set	207FSU	12 pc. 3/8" Drive 6-Point Metric Flank Drive® Shallow Socket Set	212FSMY
		12 pc. 3/8" Drive 12-Point Metric Flank Drive® Shallow Socket Set	212FMY



Also Includes:	F80	3/8" Drive Dual 80® Technology Standard Handle Ratchet
	F10LD	3/8" Drive 9-9/16" Breaker Bar
	FU8A	3/8" Drive 2-1/16" Friction Ball Universal Joint
	FX1	3/8" Drive 1-1/2" Friction Ball Extension
	FXK11	3/8" Drive 11" Knurled Friction Ball Extension
	FXK3	3/8" Drive 3" Knurled Friction Ball Extension
	FXK6	3/8" Drive 6" Knurled Friction Ball Extension

Set includes storage case.

206AFSP 6 pc 3/8" Drive Handle Set

- · Start with the 206AFSP Handle Set, the ideal base for a personally customized basic general service set
- Add any of the suggested socket sets or choose from the many special purpose sockets available in both SAE and metric sizes
- The 206AFSP set is packaged in the blow-molded PB16B plastic case, which has a large enough cavity to store as many as four rows of standard-length sockets, two rows of deep or universal sockets, or combinations of any of these
- Suggested SAE Set Additions: 211FSY 6-Point Shallow Set 212FY 6-Point Shallow Set 211SFSY 6-Point Deep Set 211SFY 12-Point Shallow Set 207FSU 6-Point Deep Universal Set 211FDSY 12-Point Semi-Deep Set
- Suggested Metric Set Additions: 212FSMY 6-Point Shallow Set 212SFSMY 6-Point Semi-Deep Set 212SFMY 12-Point Deep Set 212FSMSY 6-Point Semi-Deep Set 212FMSY 12-Point Semi-Deep Set 212FMY 12-Point Shallow Set
- · Includes: F80 Sealed Ratchet, FU8A Universal Joint, FX1 Extension (1-1/2"), FXK3 Knurled Extension (3"), FXK6 Knurled Extension (6") and FXK11 Knurled Extension (11")





248F

12-Point, inches, Chrome

Ū Ţ	12-Point Shallow Sockets	Ū Ţ	12-Point Deep Sockets	Ū Ţ	12-Point Shallow Universal Socket
1/4	F081	1/4	SF081	5/16	FU10B
5/16	F101	5/16	SF101	3/8	FU12B
3/8	F121	3/8	SF121	7/16	FU14B
7/16	F141	7/16	SF141	1/2	FU16B
1/2	F161	1/2	SF161	9/16	FU18B
9/16	F181	9/16	SF181	5/8	FU20B
5/8	F201	5/8	SF201	11/16	FU22B
11/16	F221	11/16	SF221	3/4	FU24B
3/4	F241	3/4	SF241	13/16	FU26B
13/16	F261	13/16	SF261	7/8	FU28B
7/8	F281	7/8	SF281	15/16	FU30A
15/16	F301	=		1	FU32A

ASME®/ANSI® B107.10

Also Includes	F40B	3/8" Drive 5-15/16" Hard Handle Stubby Shank Driver	
	F4LB	3/8" Drive 17-27/32" Speeder Drive Handle	
	F5L	3/8" Drive 8" Sliding T-Handle	
	F10LD	3/8" Drive 9-9/16" Breaker Bar	
	F77A	3/8" Drive 20-Tooth Ratchet Adaptor	
	F80	3/8" Drive Dual 80® Technology Standard Handle Ratchet	
	FRS70A	3/8" Drive Spinner Ratchet	
	FU8A	3/8" Drive 2-1/16" Friction Ball Universal Joint	
	FXK3	3/8" Drive 3" Knurled Friction Ball Extension	
	FXK4	3/8" Drive 4" Knurled Friction Ball Extension	
	FXK6	3/8" Drive 6" Knurled Friction Ball Extension	
	FXK11 3/8" Drive 11" Knurled Friction Ball Extension		
4	BLPEXTF388	3/8" Drive 8" Flexible Extension (Blue-Point®)	

248F 48 pc 3/8" Drive 12-Point SAE Shallow/Deep/Universal Combination General Service Socket Set

- Includes Shallow Sockets (1/4-15/16")
- Includes Deep Sockets (1/4-7/8")
- Includes Universal Sockets (5/16–1")
- Includes Dual 80® Technology Standard Handle Ratchet, Plastic Handle Driver, Ratchet Spinner, Speeder, Ratchet Adaptor, Sliding T-Handle, Universal Joint, Breaker Bar, 8" Flexible Extension and 3, 4, 6 and 11" Knurled Extensions (48 pc)







- Do not use chrome or industrial finish hand tools with power drivers or impact drivers.
 Do not immerse sealed ratchet in fluids.
 Do not immerse sealed ratchet in fluids.
 Do not immerse sealed ratchet in fluids.
 Read Safety Precautions on pages W1–W4





Deep, Inches, Chrome

211SFSY 11 pc 3/8" Drive 6-Point SAE Flank Drive® Deep Soc				
211FSY 11 pc 3/8" Drive 6-Point SAE Flank Drive® Shallow Socket S				
211FY 11 pc 3/8" Drive 12-Point SAE Flank Drive® Shallow Socket				
211SFY 11 pc 3/8" Drive 12-Point SAE Deep Flank Drive® Socke				

des	FLF80A	3/8" Drive Dual 80® Technology Long Handle Flex-Head Ratchet	S9704KFUA	3/8" Drive 6-Point SAE 13/16" Flank Drive® Universal Spark Plug Socket
	F4LB	3/8" Drive 17-27/32" Speeder Drive Handle	F23E	3/8" Drive 1/4" Flat Tip Standard Bit Socket Driver
	F5L	3/8" Drive 8" Sliding T-Handle	F25E	3/8" Drive 5/16" Flat Tip Standard Bit Socket Driver
	F10LD	3/8" Drive 9-9/16" Breaker Bar	F29E	3/8" Drive SAE 3/8" Clutch Bit Socket Driver
	FU8A	3/8" Drive 2-1/16" Friction Ball Universal Joint	F30E	3/8" Drive SAE 5/16" Clutch Socket Driver
	FU10B	3/8" Drive 12-Point SAE 5/16" Flank Drive® Shallow Universal Socket	F31E	3/8" Drive 3/8" Flat Tip Standard Bit Socket Driver
	FU12B	3/8" Drive 12-Point SAE 3/8" Flank Drive® Shallow Universal Socket	F40B	3/8" Drive 5-15/16" Hard Handle Stubby Shank Driver
	FU14B	3/8" Drive 12-Point SAE 7/16" Flank Drive® Shallow Universal Socket	F77A	3/8" Drive 20-Tooth Ratchet Adaptor
[FU16B	3/8" Drive 12-Point SAE 1/2" Flank Drive® Shallow Universal Socket	F80	3/8" Drive Dual 80® Technology Standard Handle Ratchet
	FU18B	3/8" Drive 12-Point SAE 9/16" Flank Drive® Shallow Universal Socket	F111	3/8" Drive 12-Point SAE 11/32" Flank Drive® Shallow Socke
	FU20B	3/8" Drive 12-Point SAE 5/8" Flank Drive® Shallow Universal Socket	FA5E	3/8" Drive SAE 5/32" Standard Hex Bit Socket Driver
	FU22B	3/8" Drive 12-Point SAE 11/16" Flank Drive® Shallow Universal Socket	FA6E	3/8" Drive SAE 3/16" Standard Hex Bit Socket Driver
	FU24B	3/8" Drive 12-Point SAE 3/4" Flank Drive® Shallow Universal Socket	FA7E	3/8" Drive SAE 7/32" Standard Hex Bit Socket Driver
	FU26B	3/8" Drive 12-Point SAE 13/16" Flank Drive® Shallow Universal Socket	FA8E	3/8" Drive SAE 1/4" Standard Hex Bit Socket Driver
[FU28B	3/8" Drive 12-Point SAE 7/8" Flank Drive® Shallow Universal Socket	FA10E	3/8" Drive SAE 5/16" Standard Hex Bit Socket Driver
	FU30A	3/8" Drive 12-Point SAE 15/16" Flank Drive® Shallow Universal Socket	FA12E	3/8" Drive SAE 3/8" Standard Hex Bit Socket Driver
	FU32A	3/8" Drive 12-Point SAE 1" Flank Drive® Shallow Universal Socket	FP22E	3/8" Drive #2 PHILLIPS® Standard Bit Socket Driver
	FX1*	3/8" Drive 1-1/2" Friction Ball Extension	FP32E	3/8" Drive #3 PHILLIPS® Standard Bit Socket Driver
	FXK3*	3/8" Drive 3" Knurled Friction Ball Extension	FP42E	3/8" Drive #4 PHILLIPS® Socket Driver
	FXK4*	3/8" Drive 4" Knurled Friction Ball Extension	PP409A	3/8" Drive SAE 9/32" Internal Pipe Plug Socket
	FXK6*	3/8" Drive 6" Knurled Friction Ball Extension	PP410A	3/8" Drive SAE 5/16" Internal Pipe Plug Socket
	FXK8*	3/8" Drive 8" Knurled Friction Ball Extension	PP412A	3/8" Drive SAE 3/8" Internal Pipe Plug Socket
	FXK11*	3/8" Drive 11" Knurled Friction Ball Extension	GF22	3/8" Drive 11/16" Blade Width Drag Link Socket
ı	FRS70A	3/8" Drive Spinner Ratchet	BLPEXTF388	3/8" Drive 8" Flexible Extension (Blue-Point®)





6-Point, mm, Chrome

	6-Point Deep Sockets		6-Point Deep Sockets
8	SFSM8	14	SFSM14
9	SFSM9	15	SFSM15
10	SFSM10	16	SFSM16
11	SFSM11	17	SFSM17
12	SFSM12	18	SFSM18
13	SFSM13	19	SFSM19

STARTERSET3

Also	FL80	3/8" Drive Dual 80® Technology Long Handle Ratchet
Includes	FU8A	3/8" Drive 2-1/16" Friction Ball Universal Joint
	FXK3	3/8" Drive 3" Knurled Friction Ball Extension
	FXK6	3/8" Drive 6" Knurled Friction Ball Extension
	S9706KA	3/8" Drive 6-Point SAE 5/8" Flank Drive® Shallow Spark Plug Socket

190





STARTERSET5

Shallow, mm, Chrome

	6-Point Shallow Sockets		6-Point Shallow Sockets
8	FSM81	14	FSM141
9	FSM91	15	FSM151
10	FSM101	16	FSM161
11	FSM111	17	FSM171
12	FSM121	18	FSM181
13	FSM131	19	FSM191

Also Includes:	F80	3/8" Drive Dual 80® Technology Standard Handle Ratchet
	FXWP1	3/8" Drive 1-1/2" Friction Ball Wobble Plus Extension
	FXWP3	3/8" Drive 3" Knurled Wobble Plus Extension
	FXWP6	3/8" Drive 6" Knurled Wobble Plus Extension
	F12LA	3/8" Drive Long Handle Breaker Bar

STARTERSET5 17 pc 3/8" Drive Shallow 6-Point Metric Starter Set

- High-strength sealed head ratchet built for strength, precision and durability
- Wobble engagement on extensions provides 16° of additional accessibility
- Sockets feature Flank Drive® wrenching system which grips the fastener on the flanks/flats increasing torque by up to 15%-20%
- Nickel-chrome plating provides a wear-resistant finish along with a mirror-like finish
- · Highest quality steel on breaker bar provides strength and durability



222AFSMP

6-Point, mm, Chrome

	6-Point Shallow Sockets		6-Point Shallow Sockets
10	FSM101	10	SFSM10
11	FSM111	11	SFSM11
13	FSM131	13	SFSM13
14	FSM141	14	SFSM14
15	FSM151	15	SFSM15
17	FSM171	17	SFSM17
19	SFSM19	19	SFSM19

Also Includes	F80	3/8" Drive Dual 80® Technology Standard Handle Ratchet
	FU8A	3/8" Drive 2-1/16" Friction Ball Universal Joint
	F10LD	3/8" Drive 9-9/16" Breaker Bar
	FXK3	3/8" Drive 3" Knurled Friction Ball Extension
	FXK4	3/8" Drive 4" Knurled Friction Ball Extension
	FXK8	3/8" Drive 8" Knurled Friction Ball Extension
	S9704KA	3/8" Drive 6-Point SAE 13/16" Flank Drive® Shallow Spark Plug Socket
	S9706KA	3/8" Drive 6-Point SAE 5/8" Flank Drive® Shallow Spark Plug Socket
	PB17B	Storage Case

222AFSMP 22 pc 3/8" Drive 6-Point Metric General Service Socket Set

Includes:

- (7) Shallow Sockets (10, 11, 13-15, 17 and 19 mm)
- (7) Deep Sockets (10, 11, 13–15, 17 and 19 mm)
- Dual 80® Technology Standard Handle Ratchet, Universal Joint, Breaker Bar, 3, 4 and 8" Knurled Extensions, 13/16 and 5/8" Spark Plug Sockets and a storage case







- Do not use chrome or industrial finish hand tools with power drivers or impact drivers.
 Do not immerse sealed ratchet in fluids.
 Do not immerse sealed ratchet in fluids.
 Do not use chrome or industrial finish hand tools with power drivers or impact drivers.
 Do not use chrome or industrial finish hand tools with power drivers or impact drivers.
 Do not use chrome or industrial finish hand tools with power drivers or impact drivers.
 Do not use chrome or industrial finish hand tools with power drivers or impact drivers.
 Do not immerse sealed ratchet in fluids.
 Do

- not use "cheater bars" on handles.
 ll, do not push on handles.
 Read Safety Precautions on pages W1–W4





6/12-Point, mm, Chrome

•••]	6-Point Shallow Sockets		12-Point Shallow Sockets		12-Point Deep Sockets		6-Point Shallow Universal Sockets
8	FSM81	-	_	8	SFM8	8	FSUM8A
9	FSM91	9	FM9	9	SFM9	10	FSUM10A
10	FSM101	10	FM10	10	SFM10	11	FSUM11A
11	FSM111	11	FM11	11	SFM11	12	FSUM12A
12	FSM121	12	FM12	12	SFM12	13	FSUM13A
13	FSM131	13	FM13	13	SFM13	14	FSUM14A
14	FSM141	14	FM14	14	SFM14	15	FSUM15A
15	FSM151	15	FM15	15	SFM15	16	FSUM16A
16	FSM161	16	FM16	16	SFM16	17	FSUM17A
17	FSM171	17	FM17	17	SFM17	18	FSUM18A
18	FSM181	18	FM18	18	SFM18	19	FSUM19A
19	FSM191	19	FM19	19	SFM19	22	FSUM22A

Also	F10LD	3/8" Drive 9-9/16" Breaker Bar
Includes	F80	3/8" Drive Dual 80® Technology Standard Handle Ratchet
	F4LB	3/8" Drive 17-27/32" Speeder Drive Handle
	F40B	3/8" Drive 5-15/16" Hard Handle Stubby Shank Driver
	FRS70A	3/8" Drive Spinner Ratchet
	F77A	3/8" Drive 20-Tooth Ratchet Adaptor
	FU8A	3/8" Drive 2-1/16" Friction Ball Universal Joint
	FXK3	3/8" Drive 3" Knurled Friction Ball Extension
	FXK6	3/8" Drive 6" Knurled Friction Ball Extension
	FXK11	3/8" Drive 11" Knurled Friction Ball Extension
	S9704KR	3/8" Drive 6-Point SAE 13/16" Flank Drive® Standard Retention Spark Plug Socket
	S9706KA	3/8" Drive 6-Point SAE 5/8" Flank Drive® Shallow Spark Plug Socket
	S9716KA	3/8" Drive 6-Point SAE 9/16" Flank Drive® Spark Plug Socket
	KRA21G	Metal Box
	BLPEXTF388	3/8" Drive 8" Flexible Extension (Blue-Point®)

ASME®/ANSI® B107.10

262MFB 61 pc 3/8" Drive 6-/12-Point Metric General Service Socket Set

Includes:

- 62) 6-point Shallow Sockets (8-19 mm)
- (11) 12-point shallow sockets (9–19 mm)
- Includes (12 pc) 12-point Deep Sockets (8-19 mm)
- (12) 6-point Shallow Universal Sockets (8, 10-19 and 22 mm)
- Dual 80® Technology Standard Handle Ratchet, Speeder, Breaker Bar, Plastic Handle Driver, Ratchet Spinner, Ratchet Adaptor, Universal Joint, 3, 6 and 11" Knurled Extensions, 13/16" Spark Plug Socket, 8" Flexible Extension, 5/8 and 9/16" Spark Plug Socket and metal box (61 pc)

RATCHETS (Blue-Point®)

Quick-Release Ratchets (Blue-Point®) (3/8")

Stock No.	Description	Gear Teeth	Gear Action	Α	В	С
BPRFR938	Standard	38	9.5°	9/16	1-9/32	7-3/4
BPRFR938SG	Bi-mold Soft Grip	38	9.5°	9/16	1-9/32	7-3/4

ASME®/ANSI® B107.10



BPRFR938SG

BPRFR938 3/8" Drive Standard Handle Quick-Release Ratchet (Blue-Point®)

- Quick-release button for rapid socket/accessory changes, even with greasy or oily hands
- Contoured handle for comfort and control
- Chrome finish for easy cleanup

BPRFR938SG 3/8" Drive Soft Grip Handle Quick-Release Ratchet (Blue-Point®)

- · Quick-release button for rapid socket/accessory changes, even with greasy or oily hands
- Corrosive resistant bi-mold cushion grips for improved comfort and performance
- Chrome finish for easy cleanup

BPR703 3 pc Standard Handle Quick-Release Ratchet Set (Blue-Point®)

• Includes 1/4" Drive BPRTR936, 3/8" Drive BPRFR938 and 1/2" Drive BPRSR940 Ratchets (3 pc) in a storage tray




Quick-Release Ratchets (Blue-Point®) (1/4")

BPRTR936 1/4" Drive Standard Handle Quick-Release Ratchet (Blue-Point®)

- Quick-release button for rapid socket/accessory changes, even with greasy or oily hands
- Contoured handle for comfort and control
- Chrome finish for easy cleanup



Ratchet Spinners (Blue-Point®) (3/8")



Set



FSD1

Stock Square Drive, inches Description FSDR1[‡] 3/8" External Drive/1/4" Internal Square Drive Finger Ratchet (Blue-Point®) 3/8 Male to 1/4 Female FSD1 3/8" Drive Ratchet Spinner Adaptor (Blue-Point®) 3/8 Male to 3/8 Female FSD14‡ 3/8" Drive Male to 1/4" Drive Female Spinner Adaptor (Blue-Point®) 3/8 Male to 1/4 Female FSD38[‡] 1/4" Drive Male to 3/8" Drive Female Spinner Adaptor (Blue-Point®) 1/4 Male to 3/8 Female

HANDLES AND ACCESSORIES (Blue-Point®)

Breaker Bars (Blue-Point®) (3/8")

	20 C C C C C C C C C C C C C C C C C C C			
Stock No.	Description			-
BLPBB3810	3/8" Drive 10" Breaker Bar (Blue-Point®)	7/8	9-31/32	1/2



Handled Drivers (Blue-Point®)

Stock No.	Description	A	В	С
BLPCGHD388	3/8" Drive Spinner Handle (Blue-Point®)	1/2	4	8-5/8



Knurled Extensions, Chrome (Blue-Point®)

Stock No.	Description	В
BLPEXTK383	3/8" Drive 3" Knurled Extension (Blue-Point®)	2-31/32
BLPEXTK386	3/8" Drive 6" Knurled Extension (Blue-Point®)	5-29/32
BLPEXTK3810	3/8" Drive 10" Knurled Extension (Blue-Point®)	9-29/32




Turbo T-Handles (Blue-Point®)

F11TURBO 3/8" Drive Turbo T-Handle Speed Driver (Blue-Point®)

- Constant pressure can be applied to fastener while turning handle
- Faster than ordinary speed wrenches
- · Safer on threads than power tools

TURBOT103 3 pc 1/4" Drive Turbo T-Handle Set (Blue-Point®)

• T9TURBO (1/4" drive), TH10TURBO (1/4" hex) and F11TURBO (3/8" drive)



EXTENSIONS AND ACCESSORIES (Blue-Point®)




203FXLBP

Locking Extensions, Chrome (Blue-Point®)

(Dide-Follit)		Contains:	
Stock No.	A	В	
FXLBP3	1/2	3	•
FXLBP6	1/2	6	•
FXLBP10	1/2	10	•

Set includes storage tray

⚠WARNING



Extra-Long Locking Extensions (Blue-Point®)

- · Smooth, durable chrome finish
- Made from tough 6130 steel
- Secure socket retention
- Lifetime warranty on individual extensions


Do not use with power or impact tools

Do not use with power of impact tools		Contains:	23/
Stock No.	A	В	
BLPEXTL3812	1/2	12	•
BLPEXTL3818	1/2	18	•
BLPEXTL3824	1/2	24	•

Set includes storage tray

- not use "cheater bars" on handles.
 Bill, do not push on handle.
- Do not use chrome or industrial finish hand tools with power drivers or impact drivers.

 Panot immerse sealed ratchet in fluids.
- Danot replace worn parts individually; use entire contents of the service kit.



• Read Safety Precautions on pages W1-W4



EXTENSIONS AND ACCESSORIES (Blue-Point®)







YA525A



BLPEXTF388

Extensions/Locking (Set Screw), Chrome (Blue-Point®)

- · Allows easy and secure tool stacking
- · Securely connects breaker bar, extensions and ratchets to socket and socket driver for overhead work
- Sliding sleeve for easy removal
- Not for use with power or impact tools

Stock No.		
YA525A	3/4	2-1/8

Flexible Extensions (Blue-Point®)

Stock No.	Finish	Length, inches
BLPEXTF388	Chrome	8





Universal Joints, Chrome (Blue-Point®)

Stock No.	ii,
BLPUJ38	2-1/32



SOCKETS (Blue-Point®)







BLPLM3822











Deep, mm, Chrome (Blue-Point®)

mmŢ	(12)	Eign		
6	BLPLM386	64	17	9.3
7	BLPLM387	64	17	10.9
8	BLPLM388	64	17	11.8
9	BLPLM389	64	17	13.4
10	BLPLM3810	64	17	14.6
11	BLPLM3811	64	17	15.9
12	BLPLM3812	64	17	17
13	BLPLM3813	64	18.4	18.4
14	BLPLM3814	64	19.6	19.6
15	BLPLM3815	64	20.9	20.9
16	BLPLM3816	64	22	22
17	BLPLM3817	64	23.4	23.4
18	BLPLM3818	64	24.5	24.5
19	BLPLM3819	64	25.6	25.6
20	BLPLM3820	64	26.8	26.8
21	BLPLM3821	64	27.9	27.9
22	BLPLM3822	64	29.6	29.6
23	BLPLM3823	64	31.2	31.2
24	BLPLM3824	64	32	32

Shallow, mm, Chrome (Blue-Point®)

BLPSM3815

mm Ţ	6	B	神	静
6	BLPSM386	25.5	17	9.3
7	BLPSM387	25.5	17	10.9
8	BLPSM388	25.5	17	11.8
9	BLPSM389	25.5	17	13.4
10	BLPSM3810	25.5	17	14.6
11	BLPSM3811	25.5	17	15.9
12	BLPSM3812	25.5	17	17
13	BLPSM3813	25.5	18.4	18.4
14	BLPSM3814	27	19.6	19.6
15	BLPSM3815	27	20.9	20.9
16	BLPSM3816	27	22	22
17	BLPSM3817	27	23.4	23.4
18	BLPSM3818	27	24.5	24.5
19	BLPSM3819	29	25.6	25.6
20	BLPSM3820	29	26.8	26.8
21	BLPSM3821	29	27.9	27.9
22	BLPSM3822	31	29.6	29.6
23	BLPSM3823	31	31.2	31.2
24	BLPSM3824	31	32	32

194



Square Drive Adaptors (Blue-Point®)

Stock No.	A	В
BLPAFM3814	3/8	1/4
BLPAFM1438	1/4	3/8







BLPAFM3814

BLPAFM1438











Shallow, Inches, Chrome (Blue-Point®)

Deep, Inches, Chrome (Blue-Point®)

	Stock No.	A	В	С
1/4	BLPL3814	2-1/2	21/32	13/32
5/16	BLPL38516	2-1/2	21/32	15/32
3/8	BLPL3838	2-1/2	21/32	9/16
7/16	BLPL38716	2-1/2	21/32	5/8
1/2	BLPL3812	2-1/2	23/32	23/32
9/16	BLPL38916	2-1/2	51/64	51/64
5/8	BLPL3858	2-1/2	55/64	55/64
11/16	BLPL381116	2-1/2	15/16"	15/16
3/4	BLPL3834	2-1/2	1	1
13/16	BLPL381316	2-1/2	1-1/16	1-1/16
7/8	BLPL3878	2-1/2	1-3/16	1-3/16
15/16	BLPL381516	2-1/2	1-1/4	1-1/4
1	BLPL381	2-1/2	1-21/64	1-21/64

	Stock No.	A	В	С
1/4	BLPS3814	1	21/32	13/32
5/16	BLPS38516	1	21/32	15/32
3/8	BLPS3838	1	21/32	9/16
7/16	BLPS38716	1	21/32	5/8
1/2	BLPS3812	1	23/32	23/32
9/16	BLPS38916	1-1/16	51/64	51/64
5/8	BLPS3858	1-1/16	55/64	55/64
11/16	BLPS381116	1-1/16	15/16	15/16
3/4	BLPS3834	1-1/8	1	1
13/16	BLPS381316	1-1/8	1-1/16	1-1/16
7/8	BLPS3878	1-1/4	1-3/16	1-3/16
15/16	BLPS381516	1-1/4	1-1/4	1-1/4
1	BLPS381	1-1/4	1-21/64	1-21/64

TORX®/Shallow, Chrome (Blue-Point®)

			92 0	2000
#]	Stock No.	A	В	С
E4	BLPTE384	1-7/32	21/32	7/32
E5	BLPTE385	1-7/32	21/32	17/64
E6	BLPTE386	1-7/32	21/32	5/16
E7	BLPTE387	1-7/32	21/32	21/64
E8	BLPTE388	1-7/32	21/32	13/32
E10	BLPTE3810	1-7/32	21/32	31/64
E12	BLPTE3812	1-7/32	21/32	9/16
E14	BLPTE3814	1-7/32	21/32	5/8
E16	BLPTE3816	1-7/32	25/32	25/32
E18	BLPTE3818	1-7/32	13/16	13/16
E20	BLPTE3820	1-7/32	29/32	29/32








BLPTE386

BLPTE3818

TORX® BIT SOCKETS (Blue-Point®)









TORX®/Standard (Blue-Point®)

#]	Stock No.	A	В	С
T40	BLPT3840	1-31/32	3/4	19/32
T45	BLPT3845	1-31/32	3/4	19/32
T50	BLPT3850	1-31/32	3/4	19/32

TORX®/Long (Blue-Point®)

#]	Stock No.	Α	В	С
T40	BLPTL3840	4-15/64	3/4	19/32
T45	BLPTL3845	4-15/64	3/4	19/32
T50	BLPTL3850	4-15/64	3/4	19/32





- Do not use chrome or industrial finish hand tools with power drivers or impact drivers. Proof immerse sealed ratchet in fluids.
- Denot replace worn parts individually; use entire contents of the service kit.

 Frequently inspect, clean, and lubricate all non-sealed ratchet mechanisms with light oil.



T40

T45

T50

T55





BLPT3845TP


★ TORX®/Tamper-Resistant, Chrome (Blue-Point®) (3/8")

BLPT3840TP

BLPT3845TP

BLPT3850TP

BLPT3855TP



1-31/32

1-31/32

1-31/32

1-31/32

3/4

3/4

3/4

3/4

19/32

19/32

19/32

5/8



BLPTL3845TP

TORX®/Tamper-Resistant, Long, Chrome (Blue-Point®) (3/8")

#]	Stock No.	A	В	С
T40	BLPTL3840TP	4-15/64	3/4	19/32
T45	BLPTL3845TP	4-15/64	3/4	19/32
T50	BLPTL3850TP	4-15/64	3/4	19/32

METRIC HEX BIT SOCKETS (Blue-Point®)



BLPH3810

Hex/Standard, mm, Chrome (Blue-Point®) (3/8")

	6	A	В	с
6	BLPH386	50	19	15
7	BLPH387	50	19	15
8	BLPH388	50	19	15
9	BLPH389	50	19	16
10	BLPH3810	50	19	16



Hex/Long, mm, Chrome (Blue-Point®)

(Blue-Point®)

	6	A	В	С
7	BLPHL387	110	19	15
8	BLPHL388	110	19	15
9	BLPHL389	110	19	16
10	BLPHL3810	110	19	16



BLPH3814

Hex/Standard, Inches, Chrome (Blue-Point®) (3/8")

⊕ [6	Α	В	С	
7/32	BLPH38732	1-31/32	3/4	19/32	
1/4	BLPH3814	1-31/32	3/4	19/32	
5/16	BLPH38516	1-31/32	3/4	19/32	
3/8	BLPH3838	1-31/32	3/4	5/8	



	6	A	В	С		
7/32	BLPHL38732	4-15/64	3/4	19/32		
1/4	BLPHL3814	4-15/64	3/4	19/32		
5/16	BLPHL38516	4-15/64	3/4	19/32		
3/8	BI BHI 3838	1.15/61	3//	5/9		





Spark Plug, Inches, Chrome (Blue-Point®)

□ Ţ	Length, inches	Size, inches
BLPSPS3858	2-9/16	5/8
BLPSPS381316	2-1/4	13/16



TRIPLE SQUARE SOCKET BIT SOCKETS (Blue-Point®)

Triple Square/Stubby, XZN, mm, Chrome (Blue-Point®) (3/8")

mm]	Stock No.	
4	BLPXZNM384	
5	BLPXZNM385	•
6	BLPXZNM386	•
8	BLPXZNM388	•
10	BLPXZNM3810	•
12	BLPXZNM3812	•
14	BLPXZNM3814	•
16	BLPXZNM3816	•







BLPXZNM3818

BLPP383



→ PHILLIPS®/Standard, Chrome (Blue-Point®) (3/8")

18

	Stock No.	Square Drive, inches	A	В	С
#3	BLPP383	3/8	1-55/64	3/4	19/32
#4	BLPP384	3/8	1-55/64	3/4	35/64



BLPPD383



Pozidriv®/Standard, Inches, Chrome (Blue-Point®) (3/8")

Size	Stock No.	Square Drive, inches	Α	В	С
#3	BLPPD383	3/8	1-55/64	3/4	35/64
#4	BLPPD384	3/8	1-55/64	3/4	19/32

COMBINATION BIT SOCKETS (Blue-Point®)

BLPTSSC43 43 pc Combination Drive TORX® Socket and TORX® Bit Socket Set (Blue-Point®)

TORX® Tamper-Resistant	Stock No.	Size	Square Drive, inches
Long Bit Sockets	BLPT146TP	T6	1/4
	BLPT147TP	T7	1/4
	BLPT148TP	T8	1/4
	BLPT149TP	Т9	1/4
	BLPT1410TP	T10	1/4
	BLPT1415TP	T15	1/4
	BLPT1420TP	T20	1/4
	BLPT1425TP	T25	1/4
	BLPT1427TP	T27	1/4
	BLPT1430TP	T30	1/4
	BLPT3840TP	T40	3/8
	BLPT3845TP	T45	3/8
	BLPT3850TP	T50	3/8
	BLPT1255TP	T55	1/2
	BLPT1260TP	T60	1/2
	BLPTSSC43PB	Storage Case	
External TORX®	BLPTE144	E4	1/4
Sockets	BLPTE145	E5	1/4
	BLPTE146	E6	1/4
	BLPTE147	E7	1/4
	BLPTE148	E8	1/4
	BLPTE3810	E10	3/8
	BLPTE3812	E12	3/8
	BLPTE3814	E14	3/8
	BLPTE3816	E16	3/8
	BLPTE1218	E18	1/2
	BLPTE1220	E20	1/2
	BLPTE1222	E22	1/2
	BLPTE1224	E24	1/2

TORX® Tamper-Resistant Bit Sockets	BLPTL146TP	T6	1/4
	BLPTL147TP	T7	1/4
	BLPTL148TP	T8	1/4
	BLPTL149TP	Т9	1/4
	BLPTL1410TP	T10	1/4
	BLPTL1415TP	T15	1/4
	BLPTL1420TP	T20	1/4
	BLPTL1425TP	T25	1/4
	BLPTL1427TP	T27	1/4
	BLPTL1430TP	T30	1/4
	BLPTL3840TP	T40	3/8
	BLPTL3845TP	T45	3/8
	BLPTL3850TP	T50	3/8
	BLPTL1255TP	T55	1/2
	BLPTL1260TP	T60	1/2







- \bullet Do not use chrome or industrial finish hand tools with power drivers or impact drivers. \bullet Read Safety Precautions on pages W1–W4
- ALLIANCE SUPPLIES SDN.BHD. | www.alliance-supplies.com www.alliancesupplies.com.my | T:+606 3338889/8887/8898 F:+6063338899 | info@alliance-supplies.com

COMBINATION BIT SOCKETS (Blue Point®)



BLPHSSC30 Set (30 pc)



BLPHSSC30

BLPHSSC30 30 pc Combination Drive Hex Bit Socket Set (Blue-Point®)

Hex, inches	Stock No.	Size	Square Drive, inches
	BLPH1418	1/8	1/4
	BLPH14964	9/64	1/4
	BLPH14532	5/32	1/4
	BLPH14316	3/16	1/4
	BLPH14732	7/32	1/4
	BLPH1414	1/4	1/4
	BLPH38732	7/32	3/8
	BLPH3814	1/4	3/8
	BLPH38516	5/16	3/8
	BLPH3838	3/8	3/8
	BLPH12716	7/16	1/2
	BLPH1212	1/2	1/2
	BLPH12916	9/16	1/2
	BLPH1258	5/8	1/2
	BLPH1234	3/4	1/2

Hex, mm	Stock No.	Size	Square Drive, inches
	BLPH1425	2.5	1/4
	BLPH386	6	3/8
	BLPH387	7	3/8
	BLPH388	8	3/8
	BLPH389	9	3/8
	BLPH3810	10	3/8
	BLPH123	3	1/4
	BLPH124	4	1/4
	BLPH125	5	1/4
	BLPH126	6	1/4
	BLPH1210	10	1/2
	BLPHM1212	12	1/2
	BLPH1214	14	1/2
	BLPH1217	17	1/2
	BLPH1219	19	1/2

BLPTHC87 Set (87 pc)



BLPTHC87

BLPTHC87 87 pc TORX® and Hex Bit Socket Set (Blue-Point®)

External TORX®	Stock No.	Size	Square Drive, inches
Sockets	BLPTE144	E4	1/4
	BLPTE145	E5	1/4
	BLPTE146	E6	1/4
	BLPTE147	E7	1/4
	BLPTE148	E8	1/4
	BLPTE3810	E10	3/8
	BLPTE3812	E12	3/8
	BLPTE3814	E14	3/8
	BLPTE3816	E16	3/8
	BLPTE3818	E18	3/8
	BLPTE1220	E20	1/2
	BLPTE1222	E22	1/2
	BLPTE1224	E24	1/2
TORX® Bit	BLPT146	T6	1/4
Sockets	BLPT147	T7	1/4
	BLPT148	T8	1/4
	BLPT149	T9	1/4
	BLPT1410	T10	1/4
	BLPT1415	T15	1/4
	BLPT1420	T20	1/4
	BLPT1425	T25	1/4
	BLPT1427	T27	1/4
	BLPT1430	T30	1/4
	BLPT3840	T40	3/8
	BLPT3845	T45	3/8
	BLPT3850	T50	3/8
	BLPT1255	T55	1/2
	BLPT1260	T60	1/2
Long	BLPTL146	T6	1/4
TORX® Bit	BLPTL147	T7	1/4
Sockets	BLPTL148	T8	1/4
	BLPTL149	Т9	1/4
	BLPTL1410	T10	1/4
	BLPTL1415	T15	1/4
	BLPTL1420	T20	1/4
	BLPTL1425	T25	1/4
	BLPTL1427	T27	1/4
	BLPTL1430	T30	1/4
	BLPTL3840	T40	3/8
	BLPTL3845	T45	3/8
	BLPTL3850	T50	3/8
	BLPTL1255	T55	1/2
	BLPTL1260	T60	1/2

Metric Hex Bit	Stock No.	Size	Square Drive inches
Sockets	BLPH1425	2.5	1/4
	BLPH123	3	1/4
	BLPH124	4	1/4
	BLPH125	5	1/4
	BLPH126	6	1/4
	BLPH386	6	3/8
	BLPH387	7	3/8
	BLPH388	8	3/8
	BLPH389	9	3/8
	BLPH3810	10	3/8
	BLPH1210	10	1/2
	BLPHM1212	12	1/2
	BLPH1214	14	1/2
	BLPH1217	17	1/2
	BLPH1219	19	1/2
Long	BLPHL144	4	1/4
Metric Hex Bit	BLPHL145	5	1/4
Sockets	BLPHL146	6	1/4
	BLPHL387	7	3/8
	BLPHL388	8	3/8
	BLPHL389	9	3/8
	BLPHL3810	10	3/8
Fractional	BLPH1418	1/8	1/4
Hex Bit Sockets	BLPH14964	9/64	1/4
Sockets	BLPH14532	5/32	1/4
	BLPH14316	3/16	1/4
	BLPH1414	1/4	1/4
	BLPH14732	7/32	1/4
	BLPH38732	7/32	3/8
	BLPH3814	1/4	3/8
	BLPH38516	5/16	3/8
	BLPH3838	3/8	3/8
	BLPH12716	16 7/16	1/2
	BLPH1212	1/2	1/2
	BLPH12916	9/16	1/2
	BLPH1258	5/8	1/2
	BLPH1234	3/4	1/2
Long	BLPHL1418	1/8	1/4
Fractional	BLPHL14532	5/32	1/4
Hex Bit Sockets	BLPHL14316	3/16	1/4
	BLPHL38732	7/32	3/8
	BLPHL3814	1/4	3/8
	BLPHL38516	5/16	3/8
	BLPHL3838	3/8	3/8

____ Snapon.com 1.877.762.7664

198



GENERAL SERVICE SETS (Blue Point®)

Pass-Thru® Socket Set (Blue-Point®)

Stock No.	External Hex, inches	Length, inches	Size
BLPPTSM8	3/4	1-7/16	8 mm
BLPPTSM9	3/4	1-7/16	9 mm
BLPPTSM10	3/4	1-7/16	10 mm
BLPPTSM11	3/4	1-7/16	11 mm
BLPPTS1116	3/4	1-7/16	11/16"
BLPPTSM12	3/4	1-7/16	12 mm
BLPPTS12	3/4	1-7/16	1/2"
BLPPTSM13	3/4	1-7/16	13 mm
BLPPTSM14	3/4	1-7/16	14 mm
BLPPTSM15	3/4	1-7/16	15 mm
BLPPTSM16	3/4	1-7/16	16 mm
BLPPTSM17	3/4	1-7/16	17 mm
BLPPTSM18	3/4	1-7/16	18 mm
BLPPTSM19	3/4	1-7/16	19 mm
BLPPTS34	3/4	1-7/16	3/4"
BLPPTS38	3/4	1-7/16	-
BLPPTS58	3/4	1-7/16	5/8"
BLPPTS716	3/4	1-7/16	7/16"
BLPPTS916	3/4	1-7/16	9/16"



• Includes BLPPTS38-BLPPTS34 (3/8-3/4") SAE Sockets, BLPPTSM8-BLPPTSM19 (8-19 mm) Metric Sockets, BLPPTA3438 Square Drive Adaptor, BLPPTEXT3 Extension and BPRFPT10 Ratchet (22 pc) in a storage case

BPRFPT10 3/8" Drive 10" Pass-Thru Flex Ratchet (Blue-Point®)

Flex-head has seven locking positions

BLPPTEXT3 3/8" Drive 3" Pass-Thru Socket Extension (Blue-Point®) BLPPTA3438 3/8" Drive Square Drive Adaptor (Blue-Point®)

• 1-1/4" long





General Service Sets

- · Great for use at home or on the road
- Sets offer full range of deep and shallow sockets for the most common fastener applications
- Ratchet and Handle Driver both available for a variety of jobs
- Compact case fits in shallow Snap-on® toolbox drawers

BLPGSSC100B 100 pc 3/8" Drive SAE/Metric General Service Set (Blue-Point®)

- Set covers most popular sizes of wrenches and sockets
- Tools have been newly designed and meet Snap-on® tool standards of quality
 High-quality chrome plating looks great and provides a durable, easy-to-clean finish
- Removable foam divider doubles as a kneeling pad
- Durable blow-molded case
- Includes (23) SAE and Metric 1/4" Drive Standard Depth Sockets, (32) SAE and Metric 3/8" Drive Sockets, (11) External TORX® Sockets, (19) SAE and Metric Combination Wrenches, (7) 1/4" drive and (8) 3/8" drive accessories in a storage case



General Service Sets

BLPGSS3837 37 pc 3/8" Drive SAE/Metric General Service Socket Set (Blue-Point®)

- Includes (8) SAE (5/16-3/4") and (14) Metric (6-19 mm) Standard 6-point Sockets, (4) SAE (5/16-3/8", 7/16-1/2", 9/16-5/8" and 11/16-3/4") and (5) Metric (10-11 mm, 12-13 mm, 14-15 mm, 16-17 mm and 18-19 mm) Double Open End Wrenches, (2) Extensions (3 and 6"), Ratchet, Universal Joint and (2) Adaptors (1/4" Female x 3/8" Male and 3/8" Female x 1/4" Male)
- · Includes storage case







• Do not use chrome or industrial finish hand tools with power drivers or impact drivers.

Read Safety Precautions on pages W1-W4

GENERAL SERVICE SETS (Blue Point®)





BLPGSS3849 49 pc 3/8" Drive SAE/Metric General Service Socket Set (Blue-Point®)

• Includes (8) SAE (5/16-3/4"), (14) Metric Standard 6-point Sockets (6-19 mm), (8) SAE (5/16-3/4"), (13) Metric Deep 12-point Sockets (7-19 mm), (2) Extensions (3 and 6"), Universal Joint, (1) 3/8-1/4" Adaptor, (1) 1/4-3/8" Adaptor and (1) Ratchet in a storage case



BLPGSSCT70B

BLPGSSCT70B 70 pc 3/8" Drive SAE/Metric General Service Set (Blue-Point®)

- · Set covers most popular sizes of wrenches and sockets
- · Wrenches have longer handles, providing additional leverage
- Set includes pliers that now feature a slim-line comfort grip

- Tools have been newly designed and meet Snap-on® tool standards of quality
 High-quality chrome plating looks great and provides a durable, easy-to-clean finish
 Includes (27) SAE and Metric 3/8" Standard-Depth Sockets, (19) SAE and Metric chrome plated Wrenches, Ratchet, Spinner Handle and (3) Extensions, (13) assorted Square, Hex, Slotted and PHILLIPS® Bits, (3) pair of pliers: 6" Diagonal Cutting, 8" Long Nose and 10" Groove Joint Pliers, (2) Spark Plug Sockets

 • Includes a durable blow-molded case



BLPGSS3885

BLPGSS3885 85 pc 3/8" Drive SAE/Metric General Service Socket Set (Blue-Point®)

• Includes (13) SAE Sockets (1/4-1") and (14) Metric Sockets (6-19 mm), (13) SAE (1/4-1") and (14) Metric (6-19 mm) Deep Sockets, (11) Sockets (E4-E20), (1) PHILLIPS® Socket Driver (#3), (2) Pozidriv® Socket Drivers (#3 and #4), (8) Tamper-Resistant TORX® Socket Drivers (T10–T45), (2) Spark Plug Sockets (5/8 and 13/16"), (6) ratchet/socket accessories and (1) Ratchet in a storage case (BLPGSS3885PB)



BLPGSSC155 155 pc Combination Drive SAE/Metric General Service Set (Blue-Point®)

- Removable foam divider that doubles as a kneeling pad
- Double-injected slip-resistant Santoprene® handles
- Steel reinforced hinges on durable storage case
- Tools are made of high-grade steel alloy, feature a lifetime warranty and exceed ANSI® standards
- 1/4" drive components include: (10) SAE (3/16-9/16") and (13) Metric (4-14 mm) Standard Sockets, (10) SAE (3/16-9/16") and (11) Metric (4-14 mm) Deep Sockets, (20) assorted 1/4" hex bits with bit bolder, (5) ratchet/socket accessories and (1) quick
- 3/8" drive components include: (13) SAE (1/4-1") and (19) Metric (6-24 mm) Standard Sockets, (11) SAE (3/8-1") and (15) Metric (10-24 mm) Deep Sockets, (11) External TORX® Sockets (E4–E20), (2) Spark Plug Sockets (5/8, 13/16") (3) Metric Hex Socket Drivers (7, 8 and 10 mm), (4) Tamper-Resistant TORX® Socket Drivers (T40, T45, T50, T55), (5) ratchet/socket accessories, (1) quick-release ratchet and (1) spinner handle

200