


Combination Screwdriver Sets


	Handle	Stock No.	A	B	C	D	Set Contains:	SGDX80BR	SGDX160BFR <sup>^</sup>	SGDX120BR
Flat Tip Standard	Hard	SHD1R†	.040	1/4	1-5/8	3-1/2	•		•	•
	Soft	SGD2BR	.035	7/32	2-15/16	7	•	•	•	•
	Soft	SGD4BR	.040	1/4	3-15/16	8-7/8	•	•	•	•
	Soft	SGD6BR	.050	5/16	5-15/16	10-27/32	•	•	•	•
	Soft	SGD8BR	.055	3/8	7-29/32	13-13/32	•		•	•
	Soft	SGD10BR	.055	3/8	10	15-7/16			•	•
PHILLIPS® Standard	Hard	SHDP22IRR†	#2	1/4	1-5/8	3-1/2	•		•	•
	Soft	SGDP31RBR	#1	3/16	2-31/32	7-1/8	•	•	•	•
	Soft	SGDP42RBR	#2	1/4	3-31/32	8-7/8	•	•	•	•
	Soft	SGDP62RBR	#2	1/4	6	10-7/8			•	•
	Soft	SGDP63RBR	#3	5/16	6	10-13/16			•	•
Mini Tip/Soft Handle, Chrome	Soft	SGD304BR†	.020	1/8	3	5-7/8				•
	Soft	SGD306BR†	.030	3/16	3	5-7/8				•
PHILLIPS® Mini-Tip	Soft	SGDP300BR†	#0	1/8	3	6				•
	Soft	SGDP301BR†	#1	3/16	3	6				•

Sets include storage tray  
<sup>^</sup>Sets shown include foam organizer.  
 †Does not include hex bolster

Colors Available



ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS.



Cabinet-Type/Soft Handle, Chrome

	Stock No.	A	B	C	D	Set Contains:	SGDXXL20BR*	SGDX40BR	SGDXL80BR
Flat Tip Cabinet	SGD146BR	.030	3/16	5-13/16	10-1/8	•			
	SGD480BR	.032	1/4	7-15/16	12-3/4	•			
	SGD4120BR	.032	1/4	11-15/16	16-3/4	•			
	SGD4160BR	.032	1/4	15-15/16	20-3/4	•			
PHILLIPS® Cabinet	SGDP61BR	#1	3/16	6	10	•			
	SGDP82BR	#2	1/4	8	13	•			
	SGDP122BR	#2	1/4	12	17	•			
	SGDP162BR	#2	1/4	16	21	•			
Flat Tip Mini-Tip	SGD304BR	.020	1/8	3	5-7/8				•
	SGD306BR	.030	3/16	3	5-7/8				•
PHILLIPS® Mini-Tip	SGDP300BR	#0	1/8	3	6				•
	SGDP301BR	#1	3/16	3	6				•
Extra-Long	SGD424BR*	.046	1/4	24	28-3/4				•
	SGDP242BR*	#2	1/4	24	28-3/4				•

Sets include storage tray.\*Industrial finish  
 Does not include hex bolster

Colors Available




ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS.



SHDX80R



SHDX60R



Set Contains:

SHDX80R  
SHDX60R

## Standard/Hard Handle, Chrome

	Stock No.	A	B	C	D		
Flat Tip Standard	SHD1R†	.040	1/4	1-5/8	3-1/2	•	
	SHD2R	.035	7/32	2-15/16	7	•	•
	SHD4R	.040	1/4	3-15/16	8-7/8	•	•
	SHD6R	.050	5/16	5-15/16	10-27/32	•	•
	SHD8R	.055	3/8	7-29/32	13-13/32	•	
PHILLIPS® Standard	SHDP22IRR†	#2	1/4	1-5/8	3-1/2	•	
	SHDP31IRR	#1	3/16	2-31/32	7-1/8	•	•
	SHDP42IRR	#2	1/4	3-31/32	8-7/8	•	•
	SHDP63IRR	#3	5/16	5-29/32	10-13/16		•

Sets include storage tray  
†Does not include hex bolster

### Colors Available



ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS.




SHDXL80R



SHDX40R



GSHDX80R



Set Contains:

SHDXL80R\*  
SHDX40R\*  
GSHDX80R

## Standard/Hard Handle

	Stock No.	A	B	C	D		
Flat Tip Industrial Finish Shank	GSHD1R†	.037	1/4	1-5/8	3-1/2	•	
	GSHD2R	.032	7/32	2-15/16	7	•	
	GSHD4R	.037	1/4	3-15/16	8-7/8	•	
	GSHD6R	.046	5/16	5-15/16	10-27/32	•	
	GSHD8R	.050	3/8	7-29/32	13-13/32	•	
PHILLIPS® Tip Industrial Finish Shank	GSHDP22IRR†	#2	1/4	1-5/8	3-1/2	•	
	GSHDP31IRR	#1	3/16	2-31/32	7-1/8	•	
	GSHDP42IRR	#2	1/4	3-31/32	8-7/8	•	
Flat Tip Cabinet	SHD146R*†	.030	3/16	6	10-1/8		•
	SHD480R*†	.032	1/4	8	12-3/4		•
	SHD4120R*†	.032	1/4	12	16-3/4		•
	SHD4160R*†	.032	1/4	16	20-3/4		•
PHILLIPS® Tip Cabinet	SHDP61R*†	#1	3/16	6	10-1/4		•
	SHDP82R*†	#2	1/4	8	12-7/8		•
	SHDP122R*†	#2	1/4	12	16-3/4		•
	SHDP162R*†	#2	1/4	16	20-3/4		•
Flat Tip Mini Tip	SHD304R*†	.018	1/8	3	5-7/8		•
	SHD306R*†	.030	3/16	3	5-7/8		•
PHILLIPS® Tip Mini Tip	SHDP300R*†	#0	1/8	3	5-13/16		•
	SHDP301R*†	#1	3/16	3	5-13/16		•

Sets include storage tray  
†Does not include hex bolster

### Colors Available




ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS.



- Do not use screwdrivers as prybars, chisels or punches.
- Read Safety Precautions on pages W1-W4

## SOFT HANDLE FLAT TIP INSTINCT®



**SGDS50BR**



### — Standard/Soft Handle, Chrome

Set Contains:

SGDS50BR

	Stock No.	A	B	C	D	
Soft	SGD2BR	.035	7/32	2-15/16	7	•
	SGD4BR	.040	1/4	3-15/16	8-7/8	•
	SGD6BR	.050	5/16	5-15/16	10-27/32	•
	SGD8BR	.055	3/8	7-29/32	13-13/32	
	SGD10BR	.055	3/8	10	15-7/16	
Flat Tip Cabinet	SGD146BR†	.030	3/16	5-13/16	10-1/8	
	SGD480BR†	.032	1/4	7-15/16	12-3/4	
	SGD1410BR†	.032	3/16	10	14-5/32	
	SGD1416BR†	.032	3/16	16	20-5/32	
	SGD4100BR†	.032	1/4	9-15/16	14-3/4	
	SGD4120BR†	.032	1/4	11-15/16	16-3/4	
Flat Tip Mini-Tip	SGD304BR†	.020	1/8	3	5-7/8	•
	SGD306BR†	.030	3/16	3	5-7/8	•
Extra-Long	SGD424BR†*	.046	1/4	24	28-3/4	


Sets include storage tray  
 †Does not include hex bolster  
 \*Industrial finish

#### Colors Available



ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS.

## HARD HANDLE FLAT TIP INSTINCT®




### — Standard/Hard Handle, Chrome

	Stock No.	A	B	C	D
Flat Tip Standard	SHD1R†	.040	1/4	1-5/8	3-1/2
	SHD2R	.035	7/32	2-15/16	7
	SHD4R	.040	1/4	3-15/16	8-7/8
	SHD6R	.050	5/16	5-15/16	10-27/32
	SHD8R	.055	3/8	7-29/32	13-13/32
	SHD10R	.055	3/8	10	15-7/16
Flat Tip Industrial Finish Shank	GSHD1R*†	.037	1/4	1-5/8	3-1/2
	GSHD2R*	.032	7/32	2-15/16	7
	GSHD4R*	.037	1/4	3-15/16	8-7/8
	GSHD6R*	.046	5/16	5-15/16	10-27/32
	GSHD8R*	.050	3/8	7-29/32	13-13/32
Flat Tip Cabinet	SHD146R†	.030	3/16	6	10-1/8
	SHD480R†	.032	1/4	8	12-3/4
	SHD4120R†	.032	1/4	12	16-3/4
	SHD4160R†	.032	1/4	16	20-3/4
Flat Tip Mini Tip	SHD304R†	.018	1/8	3	5-7/8
	SHD306R†	.030	3/16	3	5-7/8

†Does not include hex bolster  
 \*Industrial finish


#### Colors Available



ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS.



SDD2040




## — Pocket, Chrome

Stock No.	Type	Description	A	D
SDD2040	Pocket	Flat Tip Pocket Screwdriver	.025	4-3/4
SDD2240	Pocket	Flat Tip Pocket Screwdriver with Magnet	.025	4-3/4



SDD214



## — Spark Test, Chrome


Stock No.	Type	Description	A	D
SDD214	Spark Test	Flat Tip Spark Test Screwdriver	.025 x 1/8	5-1/8

## — Miniature

Stock No.	Description	A	D
SDD244	Flat Mini Screwdriver	.017	4-3/4




SDD244



## SOFT HANDLE PHILLIPS® INSTINCT®



SGDP42IRBR



## + Standard/Soft Handle, Chrome

Stock No.	A	B	C	D
SGDP31IRBR	#1	3/16	2-31/32	7-1/8
SGDP42IRBR	#2	1/4	3-31/32	8-7/8
SGDP62IRBR	#2	1/4	6	10-7/8
SGDP63IRBR	#3	5/16	6	10-13/16
SGDP64IRBR	#4	3/8	6	11-1/2
SGDP84BR	#4	3/8	8	15-5/8


### Colors Available



ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS.



SGDP82BR




## + Cabinet-Type/Soft Handle, Chrome

Stock No.	A	B	C	D
SGDP61BR†	#1	3/16	6	10
SGDP101BR†	#1	3/16	10	14-1/8
SGDP82BR†	#2	1/4	8	13
SGDP102BR†	#2	1/4	9-3/8	14-1/4
SGDP122BR†	#2	1/4	12	17
SGDP162BR†	#2	1/4	16	21

†Does not include hex bolster

### Colors Available



ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS.

## + Mini Tip/Soft Handle, Chrome

Stock No.	A	B	C	D	
SGDP300BR†	#0	1/8	3	6	•
SGDP301BR†	#1	3/16	3	6	•
SGDP31IRBR	#1	3/16	2-31/32	7-1/8	•
SGDP42IRBR	#2	1/4	3-31/32	8-7/8	•
SGDP63IRBR	#3	5/16	5-29/32	10-13/16	•

Sets include storage tray  
†Does not include hex bolster


Set Contains:

SGDP50BR



SGDP50BR

SGDP301BR



### Colors Available



ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS.


## + Extra-Long/Soft Handle, Chrome

Stock No.	A	B	C	D
SGDP116BR†	#1	3/16	16	20-5/32
SGDP216BR†	#2	3/16	16	20-5/32
SGDP242BR*†	#2	1/4	24	28-3/4

†Does not include hex bolster  
\*Industrial finish



SGDP216BR



### Colors Available




ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS.

**WARNING**



- Do not use screwdrivers as prybars, chisels or punches.
- Read Safety Precautions on pages W1-W4

## SOFT HANDLE PHILLIPS® INSTINCT®



SGDDP50BR

### Diamond Tip


- Diamond particles “bite” into fasteners which minimizes slipping
- Diamond tips are extremely hard for long lasting performance and minimal wear
- Hex shape blades allow a wrench to be used for higher torque applications
- Tip identifier on the crown helps to quickly identify the needed tool

Set Contains:  
SGDDP50BR

Stock No.	A	B	C	D	
SGDDP31IRBR	#1	.197	3	7-5/32	•
SGDDP42IRBR	#2	.236	4	8-29/32	•
SGDDP61IRBR	#1	.197	6	10-5/32	•
SGDDP62IRBR	#2	.236	6	10-29/32	•
SGDDP63IRBR	#3	.315	5-3/4	10-5/8	•

Sets include storage tray

## HARD HANDLE PHILLIPS® INSTINCT®



SHDP62IRR

### ✦ Standard/Hard Handle, Chrome

Stock No.	A	B	C	D
SHDP22IRR†	#2	1/4	1-5/8	3-1/2
SHDP31IRR	#1	3/16	2-31/32	7-1/8
SHDP42IRR	#2	1/4	3-31/32	8-7/8
SHDP62IRR	#2	1/4	6	10-13/32
SHDP63IRR	#3	5/16	6	10-13/16
SHDP64IRR	#4	3/8	6	11-1/2


†Does not include hex bolster

#### Colors Available



R O G

ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS.




GSHDP22IRR

### Standard/Hard Handle, Industrial

Stock No.	A	B	C	D
GSHDP22IRR†	#2	1/4	1-5/8	3-1/2
GSHDP31IRR	#1	3/16	2-31/32	7-1/8
GSHDP42IRR	#2	1/4	3-31/32	8-7/8

†Does not include hex bolster.



SHDP82R

### ✦ Cabinet-Type/Hard Handle, Chrome

Stock No.	A	B	C	D
SHDP61R†	#1	3/16	6	10-1/4
SHDP82R†	#2	1/4	8	12-7/8
SHDP122R†	#2	1/4	12	16-3/4
SHDP162R†	#2	1/4	16	20-3/4

†Does not include hex bolster

#### Colors Available




R O G

ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS.

### ✦ Mini Tip/Hard Handle, Chrome

Stock No.	A	B	C	D
SHDP300R†	#0	1/8	3	5-13/16
SHDP301R†	#1	3/16	3	5-13/16

†Does not include hex bolster



SHDP300R


#### Colors Available



ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS.

### ✦ Pocket, Chrome

Stock No.	Description	A	B	C	D
SDDP204B0	PHILLIPS® #1 Pocket Screwdriver	#1	1/8	2	4-7/8



SDDP204B0

### SOFT GRIP (Blue-Point®)

#### Soft Grip (Blue-Point®)

Tip Style	Stock No.	Tip Size	Blade Length, inches (mm)	Set Contains:	
				Length, inches	
Flat Tip	BSGD3	1/8	3 (76)	6-1/2	•
	BSGD4	7/32	5 (127)	9	•
	BSGD5	1/4	6 (152)	10-1/4	•
	BSGD6	5/16	7 (178)	11-1/4	•
	BSGD7	3/8	8 (203)	12-3/8	•
PHILLIPS®	BSGDP41	#1	4 (102)	8	•
	BSGDP52	#2	5 (127)	9-1/4	•

BSGD3-7  
BSGDP41-52




BSGD3-7  
BSGDP41-52


### ELECTRONIC SERVICE

#### Electronic Miniature/Long

Made with electrostatic dissipative (ESD) safe material that protects against the transfer of static charges that can damage sensitive electronic components. Compact, comfortable soft grip handle. Rotational cap for quick turning and precise torque application. Strong alloy blade in 1/8, 5/32 or 3/16" diameters provide clearance in tight applications. ESD mark on each tool.



SGDEL40ESD



#### Electronic Thin Blade

Tip Style	Stock No.	A	B	C	D	
Flat Tip	SGDE43ESD	1/8	1/8	3	6-3/8	
	SGDE44ESD	1/8	1/8	4	7-23/64	
	SGDE46ESD	1/8	1/8	6	9-21/64	
	SGDE610ESD	3/16	3/16	10	13-17/64	
	SGDE63ESD	3/16	3/16	3	6-3/8	
	SGDE64ESD	3/16	3/16	4	7-23/64	
	SGDE66ESD	3/16	3/16	6	9-21/64	
	SGDE68ESD	3/16	3/16	8	11-19/64	
	SGDEL8ESD	3	1/8	8	11-3/8	•
	SGDEL10ESD	4	5/32	10	13-3/8	•
PHILLIPS®	SGDELP8ESD	#0	1/8	8	11-3/8	•
	SGDELP10ESD	#1	5/32	10	13-3/8	•
	SGDEP30ESD	#0	1/8	3	6-3/8	
	SGDEP61ESD	#1	5/32	6	9-21/64	

SGDEL8-10  
SGDELP8-10  
SGDEP30-61



SGDE43ESD



SGDE64ESD




SGDEP30ESD



• Do not use screwdrivers as prybars, chisels or punches.  
• Read Safety Precautions on pages W1-W4

# ELECTRONIC SERVICE



SGDE70ESD

## Electronic Miniature, Flat

Made with electrostatic dissipative (ESD) safe material that protects against the transfer of static charges that can damage sensitive electronic components. Compact, comfortable soft grip handle. Rotational cap for quick turning and precise torque application. Strong alloy blade in 1/8, 5/32 or 3/16" diameters provide clearance in tight applications. ESD mark on each tool.

### — + Electronic Miniature


Set Contains:

	Stock No.	A	B	C	D	
Flat Tip	SGDE215ESD	1/8	5/64	2	5-1/2	•
	SGDE220ESD	3/32	5/64	2	5-3/4	•
	SGDE225ESD	3/32	3/32	2	5-3/4	•
	SGDE230ESD	1/8	1/8	2	5-3/4	•
PHILLIPS®	SGDEP200ESD	#00	5/64	2	5-3/4	•
	SGDEP20ESD	#0	1/8	2	5-3/4	•
	SGDEP21ESD	#1	5/32	3	6-1/2	•

Set shown includes storage case.



SGDE33ESD




## Potentiometer Adjuster, Chrome

Stock No.	A	B	C	D
SGDE33ESD	3/32	3/32	3	6-3/8



SGDET70ESD



## Electronic Miniature/TORX®

Set Contains:

Stock No.	A	B	C	D	
SGDET26ESD	T6	3/32	2	5-1/2	•
SGDET27ESD	T7	3/32	2	5-1/2	•
SGDET28ESD	T8	3/32	2	5-1/2	•
SGDET29ESD	T9	3/32	2	5-1/2	•
SGDET210ESD	T10	1/8	2	5-1/2	•
SGDET215ESD	T15	5/32	3	6-1/2	•
SGDET220ESD	T20	5/32	3	6-1/2	•

Set shown includes storage case.



SGDEH70ESD

## Electronic Miniature/Hex

Set Contains:

Stock No.	A	B	C	D	
SGDEH304ESD	1/16	5/64	2	5-1/2	•
SGDEH306ESD	3/32	1/8	3	6-1/2	•
SGDEH307ESD	7/64	9/64	3	6-1/2	•
SGDEH315ESD	1.5	3/32	2	5-1/2	•
SGDEH320ESD	2	3/32	2	5-1/2	•
SGDEH325ESD	2.5	1/8	3	6-1/2	•
SGDEH330ESD	3	9/64	3	6-1/2	•


Set shown includes storage case.

### ★ Standard/Soft Handle, Chrome

- Designed for internal-type TORX® fasteners used in automotive and appliance
- Tips are precision cut and vapor blasted for best possible grip
- Chrome-plated blades for superior corrosion resistance and easy clean-up
- Hex bolsters for wrench-assisted turning
- Instinct® soft grip handles offer unique combination of power, comfort and versatility

Stock No.	A	B	C	D	Set Contains:	
SGDTX38BR	T8	3/16	3	7-1/4		•
SGDTX310BR	T10	3/16	3	7-1/4		•
SGDTX315BR*	T15	3/16	3	7-1/4	•	•
SGDTX320BR*	T20	3/16	3	7-1/4	•	•
SGDTX425BR*	T25	1/4	4	8-7/8	•	•
SGDTX427BR*	T27	1/4	4	8-7/8	•	•
SGDTX430BR*	T30	1/4	4	8-7/8	•	•
SGDTX640BR	T40	5/16	6	10-7/8		•
SGDTX645BR	T45	5/16	6	10-7/8		•

Sets include storage tray.



SGDTX90BR

#### Colors Available



Red Orange Green

R O G


\* R — —  
ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS.

### ★ Long/Soft Handle, Chrome

- TORX® tip offers optimal fastener engagement with minimal cam-out
- Thin, strong alloy blade provides excellent clearance and turning force
- Longer exposed lengths provide access to difficult-to-reach fasteners such as head/tail light assemblies

Stock No.	A	B	C	D	Set Contains:	
SGDTX1008BR	T8	3/16	10	14-1/8		•
SGDTX1010BR	T10	3/16	10	14-1/8		•
SGDTX1015BR	T15	3/16	10	14-1/8		•
SGDTX1020BR	T20	3/16	10	14-1/8		•
SGDTX1225BR	T25	1/4	12	16-7/8		•
SGDTX1227BR	T27	1/4	12	16-7/8		•
SGDTX1230BR	T30	1/4	12	16-7/8		•

Set includes storage tray



SGDTXL70BR

### ★ Pozidriv® Standard/Soft Grip, Chrome

- Tips have wedges for a tight fit on Pozidriv® fasteners
- PHILLIPS® tip drivers should not be used on Pozidriv® fasteners as they will ride out of the recess, round tool and screw recess corners

Stock No.	A	B	C	D	Set Contains:	
SGDZ31BR	#1	3/16	3	7-1/4		•
SGDZ42BR	#2	1/4	4	8-7/8		•
SGDZ63BR	#3	5/16	6	10-7/8		•
SGDZ84BR	#4	3/8	8	13-7/16		•

Set includes storage tray



SGDZ40BR


### ★ Mini-Tip/Soft Handle, Chrome

- Designed for internal-type TORX® fasteners used in the automotive and appliance industries

Stock No.	A	B	C	D	Set Contains:	
SGDT308BR	T8	3/16	3	5-7/8	•	•
SGDT310BR	T10	3/16	3	5-7/8	•	•
SGDT315BR	T15	3/16	3	5-7/8	•	•
SGDT320BR	T20	3/16	3	5-7/8	•	•

Set includes storage tray

<sup>A</sup>Sets shown include foam organizer.



SGTX40BR

#### Colors Available



Red Orange Green


R O G

ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS.



- Do not use screwdrivers as prybars, chisels or punches.
- Read Safety Precautions on pages W1-W4





SGDTRX50BR


### ✦ Tamper-Resistant/Soft Handle, Chrome

- A hole in the end of each bit tip fits over the center peg in TORX® tamper-resistant fasteners

SGDTRX50BR  
Set Contains:

Stock No.	A	B	C	D	
SGDTRX315BR	T15	3/16	3	7-1/4	•
SGDTRX320BR	T20	3/16	3	7-1/4	•
SGDTRX425BR	T25	1/4	4	8-7/8	•
SGDTRX427BR	T27	1/4	4	8-7/8	•
SGDTRX430BR	T30	1/4	4	8-7/8	•

Set includes storage tray



SGDTRXL70BR



### ✦ Tamper-Resistant/Soft Handle/Long, Chrome

- A hole in the end of each bit tip fits over the center peg in TORX® tamper-resistant fasteners
- Common uses include door and interior trim panels, headlight assemblies and switch modules

SGDTRXL70BR  
Set Contains:

Stock No.	A	B	C	D	
SGDTRX608BR	T8	3/16	6	10	•
SGDTRX610BR	T10	3/16	6	10	•
SGDTRX615BR	T15	3/16	6	10	•
SGDTRX620BR	T20	3/16	6	10	•
SGDTRX825BR	T25	1/4	8	12-3/4	•
SGDTRX827BR	T27	1/4	8	12-3/4	•
SGDTRX830BR	T30	1/4	8	12-3/4	•

Set includes storage tray



SGTRXL40BR

### ✦ Tamper-Resistant/Soft Handle/Long Mini-Tip, Chrome

- A hole in the end of each bit tip fits over the center peg in TORX® tamper-resistant fasteners

SGTRXL40BR  
Set Contains:

Stock No.	A	B	C	D	
SGDTR608B	T8	3/16	6	8-7/8	•
SGDTR610B	T10	3/16	6	8-7/8	•
SGDTR615B	T15	3/16	6	8-7/8	•
SGDTR620B	T20	3/16	6	8-7/8	•

Set includes storage tray

**Instinct® Soft Handle Combination Foam Sets**
**SGMINI16FR 16 pc Instinct® Soft Grip Mini-Tip Combination Screwdriver, TORX®, Picks and Seal Removers Foam Set**

- Includes (2) 1/8 and 3/16", (2) #0 and #1 PHILLIPS® and (4) T8, T10, T15 AND T20 TORX® drivers, plus (4) hook, 90°, 45° and awl picks, and (4) long and short spoon and long and short contoured seal removers in a foam organizer
- Wide tri-lobe grip design and Snap-on® bolstered, special alloy steel blade supply turning power when needed
- Nickel-chrome plating helps protect against corrosion and promotes easy clean up
- Blades of picks and removers are made from tough SAS material, extending the life of the tool
- Modular design of foam organizer provides in-drawer reconfiguration for new tools
- Fits in 2" drawer
- Push-To-Lift feature facilitates tool retrieval while maintaining max tool density on smallest footprint
- Contrasting colors provide visual control which eliminates time searching for missing tools
- Closed cell cross-linked foam resist oils, solvents, and fuels—easy-to-clean


**SGMINI16FR**
**Colors Available**


R O G  
ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS.

**TORX® TIP HARD HANDLE INSTINCT®**
**Standard/Hard Handle, Chrome**
**Set Contains:**
**SHDXT90R**

Stock No.	A	B	C	D	
SHDXT38R	T8	3/16	3	7-1/4	•
SHDXT310R	T10	3/16	3	7-1/4	•
SHDXT315R	T15	3/16	3	7-1/4	•
SHDXT320R	T20	3/16	3	7-1/4	•
SHDXT425R	T25	1/4	4	8-7/8	•
SHDXT427R	T27	1/4	4	8-7/8	•
SHDXT430R	T30	1/4	4	8-7/8	•
SHDXT640R	T40	5/16	6	10-7/8	•
SHDXT645R	T45	5/16	6	10-7/8	•

Set includes storage tray


**SHDXT90R**
**Colors Available**


R O G  
ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS.


**SPECIAL APPLICATION**
**90° Offset, Chrome**
**Set Contains:**
**ST50A**

Product Type	Stock No.	A	B	
PHILLIPS®	120SSDP	#1 and #2	4-3/4	•
	340SSDP	#3 and #4	6	•
Flat Tip	10SSD	.040 x 1/4	4	•
	20SSD	.050 x 5/16	4-11/16	•
	30SSD	.060 x 3/8	5-1/2	•


**ST50A**


- Do not use screwdrivers as prybars, chisels or punches.
- Read Safety Precautions on pages W1-W4

## SPECIAL APPLICATION



SGABM900BR

**Colors Available**




ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS.

### Ball Hex Tip/Soft Handle, Metric

Set Contains:

Stock No.	A	B	C	D	
SGABM20BR	2	1/8	3	5-13/16	•
SGABM25BR	2.5	1/8	3	5-13/16	•
SGABM30BR	3	3/16	3	7-5/32	•
SGABM40BR	4	3/16	3	7-5/32	•
SGABM50BR	5	3/16	3	7-5/32	•
SGABM60BR	6	5/16	4	8-29/32	•
SGABM70BR	7	5/16	6	10-29/32	•
SGABM80BR	8	5/16	6	10-29/32	•
SGABM100BR	10	3/8	8	13-1/2	•

SGABM900BR



SGAB1000BR

**Colors Available**



ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS.

### Ball Hex Tip/Soft Handle, SAE

Set Contains:

Stock No.	A	B	C	D	
SGAB6BR	3/32	1/8	3	5-13/16	•
SGAB7BR	7/64	1/8	3	5-13/16	•
SGAB8BR	1/8	3/16	3	7-5/32	•
SGAB9BR	9/64	3/16	3	7-5/32	•
SGAB10BR	5/32	3/16	3	7-5/32	•
SGAB12BR	3/16	3/16	3	7-5/32	•
SGAB14BR	7/32	5/16	4	8-29/32	•
SGAB16BR	1/4	5/16	4	8-29/32	•
SGAB20BR	5/16	5/16	6	10-29/32	•
SGAB24BR	3/8	3/8	8	13-1/2	•

SGAB1000BR



S6180



S6189

### Dzus® Fasteners, Chrome

• For Dzus®-type fasteners used in aircraft and auto racing applications

Stock No.	Tip Thickness, inches	Tip Width, inches	Blade Length Exposed, inches	Length, inches
S6180	3/64	1/2	2	6-13/32
S6189	1/32	19/64	2	5-47/64



SDDD101



SDDD41

### Reversible Blade Screwdrivers and Sets

Set Contains:

Stock No.	Description		
SDMDP1S4	PH#1/S4 bit	•	
SDMDP2S4	PH#2/S4 bit	•	
SDMDT15T20	T15/T20 Diamond Reversible TORX® 1/4" Hex Shank Bit	•	
SDMDT25T30	T25/T30 Diamond Reversible TORX® 1/4" Hex Shank Bit	•	
SDDD-1	Tube	•	•
SDMD4P1S4	PH#1/S4 bit		•
SDMD4P2S4	PH#2/S4 bit		•

SDDD101 SDDD41

#### SDDD101 Reversible Blade Screwdriver Set

- Includes (4) reversible bits for (8) different tip sizes: 1/4" and 3/16" flat tips, PHILLIPS® #1 and #2 tips, TORX® T15, T20, T25 and T30 tips
- Individual 1/4" and 5/16" nut drivers
- Durable, classic hard handle is textured for a sure grip

#### SDDD41 Reversible Blade Screwdriver Set

- Includes (2) reversible bits for four different tip sizes: 9/32" and 13/64" flat tip, PHILLIPS® #1 and #2 tips
- Durable, classic hard handle is textured for a sure grip

### Miniature, Chrome

#### CM6551A<sup>‡</sup> 5 pc Miniature Screwdriver Set

- Includes (4) blades in the following flat tip sizes: .055", .070", .080" and .100"
- Includes awl and plastic pouch




### Pocket Screwdrivers with Reversible Bit

#### SDDDM1AR Pocket Screwdriver with Reversible Bit

- Handy pocket clip adds convenience, keep a pocket screwdriver within arms' reach at all times
- Slim-profile classic handle for easy storage in pocket or glove box
- Built in magnet helps retain reversible bit so that it is always available when you need it



Colors Available



ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS

### Pop-Up Screwdriver and Diamond Bit Set

#### SGDQ16KT<sup>‡</sup> Screwdriver Kit

- Easy-to-use spring-loaded shank can adjust to different lengths for clearance, as well as compact storage
- Shank can be fully released to allow for use with cordless drills
- Highly engineered collet incorporates both a magnetic and mechanical locking system to securely hold bits
- Rotating collet sleeve for spinning when quickly setting/removing fasteners
- Diamond particles bite into fasteners, which minimizes cam-out and stripping
- Kit includes: SGDQ6 Pop-Up Screwdriver, SDMD221 and SDMD223 PHILLIPS<sup>®</sup> Diamond Bits (#1, #2, #3), SDMD213 Flat Tip Diamond Bit, SDMDT10, SDMDT30 TORX<sup>®</sup> Diamond Bits (T10-T30), and SDMD321, and SDMD323 Power PHILLIPS<sup>®</sup> Diamond Bits (#1, #2, #3) in a PAKSC062 Nylon Pouch



SGDQ16KT


#### SGDQ6<sup>‡</sup> Pop Up Shank Screwdriver

### Square Tip

- Square Tip Screwdrivers offer excellent fastener engagement
- Tips are precision cut and vapor blasted for optimal grip
- Intended for use on #3–12 Square Tip Fasteners

Set Contains: SDDR40

Stock No.	Description	Tip	C	D	
SDDROB43	Black	#3	4	8-13/32	•
SDDROB42R	Red	#2	4	8-13/32	•
SDDROB31G	Green	#1	3	6-21/32	•
SDDROB30Y	Yellow	#0	3	6-21/32	•



SDDR40

### Low-Profile Screwdrivers

- Screwdrivers provide ability to turn screws in extremely limited-access areas where other products cannot reach
- Special alloy steel screwdriver bits are the shortest bits possible (10 mm) but still allow for full engagement of the screw
- Heat-treated contoured handle for comfort and ease of use
- Flat, low-profile design fits in extremely tight areas
- Used in the aviation, aerospace and automotive industries
- Can be used in assembly, on motorcycles and for small engine repairs
- Tether hole in the handle helps prevent FOD (Foreign Object Damage)

Stock No.	Description	Length, inches
SSFP1	Low Profile PHILLIPS <sup>®</sup> #1 Tip	4-9/32
SSFP2	Low Profile PHILLIPS <sup>®</sup> #2 Tip	4-9/32
SSF1	Low Profile Flat Tip	4-9/32



SSFP1



SSFP2




SSF1



- Do not use screwdrivers as prybars, chisels or punches
- ‡These products can expose you to chemicals which are known to the state of California to cause cancer and reproductive harm. See pages P1-P2 for details.
- Read Safety Precautions on pages W1-W4

## SPECIAL APPLICATION



ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS

### Marine Plug Screwdrivers

- Intended for use on marine plugs and other large-slotted fasteners requiring high torque
- SGD155 series features a large hex bolster for wrench-assisted turning

Stock No.	A	B	C	D
SGD153BR	.050	3/8	2-3/4	8-1/4
SGD155CR	.050	1/2	2-29/32	10-3/8



ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS

### Push-Pull Spring Tools

- Designed to securely hold and maneuver small- to medium-sized springs
- Deep V-groove tip and C-groove capture prevents spring from sliding off
- Thicker shank versus picks
- Comfortable, durable acetate handle
- Use to remove light- to medium-duty compression or extension springs, door springs, latch springs, deck tensioner and stabilizer springs on tractors/mowers, brake adjuster springs, throttle return springs and recessed can lights with internal springs; also use to move or position thick-gauge wire and harnesses or to pull cotter pins/latch pins
- Important: These spring tools are non-insulated and should only be used in non-energized applications

Stock No.	A	B	C	D
SPRG618R	3/32	3/16	5-29/32	9-9/16
SPRG625R	7/64	1/4	5-29/32	10-5/16

## POZIDRIV® HARD HANDLE INSTINCT®



### ✦ Pozidriv® Standard/Hard Handle, Chrome

- Walls on tips are less tapered than PHILLIPS® tips
- Tips have wedges for a tight fit on Pozidriv® fasteners
- Important: PHILLIPS® tip drivers should not be used on Pozidriv® fasteners (and vice versa), as they will ride out of the recess, round the tool and screw recess corners

Set Contains: **SHDZ40R**

Stock No.	A	B	C	D	
SHDZ22R	#2	1/4	1-1/2	3-3/4	
SHDZ31R	#1	3/16	3	7-1/4	•
SHDZ42R	#2	1/4	4	8-7/8	•
SHDZ63R	#3	5/16	6	10-7/8	•
SHDZ84R	#4	3/8	8	13-7/16	•

## RATCHETING SCREWDRIVERS (Blue Point®)



### Ratcheting Screwdrivers (Blue-Point®)

#### BSGDMR6 6-Bit Ratcheting Standard Screwdriver (Blue-Point®)

- 45-tooth ratcheting mechanism ensures precise positioning and movement
- Bits are stored in a bit magazine inside the handle
- Includes (6) 1/4" hex bits: flat tip (4.5 and 5.5), PHILLIPS® (#1 and #2) and TORX® (T15 and T20)
- Bits are a consumable and carry no warranty



## SGD Series Screwdrivers Feature:

- High-quality, interchangeable knurled stainless-steel shanks
- Strong magnetic bit retention
- Smooth ratcheting mechanism (US Patent 7,213,491)
- Soft solvent-resistant handle material provides a comfortable, non-slip surface (US Patent 421,888)
- “Thumbs up” forward/lock/reverse lever for easy directional changes

## All Handles

- Soft, solvent-resistant cover material to provide a positive gripping surface
- “Thumbs up” forward/reverse lever for quick directional changes
- High-quality knurled stainless steel shanks
- Contoured thumb stop at base of handle helps user apply maximum pressure to the fastener
- Smooth ratcheting mechanism
- Use with any SGDMRC series interchangeable shanks
- Patented ergonomic handle shape provides comfort and control
- Comfort crown of handle cap provides low-friction surface for palm while turning

## Five-Position Handle

- Features 0, 30 and 60° locking positions for optimal ergonomics (US Patent 7,481,135)
- Designed for right- or left-hand operation
- Handle stores up to seven insert bits

## Stubby Handle

- Compact size for limited clearance applications
- No bit storage in handle

## Standard Handle

- Cap functions as a bit holder when working in tight quarters
- Handle stores up to 10 bits

### Colors Available



ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS


## Five-Position Handle Ratcheting Screwdrivers

	Stock No.	Handle	Shank	Flat Tip Bit	PHILLIPS® Bit	C	D
5-Position	SGDMRCE44	SGDMRCE4	SGDMRC1-10	SDM213B	SDM222IRB	2-5/8	8-1/2
Standard	SGDMRC44B	SGDMRC4	SGDMRC4-40	SDM213B	SDM222IRB	3-7/8	9-3/4
Stubby	SGDMRC11A	SGDMRC1A	SGDMRC1-10	—	—	2	4-1/2

All stubby screwdrivers include SDM222IRB PHILLIPS® Tip Bit.

## Soft Grip Handles

Stock No.	Handle Type	A
SGDMRC1A	Stubby	2-5/8
SGDMRC4A	Standard	6
SGDMRCE4	5-Position	5-7/8



### Colors Available



ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS


## Ratcheting Screwdriver Sets

### SGDMRC31RK Stubby Ratchet Metric Screwdriver Set

- Ideal set for applications where space is at a premium
- Stubby ratcheting screwdriver accepts interchangeable stainless steel shanks with strong magnetic bit retention (2" and 3-3/4" L included)
- Smooth ratchet action with forward/reverse lock mechanism
- Set includes (8) 1/4" drive sockets (5–13 mm), (6) metric hex bits (2–6 mm), (8) TORX® bits (T9–T40), (2) flat bits, (3) PHILLIPS® ACR® bits and (1) 1/4" hex-to-1/4" square adaptor in a storage case



### Colors Available



ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS



- Do not use screwdrivers as prybars, chisels or punches.
- Read Safety Precautions on pages W1–W4

# RATCHETING SCREWDRIVERS/SOFT GRIP HANDLE SYSTEM

SCREWDRIVERS



**SSDMR4B**

**Colors Available**




ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS

## Standard Handle


Stock No.	Handle Type	Handle Color	C	D
<b>SSDMR4B</b>	Standard	Black	3-25/32	8-3/4

Includes SDM211B (3/16") and SDM213B (9/32") Flat Tip bits plus SDM221IRB (#1), SDM222IRB (#2) and SDM223IRB (#3) PHILLIPS® ACR® bits. To service the drivers above, order RKRSSDMR4AC (Ratcheting Screwdriver Service Kit).



**SSDMR1AR**

**Colors Available**



ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS

## Stubby Handle


Stock No.	Handle Color	C	D
<b>SSDMR1AR</b>	Red	1-15/16	4-5/16

Includes SDM222IRB #2 PHILLIPS® ACR® bit. To service the drivers above, order RKRSSDMR4AC (Ratcheting Screwdriver Service Kit). SSDMR4B200\* (End Cap Replacement)



**SSDMR8AR**

**Colors Available**



ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS

## Standard Handle, Long

Stock No.	Handle Type	Handle Color	C	D
<b>SSDMR8AR</b>	Long	Red	7-7/16	12-15/16

Includes SDM211B (3/16") and SDM213B (9/32") Flat Tip bits plus SDM221IRB (#1), SDM222IRB (#2) and SDM223IRB (#3) PHILLIPS® ACR® bits. RKRSSDMR4AC (Ratcheting Screwdriver Service Kit).



**SSDMRT4R**

**SSDMRT8A**

## T-Handle

Stock No.	Dimension A, Shank Length, inches	Dimension B, Overall Length, inches	Handle Type
<b>SSDMRT1</b>	2	3-15/16	T-Handle, Stubby
<b>SSDMRT4</b>	3-7/8	5-27/32	T-Handle, Stubby
<b>SSDMRT8A</b>	8	10	T-Handle, Stubby

Includes SDM222IRB #2 PHILLIPS® ACR® bit. RKRSSDMR4AC (Ratcheting Screwdriver Service Kit).



**SGDMRC1-10**

**SGDMRC4-40**

**SGDMRC4-80**

**SGDMRC4-TM4**

**SGDMRC4-TMF4**

**SGDMRC-SP**

## Interchangeable Shanks

- Use with handles in the Soft Grip Ratcheting Screwdriver System
- Neodymium magnet in shank holds bit securely
- 1/4" square drive shanks in standard and flexible styles allow attachment of a wide range of 1/4" drive sockets and accessories

Stock No.		A	B
<b>SGDMRC1-10</b>	Magnetic Shank/Bit Holder	3-1/4	2
<b>SGDMRC4-40</b>	Magnetic Shank/Bit Holder (5")	5	3-3/4
<b>SGDMRC4-80</b>	Magnetic Shank/Bit Holder	9	7-3/4
<b>SGDMRC4-TM4</b>	1/4" Square Drive Shank	5	3-3/4
<b>SGDMRC4-TMF4</b>	Flexible 1/4" Square Drive Shank	5	3-3/4
<b>SGDMRC-SP</b>	1/4" Speeder Shank	13	—



SGDMRC103A

Set Contains: SGDMRC103A\*

## Ratcheting Screwdriver Sets

Stock No.	Description	
SGDMRC4A	Soft Grip Standard Ratcheting Screwdriver Handle	•
SGDMRC4-40	Magnetic Shank/Bit Holder (5")	•
SGDMRC4-80	Magnetic Shank/Bit Holder	•
SDM211B	.031 x .187" Flat Tip 1/4" Hex Shank Bit	•
SDM213B	.038 x .250" Flat Tip 1/4" Hex Shank Bit	•
SDM221IRB	#1 PHILLIPS® ACR® 1/4" Hex Shank Bit	•
SDM222IRB	#2 PHILLIPS® ACR® 1/4" Hex Shank Bit	•

Set includes PB146A Storage Case



SGDMRC108A

Set Contains: SGDMRC108A\*

Stock No.	Description	
SGDMRC1A	Soft Grip Stubby Ratcheting Screwdriver Handle	•
SGDMRC4A	Soft Grip Standard Ratcheting Screwdriver Handle	•
SGDMRC1-10	Magnetic Shank/Bit Holder	•
SGDMRC4-40	Magnetic Shank/Bit Holder (5")	•
SGDMRC4-80	Magnetic Shank/Bit Holder	•
SGDMRC4-TM4	1/4" Square Drive Shank	•
SDM400A	Master SAE Screwdriver Bit Set	•

### Colors Available



\* R O G  
ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS

## Complete Screwdrivers

### SGDMRC44FR 44 pc Soft Grip Standard Ratcheting Screwdriver Foam Set

- Includes (1) standard ratcheting soft grip handle, (4) shanks, (9) TORX® bits, (17) SAE/metric hex bits, (3) PHILLIPS® bits, (2) flat bits, (5) square bits, (1) tire valve bit, (1) adaptor and (1) bit holder in a molded case with foam insert
- Ratcheting screwdriver accepts interchangeable stainless steel shanks and stores up to ten bits
- Each tool is precision fitted in a compact storage case with foam providing ultimate tool protection
- Contrasting colors provide visual control which eliminates time searching for missing tools



SGDMRC44FR

### Colors Available



\* R O G  
ADD SUFFIX TO STOCK NUMBER FOR SPECIAL COLORS

## TORX® Bit Set (Blue-Point®)

Use on BMW® vehicles: under dash and sensors in engine compartment; Cadillac® vehicles: water pumps; Cadillac® CTS®, 3.2 L (2003–2004)/Cadillac® Catera 3.0 L (1997–2001): oil drain plug; Ford® vehicles: Escort® (early models); door hinge bolts; GM® vehicles: fender applications; Jeep® vehicles: Cherokee® (1997–1998): door hinge bolts; VW® vehicles (pre-1999): exterior and interior door hinge bolts

### DHW1<sup>†</sup> 5/16" Hex Drive Reversible Ratcheting Bit Wrench (Blue-Point®)

- Overall length: 10-3/4" (273 mm)
- Low head clearance for access to tight spots
- Internal ring in square drive provides more secure bit retention than magnetic models
- Knurled wheel for fingertip control
- Reverse lever positioned for one-hand operation



DHW1

SHORTORX

Set Contains: SHORTORX\*

Stock No.	Description (Chart)	Hex Size	Description	
SDMTAS15	T15	5/16"	T15	•
SDMTAS20	T20	5/16"	T20	•
SDMTAS25	T25	5/16"	T25	•
SDMTAS27	T27	5/16"	T27	•
SDMTAS30	TORX® Bit	5/16"	T30	•
SDMTAS40	TORX® Bit	5/16"	T40	•
SDMTAS45	TORX® Bit	5/16"	T45	•
DHW1 <sup>†</sup>	5/16" Hex Drive Reversible Ratcheting Bit Wrench (Blue-Point®)	—	—	•

## Magnetic Ratchet and Bit Set

- Ideal for accessing fasteners in tight areas
- Ratchet features magnetic retention for 1/4 hex bits
- Includes: SDM211B flat tip bit, SDM213B (9/32) flat tip bit, SDM222IRB (#1) PHILLIPS® ACR® bit, SDM222IRB (#2) PHILLIPS® ACR® bit, SDMT15D (T15) TORX® bit
- Use RKRTM72A Service Kit

Stock No.			A	B	C	D
TM72SET	72	5°	7/16	15/16	1-3/4	4-7/16



TM72SET

### WARNING



- Do not use "cheater bars" on handles.
- Frequently inspect, clean and lubricate all non-sealed ratchet mechanisms with light oil.
- †These products can expose you to chemicals which are known to the state of California to cause cancer and reproductive harm. See pages P1–P2 for details.
- Read Safety Precautions on pages W1–W4



# RATCHETING SCREWDRIVER SETS



BLPBTWSET

## Ratcheting Offset

Set Contains:

Stock No.	Description	
BLPBTW4	1/4" Drive 4" Mini Ratchet and 1/4" Ratcheting Bit Driver Combination Wrench (Blue-Point®)	•
BLPBTW6	1/4" Drive 6" Mini Ratchet and 1/4" Ratcheting Bit Driver Combination Wrench (Blue-Point®)	
BLPBTW8	1/4" Drive 8" Mini Ratchet and 1/4" Ratcheting Bit Driver Combination Wrench (Blue-Point®)	•
BLPPB1	#1 PHILLIPS® Tip 1/4" Hex Shank Bit (Blue-Point®)	•
BLPPB2	#2 PHILLIPS® Tip 1/4" Hex Shank Bit (Blue-Point®)	•
BLPTB15TP	T15 TORX® Tamper-Resistant 1/4" Hex Shank Bit (Blue-Point®)	•
BLPTB20TP	T20 TORX® Tamper-Resistant 1/4" Hex Shank Bit (Blue-Point®)	•
BLPFB316	3/16" SAE Flat Tip Hex Shank Bit (Blue-Point®)	•
BLPFB932	9/32" SAE Flat Tip Hex Shank Bit (Blue-Point®)	•



YA480B



BTWSMPK



BTWOSK

## Ratcheting Offset

### YA480B Ratcheting Right Angle Screwdriver (Blue-Point®)

- Includes (1) flat tip bit, (1) #2 PHILLIPS® bit and (1) #2 Pozidriv® bit

### BTWSMPK<sup>†</sup> 7 pc Bit Miniature Ratcheting Handle Set (Blue-Point®)

- Includes: (1) BTWSM, (1) BTWOS and (1) BTWROS mini ratcheting handles; (1) SDM213B (9/32") flat tip bit; (1) SDM221IRB (#1); (1) SDM222IRB (#2) PHILLIPS® ACR® bits; (1) SDMT15D (T15) TORX® bit

### BTWOSK<sup>†</sup> 5 pc Bit Miniature Ratcheting Handle Set (Blue-Point®)

- Includes (1) mini ratcheting handle, (1) flat tip bit (9/32"), (1) PHILLIPS® ACR® bit (#1), (1) PHILLIPS® ACR® bit (#2) and (1) TORX® bit (T15)


### BTWS<sup>†</sup> Straight Miniature Ratcheting Handle (Blue-Point®)

- Miniature ratcheting handle for use on 1/4" hex bits
- Ideal for working in confined spaces
- 72-tooth ratchet engagement with only 5° movement to engage the next tooth
- Magnetic holder keeps bits in place
- Raised knurled knob for fingertip control
- Reverse lever is easily operated with one hand
- 4-1/2" compact overall length
- Vinyl grip for comfort and control

### BTWOS<sup>†</sup> 25° Offset Miniature Ratcheting Handle (Blue-Point®)

- 25° offset miniature ratcheting handle for use on 1/4" hex bits
  - Ideal for working in confined spaces
  - 72-tooth ratchet engagement with only 5° movement to engage the next tooth
  - Magnetic holder keeps bits in place
  - Raised knurled knob for fingertip control
  - Reverse lever is easily operated with one hand
  - 4-1/2" compact overall length
  - Vinyl grip for comfort and control
- ### BTWROS<sup>†</sup> 25° Reverse Offset Miniature Ratcheting Handle (Blue-Point®)
- 25° Reverse Offset
  - 72-tooth ratchet engagement with only 5° movement to engage the next tooth
  - 25° offset handles help avoid knuckle injuries
  - Magnetic holder keeps bits in place

# SCREW AND NUT STARTERS



## Aluminum Starters

- Spring-loaded steel bits grip screw slot wall to withstand an 8 lb pull
- Bits release automatically when applied torque reaches a certain level

Stock No.	A	B	C	D
SS5A	5/16	Flat Tip	.032 x 9/32	5
SSM3	5/16	Flat Tip	.032 x 9/32	2-1/2
SSM5A	5/16	Flat Tip	.032 x 9/32	5-1/4
SSM6A <sup>†</sup>	9/32	PHILLIPS®	#3	5-1/2
GA260A <sup>†</sup>	9/32	PHILLIPS®	#2	2-5/8
GA199A <sup>†</sup>	9/32	Combination	.032 x 9/32, #2	5-7/8

### SSR7 Recessed Aluminum Starter (Blue-Point®)

- Round aluminum body with knurled gripping area in center
- Designed to accommodate the most popular sizes of recessed screws: TORX®, Socket Head, PHILLIPS®, etc.
- Opposite end handles #3, #4, #6, #8 and #10 nuts
- Overall length is 6-3/4"