



Explosion-Proof Tool



Explosion-Proof Adjustable Wrench

248



Explosion-Proof Combination Pliers

249



Explosion-Proof Ball Pein Hammer

249



Explosion-Proof Cold Chisel

250



Explosion-Proof F Wrench

250



Explosion-Proof Scraper

250

Explosion-Proof Tool

Explosion-Proof Adjustable Wrench



- Special beryllium bronze material is adopted, which is suitable for safe use environment such as non sparking and non magnetism
- Laser scale indication, maximum opening size 24mm
- Moderate soft hardness, high torque and long service life

No.	L	Maximum opening(mm)			
31101	8"	24	4	24	11
31102	10"	30	4	16	10.8
31103	12"	36	2	16	17.6
31104	15"	46	-	-	-
31105	18"	55	-	-	-

▲ Excluded from lifetime warranty terms.

Explosion-Proof Open End Wrench



- Made of special beryllium bronze for safe operation environment free of spark and magnetic
- Moderate hardness for high torque and long service life

No.	Spec. (mm)	L(mm)			
31121	14×17	150	4	24	6.2
31122	17×19	170	4	24	7.2
31123	19×22	185	4	24	8.4
31124	22×24	210	4	24	9.8
31125	24×27	230	4	24	12.4
31126	27×30	250	2	12	9.6
31127	30×32	265	2	12	11.1
31128	12×14	150	4	-	-
31129	16×18	170	4	-	-

▲ Excluded from lifetime warranty terms.

Explosion-Proof Combination Wrench



- Made of special beryllium bronze for safe operation environment free of spark and magnetic
- Moderate hardness for high torque and long service life

No.	Spec. (mm)	L(mm)			
31111	14	175	4	24	6.2
31112	17	195	4	24	7.4
31113	19	215	4	24	8.4
31114	22	245	4	24	10.5
31115	24	265	4	24	12.0
31116	27	290	2	12	9.6
31117	30	320	2	12	11.5
31118	32	340	2	12	13.2
31119	16	195	4	-	-
31120	18	215	4	-	-

▲ Excluded from lifetime warranty terms.

Explosion-Proof Box End Wrench




- Made of special beryllium bronze for safe operation environment free of spark and magnetic
- Moderate hardness for high torque and long service life

No.	Spec. (mm)	L(mm)			
31131	14×17	208	4	24	7.6
31132	17×19	235	4	24	9.3
31133	19×22	255	4	24	11
31134	22×24	280	4	24	12.9
31135	24×27	300	4	24	13.4
31136	27×30	325	2	12	11
31137	30×32	335	2	12	12

▲ Excluded from lifetime warranty terms.



Explosion-Proof Screwdriver, Slotted




• Made of special beryllium bronze for safe operation environment free of spark and magnetic

No.	Spec. (mm)	L(mm)	Rod Diameter (mm)			
31141	6×100	200	6	4	24	5.7
31142	6×150	250	6	4	24	6
31143	8×200	300	8	4	24	7.9
31144	8×250	350	8	4	24	8.4

▲ Excluded from lifetime warranty terms.

Explosion-Proof Screwdriver, Phillips



• Made of special beryllium bronze for safe operation environment free of spark and magnetic

No.	Spec. (mm)	L(mm)			
31146	#2×100	200	4	24	5.7
31147	#2×150	250	4	24	6.2
31148	#3×200	300	4	24	7.9
31149	#3×250	350	4	24	8.4

▲ Excluded from lifetime warranty terms.

31152 Explosion-Proof Combination Pliers 8"



• Special beryllium bronze material is adopted, which is suitable for safe use environment such as non sparking and non magnetism
 • Maximum shear capacity: low carbon steel wire ϕ 1.6mm
 • New design of handle, more comfortable to hold

No.	Spec.	Max. Cutting Capacity(mm)			
31152	8"	Mild carbon steel wire ϕ 1.6	4	24	13.4

▲ Excluded from lifetime warranty terms.

31154 Explosion-Proof Long Nose Pliers 6"



• Special beryllium bronze material is adopted, which is suitable for safe use environment such as non sparking and non magnetism
 • New design of handle, more comfortable to hold

No.	Spec.			
31154	6"	4	24	8.1

▲ Excluded from lifetime warranty terms.

Explosion-Proof Diagonal Pliers 6"



• Special beryllium bronze material is adopted, which is suitable for safe use environment such as non sparking and non magnetism
 • Maximum shear capacity: low carbon steel wire ϕ 1.6mm
 • New design of handle, more comfortable to hold

No.	Spec.	Max. Cutting Capacity(mm)			
31156	6"	Mild carbon steel wire ϕ 1.6	4	24	8.8
31158	8"	Mild carbon steel wire ϕ 1.6	4	-	-

▲ Excluded from lifetime warranty terms.

Explosion-Proof Ball Pein Hammer



• Made with special beryllium bronze for safe operation environment free of spark and magnetism
 • Handle made of imported Hickory for comfort and toughness

No.	Spec.	L(mm)			
31161	1 lbs	325	2	12	10.8
31162	1.5 lbs	365	2	12	14

▲ Excluded from lifetime warranty terms.



Explosion-Proof Sledge Hammer



- Made with special beryllium bronze for safe operation environment free of spark and magnetism
- Fiberglass handle for anti-skidding and durability

No.	Spec.	L(mm)			
31166	4 lbs	405	2	8	17.7
31167	6 lbs	676	2	4	15.6
31168	8 lbs	680	2	4	19

▲ Excluded from lifetime warranty terms.

Explosion-Proof F Wrench



- Made with special beryllium bronze for safe operation environment free of spark and magnetism
- Moderate hardness for high torsion

No.	Spec. (mm)	L(mm)			
31191	40 × 300	300	2	12	10.2
31192	50 × 400	400	2	12	15
31193	60 × 500	500	2	12	21

▲ Excluded from lifetime warranty terms.

Explosion-Proof Cold Chisel



- Made of special beryllium bronze for safe operation environment free of spark and magnetic

No.	Spec. (mm)	L(mm)			
31171	14 × 160	160	4	24	8.1
31172	18 × 200	200	4	24	12.9
31173	20 × 250	250	2	12	11

▲ Excluded from lifetime warranty terms.

31194 Explosion-Proof Double Head Oil Drum Wrench




- Made with special beryllium bronze for safe operation environment free of spark and magnetism
- Moderate hardness for high torsion

No.	Spec. (mm)	L(mm)			
31194	70 × 95 × 350	350	1	6	10.7

▲ Excluded from lifetime warranty terms.

Explosion-Proof Pipe Wrench



- Made with special beryllium bronze for safe operation environment free of spark and magnetism
- Moderate hardness for high torsion

No.	Spec.	L(mm)			
31181	10"	250	2	12	13.4
31182	12"	300	2	12	17
31183	14"	350	1	6	11.3
31184	18"	450	1	6	17
31185	24"	600	1	-	-

▲ Excluded from lifetime warranty terms.

Explosion-Proof Scraper



- Made of special beryllium bronze for safe operation environment free of spark and magnetic

No.	Spec. (mm)	L(mm)			
31196	50 × 200	200	2	24	9.2
31197	65 × 200	200	2	24	9.2

▲ Excluded from lifetime warranty terms.

Explosion Proof Slogging Open End Wrench



- Special beryllium bronze material is adopted, which is suitable for safe use environment such as non sparking and non magnetism
- Moderate soft hardness, high torque and long service life.

No.	Spec. (mm)	L (mm)			
31231	27	175	6	-	-
31232	30	185	6	-	-
31233	32	185	6	-	-
31235	36	195	6	-	-
31237	41	215	6	-	-

▲ Excluded from lifetime warranty terms.

Explosion Proof Slogging Open End Wrench



- Special beryllium bronze material is adopted, which is suitable for safe use environment such as non sparking and non magnetism
- Moderate soft hardness, high torque and long service life

No.	Spec. (mm)	L (mm)			
31211	27	175	6	-	-
31212	30	185	6	-	-
31213	32	185	6	-	-
31215	36	195	6	-	-
31217	41	215	6	-	-

▲ Excluded from lifetime warranty terms.

Explosion Proof Bar



- Special beryllium bronze material is adopted, which is suitable for safe use environment such as non sparking and non magnetism
- Moderate soft hardness, high torque and long service life

No.	Spec. (mm)	L (mm)			
31271	18×500	500	2	-	-
31272	22×800	800	2	-	-

▲ Excluded from lifetime warranty terms.

Explosion Proof Round Point Shovel



31291

31292

- Special beryllium bronze material is adopted, which is suitable for safe use environment such as non sparking and non magnetism
- Handle with glass fiber materials, anti-skid and durable

No.	Spec. (mm)	L (mm)			
31291	210×1030	1030	2	-	-
31292	235×1100	1100	2	-	-

▲ Excluded from lifetime warranty terms.