



■ Standard   
  Optional   
 N/A Not Applicable

Sweeper - 44"
Sweeper - 54"
Sweeper - 60"
Sweeper - 72"
Sweeper - 84"

⊖ **General**

<b>Operating Weight</b>	252 kg	295 kg	344 kg	383 kg	467 kg
<b>Length</b>	1295 mm	1295 mm	1415 mm	1415 mm	1560 mm
<b>Width</b>	1227 mm	1481 mm	1681 mm	1986 mm	2286 mm
<b>Height</b>	582 mm	582 mm	594 mm	594 mm	676 mm
<b>Bucket Capacity</b>	0,17 m <sup>3</sup>	0,23 m <sup>3</sup>	0,34 m <sup>3</sup>	0,41 m <sup>3</sup>	0,52 m <sup>3</sup>
<b>Bristle Material</b>	Replaceable Polypropylene sections (steel sections avail.)	Replaceable Polypropylene sections (steel sections avail.)	Replaceable Polypropylene sections (steel sections avail.)	Replaceable Polypropylene sections (steel sections available)	Replaceable Polypropylene sections (steel sections available)
<b>Travel Direction</b>	Forward/Reverse	Forward/Reverse	Forward/Reverse	Forward/Reverse	Forward/Reverse
<b>Bristle Sections (Incl. w/ Swpr)</b>	21	26	30	36	42
<b>Broom Diameter</b>	544 mm	546 mm	544 mm	544 mm	610 mm
<b>Broom RPM</b>	168	185	145	145	215
<b>Broom RPM @</b>	37,9 l/min	56,8 l/min	37,9 l/min	37,9 l/min	56,8 l/min
<b>Cutting Edge (Repl. Steel)</b>	5/8" x 6"	5/8" x 6"	5/8" x 6"	5/8" x 6"	5/8" x 6"
<b>Overall Attachment Width</b>	n/a	1481 mm	1681 mm	1986 mm	2283 mm
<b>Sweep Width</b>	1118 mm	1372 mm	1524 mm	1829 mm	2134 mm

⊖ **Compatible Carriers**

Skid-Steer Loaders					
Bobcat A770				■	■
Bobcat S70	■				
Bobcat S450		■	■		
Bobcat S510			■	■	
Bobcat S530			■	■	
Bobcat S550			■	■	
Bobcat S570			■	■	
Bobcat S590			■	■	
Bobcat S595			■	■	
Bobcat S630				■	■
Bobcat S650				■	■
Bobcat S740				■	■
Bobcat S750				■	■
Bobcat S770				■	■

Compact Track Loaders					
Bobcat T450		■	■		
Bobcat T550			■	■	
Bobcat T590			■	■	
Bobcat T595			■	■	
Bobcat T630				■	■
Bobcat T650				■	■
Bobcat T740					■
Bobcat T750					■
Bobcat T770					■

Mini Track Loaders					
Bobcat MT55	■				
Bobcat MT85	■				

Toolcat™ Work Machine					
Bobcat 5600		■	■		
Bobcat 5610		■	■		

Telehandler					
Bobcat V417					■

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.