

Mats & Rugs

BradyID.com/s35

Mats and Rugs

Clean, Dry Floors Help Prevent Slips, Trips & Falls

Brady SPC absorbent mats and rugs help keep aisles and walkways slip-free by absorbing and containing oils, liquids or other spills. They are designed to hold up under the toughest conditions and are ideal for high traffic areas and workstations. Compared to an entrance mat, absorbent mats and rugs offer better traction and reduce the tracking of liquids from one area to another.



Liquids Absorbed:

- Bases
- Oils
- Chemicals
- Solvents
- Water-based fluids

Popular Applications:

- Heavy foot traffic
- Aisles and walkways
- Around workstations
- To reduce tracking liquids throughout facility

Absorbents & Spill Control



TOUGHSORB™ Permanent & Semi-Permanent Adhesive Mats

- Easy adherence for high traffic aisles and walkways. Choose from permanent or semi-permanent options.
- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Strong needle-punched polypropylene with an adhesive backing
- Adhesive Backing: Permanent or semi-permanent adhesive backing adheres to surfaces to keep the absorbent in place and reduce slips, trips and falls.

Features:

- Oils, Coolants, Solvents and Water-based Fluids
- Adhesive Backing (2-Ply)
- High Durability
- Low Linting
- Heavy & Medium Weight
- Cost: \$\$\$

Recommended For:

- Aisles and walkways
- Areas with high foot and forklift traffic
- Lining entrances and exits
- Lining tool cribs and work surfaces



Permanent adhesive mat is protected by a clear liner that must be removed prior to use.



Semi-permanent adhesive mat can be applied and removed as needed making it ideal for work surfaces.

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Permanent Adhesive Mat Rolls								
AD30100	Heavy Wt. Roll	30"x100'	No	8	21	29	20	1/case
AD15100	Heavy Wt. Roll	15"x100'	No	8	11	15	40	1/case
Semi-Permanent Adhesive Mat Rolls								
AD30100-BLUE	Medium Wt. Roll	30"x100'	No	8	21	29	20	1/case
AD15100-BLUE	Medium Wt. Roll	15"x100'	No	8	11	15	40	1/case



BSM - Barrier Spill Mat

- Industrial rug with non-slip and leak-proof barrier backing for use in high-traffic areas and around workstations
- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Strong needle-punched polypropylene with a non-skid backing
- Durable for high traffic areas and helps eliminate slippery areas and unsightly tracking
- Tear-resistant and will not curl or buckle
- Non-Skid Barrier Backing: Prevents liquid from reaching the floor underneath while tacky underside reduces slips, trips and falls
- Gray Color: Masks spills reducing the urge to replace absorbents before fully saturated

Features:

- Oils, Coolants, Solvents and Water-based Fluids
- Low Linting
- Non-skid Backing (2-Ply)
- Medium Weight
- High Durability
- Cost: \$\$\$

Recommended For:

- Ideal for high traffic industrial applications and in workstations
- Premium surface protection during renovation work

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Rolls								
BSM100	Medium Wt. Rug	36"x100'	No	8	25	24	20	1/bale



BRIGHTSORB™ High Visibility Barrier-Backed Mat

- Absorbency, signage and durability all in one
- Universal absorbency to handle most fluids (water, petroleum and chemical-based). Product will not react with aggressive fluids
- Non-skid 3-ply construction with spunbond coverstock for ultimate durability
- Barrier Backing: Prevents liquid from reaching the floor underneath
- Printed Message: Warns of slips, trips and falls
- Bright Color: Color-coded for safety and easy separation of hazardous waste

Features:

- Oils, Coolants, Solvents and Water-based Fluids
- Low Linting
- Safety Printed Coverstock & Barrier backing (3-Ply)
- Heavy Weight
- High Durability
- Cost: \$\$\$

Recommended For:

- Areas with low visibility
- Lining aisles and walkways
- High-traffic areas prone to leaks, drips and spills

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Pads								
CHBB100	Heavy Wt. Pad	15"x19"	No	11.7	21	15.8	30	100/case
Rolls								
CHBB30	Heavy Wt. Roll	30"x100'	No	11.7	27	22	12	1/bale
CHBB15	Heavy Wt. Roll	15"x100'	No	11.7	13	11	24	1/bale

▶ Need To Know OSHA Regulation

29 CFR 1910.22(a)(2) – Walking-Working Surfaces

The floor of every workroom shall be maintained in a clean and, so far as possible, a dry condition. Where wet processes are used, drainage shall be maintained, and false floors, platforms, mats, or other dry standing places should be provided where practicable.

Mats & Rugs

BradyID.com/s35

Absorbents & Spill Control



High Traffic (HT) Barrier-Backed Mat

- Universal absorbent with added durability to stand up to the toughest conditions
- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Non-skid, barrier-backed 3-ply construction with spunbond coverstock for ultimate durability
- Printed safety message reminds workers to use caution near high-risk slip, trip and fall areas
- Barrier Backing: Prevents liquid from reaching the floor underneath
- Gray Color: Masks spills reducing the urge to replace absorbents before fully saturated

Features:

- Oils, Coolants, Solvents and Water-based Fluids
- Safety Printed Coverstock & Barrier backing (3-Ply)
- High Durability
- Low Linting
- Heavy Weight
- Cost: \$ \$ \$

Recommended For:

- Aisles and walkways
- High-traffic areas prone to leaks, drips and spills
- Areas where a subtle safety messaging is desired

Catalog #	Type	Size	Perforated	Absorbency Factor (g/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Pads								
HTBB100	Heavy Wt. Pad	15"x19"	No	10.1	18	14.8	30	100/case
Rolls								
HTBB30	Heavy Wt. Roll	30"x100'	No	10.1	23	20	12	1/bale
HTBB15	Heavy Wt. Roll	15"x100'	No	10.1	12	10	24	1/bale



TrackMat Matting

- The ultimate barrier absorbent for high volume petroleum spills
- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Extremely durable absorbent with UV-resistant top layer makes it ideal for outdoor applications
- Non-Slip Barrier Backed: Prevents liquids from penetrating into the ground
- Dimpled: Adds durability & reduces linting

Features:

- Oils, Coolants, Solvents and Water-based Fluids
- Non-slip Barrier Backing (2-Ply)
- High Durability
- Low Linting
- Heavy Weight
- Cost: \$ \$ \$

Recommended For:

- Where strength, absorbency and impermeability are needed
- Transportation companies
- Refineries and steel mills
- Railway or military
- Marine spills/wildlife preservation

Catalog #	Type	Size	Perforated	Absorbency Factor (g/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Rolls								
TM58	Heavy Wt. Roll	58"x80'	No	9	55	34	9	1/bale
TM29	Heavy Wt. Roll	29"x80'	No	9	20	24	18	1/bale
TM19	Heavy Wt. Roll	19"x80'	No	9	26	32	18	2/bale

Specialty Product:
Moderate Traffic



SIR Sorbent Industrial Rug

- Designed for moderate traffic areas and workstations where there's a need for clean and safe work floors and walkways.
- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Durable, needle-punched polypropylene fibers for moderate traffic areas (1-ply)
- Eliminates slippery areas and unsightly tracking between the plant and office areas
- Gray Color: Masks spills reducing the urge to replace absorbents before fully saturated

Features:

- Oils, Coolants, Solvents and Water-based Fluids
- Needle-punched polypropylene (1-Ply)
- High Durability
- Low Linting
- Heavy Weight
- Cost: \$ \$

Recommended For:

- Vehicles repair and service
- Warehouse and container terminal
- Surface protection during renovation
- Marine spills/wildlife preservation

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gS)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Rolls								
SIR36	Heavy Wt. Rug	36"x300'	No	8,5	59	50	12	1/bale
SIR36150	Heavy Wt. Rug	36"x150'	No	12,5	45	25	18	1/bale

Specialty Product:
Eco-Friendly



Rag Rug Matting

- Eco-friendly absorbent matting made from recycled cotton and polyester fibers
- Universal absorbency to handle most fluids (water-based and petroleum-based)
- Economy rug provides good footing, masks dirt and absorbs spills
- Ideal for maintenance, repair and industrial environments
- Eco-Friendly: Supports corporate sustainability and LEED initiatives

Features:

- Oils, Coolants, Solvents and Water-based Fluids
- Recycled fibers (1-Ply)
- Medium Durability
- High Linting
- Heavy Weight
- Cost: \$

Recommended For:

- Ideal for high traffic industrial applications and in workstations
- Premium surface protection during renovation work

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gS)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Pads								
RAG1818	Heavy Wt. Pads	18"x18"	No	9	38	32	24	50/case
Rolls								
RAG36150	Heavy Wt. Rug	36"x150'	No	9	55	47	6	1/bale
RAG24150	Heavy Wt. Rug	24"x150'	No	9	37	52	12	1/bale