

# Energy Source Tags

BradyID.com/s35



## Energy Source Tags

Energy source tags can be used to mark your facility's points of control for energy sources. These tags help make the lockout process quicker, safer and easier.

These energy source tags are made of plastic and available with color coded and alpha numeric options. A variety of pre-printed energy source tags are available or they can be customized to meet your specific application.

- 1.5" x 3" tags are constructed with B-401 Rigid Plastic
- Rounded corners and one hole included

## Energy Source Tag Guide

Brady offers a number of options based on your needs. Use the guide below to ensure that you are selecting the appropriate tag based on your application.

Abbr.	Color	Energy Source	Number of Energy Points*
CP	Orange on White	Control Panel	1 thru 5
E	Red on White	Electrical	1 thru 5
G	Purple on White	Gas	1 thru 5
V	Black on White	Valve	1 thru 5
W	White on Green	Water	1 thru 5
S	White on Red	Steam	1 thru 5
S	Black on Orange	Steam	1 thru 5
P	White on Blue	Pneumatic / Air	1 thru 5

\* Choice of numbers supports machines with multiple energy points.

Contact Brady to order custom energy source tags!



Lockout Tagout



### Control Panel

Catalog #	Legend	Picto	Color	Qty.
105634	CP-1	-	Orange on White	5
105674	CP-1	-	Orange on White	25
105635	CP-2	-	Orange on White	5
105675	CP-2	-	Orange on White	25
105636	CP-3	-	Orange on White	5
105676	CP-3	-	Orange on White	25
105637	CP-4	-	Orange on White	5
105677	CP-4	-	Orange on White	25
105638	CP-5	-	Orange on White	5
105673	CP-5	-	Orange on White	25

\* Control Panel tags supplied with an adhesive back.



### Electrical

Catalog #	Legend	Picto	Color	Qty.
105639	E-1	Electric Bolt	Red on White	5
105679	E-1	Electric Bolt	Red on White	25
105640	E-2	Electric Bolt	Red on White	5
105680	E-2	Electric Bolt	Red on White	25
105641	E-3	Electric Bolt	Red on White	5
105681	E-3	Electric Bolt	Red on White	25
105642	E-4	Electric Bolt	Red on White	5
105682	E-4	Electric Bolt	Red on White	25
105643	E-5	Electric Bolt	Red on White	5
105683	E-5	Electric Bolt	Red on White	25

\* Electrical tags supplied with an adhesive back.

# Energy Source Tags

BradyID.com/s35



## Water

Catalog #	Legend	Picto	Color	Qty.
105644	W-1	Spout	White on Green	5
105684	W-1	Spout	White on Green	25
105645	W-2	Spout	White on Green	5
105685	W-2	Spout	White on Green	25
105646	W-3	Spout	White on Green	5
105686	W-3	Spout	White on Green	25
105647	W-4	Spout	White on Green	5
105687	W-4	Spout	White on Green	25
105648	W-5	Spout	White on Green	5
105688	W-5	Spout	White on Green	25



## Valve

Catalog #	Legend	Picto	Color	Qty.
105664	V-1	Spout	Black on White	5
105704	V-1	Spout	Black on White	25
105665	V-2	Spout	Black on White	5
105705	V-2	Spout	Black on White	25
105666	V-3	Spout	Black on White	5
105706	V-3	Spout	Black on White	25
105667	V-4	Spout	Black on White	5
105707	V-4	Spout	Black on White	25
105668	V-5	Spout	Black on White	5
105708	V-5	Spout	Black on White	25



## Steam

Catalog #	Legend	Picto	Color	Qty.
105649	S-1	Single Pressure Steam Gauge	White on Red	5
105689	S-1	Single Pressure Steam Gauge	White on Red	25
105650	S-2	Single Pressure Steam Gauge	White on Red	5
105690	S-2	Single Pressure Steam Gauge	White on Red	25
105651	S-3	Single Pressure Steam Gauge	White on Red	5
105691	S-3	Single Pressure Steam Gauge	White on Red	25
105652	S-4	Single Pressure Steam Gauge	White on Red	5
105692	S-4	Single Pressure Steam Gauge	White on Red	25
105653	S-5	Single Pressure Steam Gauge	White on Red	5
105693	S-5	Single Pressure Steam Gauge	White on Red	25



## Steam

Catalog #	Legend	Picto	Color	Qty.
105659	S-1	Single Pressure Steam Gauge	Black on Orange	5
105699	S-1	Single Pressure Steam Gauge	Black on Orange	25
105660	S-2	Single Pressure Steam Gauge	Black on Orange	5
105670	S-2	Single Pressure Steam Gauge	Black on Orange	25
105661	S-3	Single Pressure Steam Gauge	Black on Orange	5
105671	S-3	Single Pressure Steam Gauge	Black on Orange	25
105662	S-4	Single Pressure Steam Gauge	Black on Orange	5
105672	S-4	Single Pressure Steam Gauge	Black on Orange	25
105663	S-5	Single Pressure Steam Gauge	Black on Orange	5
105673	S-5	Single Pressure Steam Gauge	Black on Orange	25



## Pneumatic / Air

Catalog #	Legend	Picto	Color	Qty.
105654	P-1	Double Pressure Air Gauge	White on Blue	5
105694	P-1	Double Pressure Air Gauge	White on Blue	25
105655	P-2	Double Pressure Air Gauge	White on Blue	5
105695	P-2	Double Pressure Air Gauge	White on Blue	25
105656	P-3	Double Pressure Air Gauge	White on Blue	5
105696	P-3	Double Pressure Air Gauge	White on Blue	25
105657	P-4	Double Pressure Air Gauge	White on Blue	5
105697	P-4	Double Pressure Air Gauge	White on Blue	25
105658	P-5	Double Pressure Air Gauge	White on Blue	5
105698	P-5	Double Pressure Air Gauge	White on Blue	25



## Gas

Catalog #	Legend	Picto	Color	Qty.
105669	G-1	Double Pressure Gas Gauge	Purple on White	5
105709	G-1	Double Pressure Gas Gauge	Purple on White	25
105670	G-2	Double Pressure Gas Gauge	Purple on White	5
105710	G-2	Double Pressure Gas Gauge	Purple on White	25
105671	G-3	Double Pressure Gas Gauge	Purple on White	5
105711	G-3	Double Pressure Gas Gauge	Purple on White	25
105672	G-4	Double Pressure Gas Gauge	Purple on White	5
105712	G-4	Double Pressure Gas Gauge	Purple on White	25
105673	G-5	Double Pressure Gas Gauge	Purple on White	5
105713	G-5	Double Pressure Gas Gauge	Purple on White	25

Lockout Tagout

# Lockout Tags

BradyID.com/s35

## OSHA Lockout Tagout Regulations

The following requirements apply only to tags used as tagout devices (i.e., tags used alone without locks). Tags used in combination with locks are not required to meet the same restrictions as tagout devices.

### Tagout devices must:

- Be provided by the employer
- Be standardized by size, shape or color
- Be distinguishable from tags used for other purposes
- Be understandable to all employees
- Identify the individual who applied the tag
- Withstand the usage environment to which they are exposed for the maximum period of time that exposure is intended. Tag should not deteriorate or the message become illegible when exposed to weather, wet or damp conditions, chemical or corrosive environments.
- Employ a means of attachment that is substantial enough to prevent accidental removal. The means of attachment must be of a non-reusable type, attachable by hand, self-locking, and non-releasable with a minimum unlocking strength of no less than 50 pounds.
- Warn against hazardous conditions if the machine or equipment is energized.
- Tag shall also include a legend such as the following: Do Not Operate, Do Not Start, Do Not Open, Do Not Close, etc.



## Standard Lockout Tags

Communicate safety and lockout information at the point of need with Brady's wide selection of OSHA-compliant Lockout Tagout tags. Brady's Lockout Tags come in a variety of materials and legends to suit your application needs.

### How to Order Tags

1. Select from the materials below based on your application
2. Choose the tag legend for your tag
3. Order by part number for desired reverse side legend

## Available Tag Materials:



### Heavy Duty Polyester (B-837)

- Durable polyester laminate completely encapsulates and protects graphics
- Designed to withstand moisture, grease, chemicals and extreme temperatures
- Accepts pencil, pen and marker. Pen and marker can be completely erased using isopropyl alcohol
- Exceeds OSHA pull requirement withstanding up to 80 lbs of pull force
- 3/8" dia. heavy-duty brass grommet
- Includes OSHA-compliant nylon fasteners
- 2 year outdoor fade resistance



### Economy Polyester (B-851)

- Rigid polyester surface is easy to write on and stays legible longer than cardstock
- Exceeds OSHA 50 lb. pull requirement for tagout devices
- 3/8" dia. rolled brass eyelet accepts most padlock shackles
- Includes OSHA-compliant nylon fasteners
- Provides good outdoor UV resistance
- 3-5 year outdoor fade resistance




### Cardstock (B-853)

- Cost-effective tags designed for one-time use
- Does NOT meet OSHA 50 lb. pull test for tagout devices, but can be used in conjunction with locks (see OSHA Tag Requirements above)
- 3/8" dia. rolled brass eyelet accepts most padlock shackles
- Includes attachment strings

# Lockout Tags

BradyID.com/s35



Catalog #	Reverse Legend	Qty.
<b>Heavy Duty Polyester 5-3/4" x 3"</b>		
65502	Side B	25
65535	Side F	25
65670	Side G	25
<b>Economy Polyester 5-3/4" x 3"</b>		
66050	Side B	25
66051	Side F	25
66052	Side G	25
<b>Cardstock 5-3/4" x 3"</b>		
65407	Side B	25
65408	Side F	25
65440	Side G	25

Catalog #	Reverse Legend	Qty.
<b>Heavy Duty Polyester 5-3/4" x 3"</b>		
65520	Side B	25
65525	Side F	25
65671	Side G	25
<b>Economy Polyester 5-3/4" x 3"</b>		
66063	Side B	25
66064	Side F	25
66065	Side G	25
<b>Cardstock 5-3/4" x 3"</b>		
65451	Side B	25
65452	Side F	25
65453	Side G	25

Catalog #	Reverse Legend	Qty.
<b>Heavy Duty Polyester 5-3/4" x 3"</b>		
65515	Side B	25
65524	Side F	25
133489	Side G	25
<b>Economy Polyester 5-3/4" x 3"</b>		
66061	Side B	25
66062	Side F	25
133490	Side G	25
<b>Cardstock 5-3/4" x 3"</b>		
133491	Side B	25
65450	Side F	25
133492	Side G	25

Catalog #	Reverse Legend	Qty.
<b>Heavy Duty Polyester 5-3/4" x 3"</b>		
65526	Side B	25
65527	Side F	25
133493	Side G	25
<b>Economy Polyester 5-3/4" x 3"</b>		
66066	Side B	25
66067	Side F	25
133494	Side G	25
<b>Cardstock 5-3/4" x 3"</b>		
65454	Side B	25
65455	Side F	25
133495	Side G	25

Catalog #	Reverse Legend	Qty.
<b>Heavy Duty Polyester 5-3/4" x 3"</b>		
65505	Side B	25
65523	Side F	25
133496	Side G	25
<b>Economy Polyester 5-3/4" x 3"</b>		
133497	Side B	25
133498	Side F	25
133499	Side G	25
<b>Cardstock 5-3/4" x 3"</b>		
65445	Side B	25
65446	Side F	25
133544	Side G	25



Catalog #	Reverse Legend	Qty.
<b>Heavy Duty Polyester 5-3/4" x 3"</b>		
65503	Side B	25
65521	Side F	25
133545	Side G	25
<b>Economy Polyester 5-3/4" x 3"</b>		
66053	Side B	25
66054	Side F	25
133546	Side G	25
<b>Cardstock 5-3/4" x 3"</b>		
65441	Side B	25
65442	Side F	25
133547	Side G	25

Catalog #	Reverse Legend	Qty.
<b>Heavy Duty Polyester 5-3/4" x 3"</b>		
65504	Side B	25
65522	Side F	25
133548	Side G	25
<b>Economy Polyester 5-3/4" x 3"</b>		
66055	Side B	25
66056	Side F	25
133549	Side G	25
<b>Cardstock 5-3/4" x 3"</b>		
65443	Side B	25
65444	Side F	25
133550	Side G	25

Catalog #	Reverse Legend	Qty.
<b>Heavy Duty Polyester 5-3/4" x 3"</b>		
133551	Side B	25
133552	Side F	25
133553	Side G	25
<b>Economy Polyester 5-3/4" x 3"</b>		
50198	Side B	25
50199	Side F	25
133554	Side G	25
<b>Cardstock 5-3/4" x 3"</b>		
133555	Side B	25
50250	Side F	25
133556	Side G	25

Catalog #	Reverse Legend	Qty.
<b>Heavy Duty Polyester 5-3/4" x 3"</b>		
65506	Side B	25
65534	Side F	25
133557	Side G	25
<b>Economy Polyester 5-3/4" x 3"</b>		
133558	Side B	25
66060	Side F	25
133559	Side G	25
<b>Cardstock 5-3/4" x 3"</b>		
65447	Side B	25
65448	Side F	25
133560	Side G	25


Catalog #	Reverse Legend	Qty.
<b>Heavy Duty Polyester 5-3/4" x 3"</b>		
133561	Side B	25
50258	Side F	25
133562	Side G	25
<b>Economy Polyester 5-3/4" x 3"</b>		
133563	Side B	25
133564	Side F	25
133565	Side G	25
<b>Cardstock 5-3/4" x 3"</b>		
50261	Side B	25
133566	Side F	25
133567	Side G	25

Lockout Tagout

Can't find what you're looking for?

Call your Brady Representative to find out more about custom solutions.

## Reverse Legend Options



Reverse Side B



Reverse Side F



Reverse Side G

# Lockout Tags

BradyID.com/s35

## Two-Part Perforated Tags

- Two-part tags provide operational control and record-keeping. Stub is removed when tag is attached. Only the employee in possession of the stub has the authority to remove the tag. After the job is done, stub is returned to management for verification and monitoring of Lockout Tagout activity in the plant. Matching identification numbers are printed on each part.
- B-851 - Economy Polyester tags are durable 10 mil-thick polyester making it easy to remove chemicals, grease and grime. Suitable for indoor or outdoor use. 3-5 year outdoor fade resistance. Nylon ties included.
- B-853 - Cardstock tags provide an economical, yet durable material option. Attachment strings included.



PLLT2	7-1/2" x 4"	B-851	25/pk
CLT2	7-1/2" x 4"	B-853	25/pk



PLLT4	7-1/2" x 4"	B-851	25/pk
CLT4	7-1/2" x 4"	B-853	25/pk



## Self-Laminating Photo Tags

- Include employee photos for easy identification and greater impact
- Constructed of durable B-851 polyester
- Available with or without 1 mil polyester overlay on front
- Includes nylon fasteners

Catalog #	Description	Size	Qty.
65500	w/o Laminate	5-3/4" x 3"	10
65501	w/ Laminate	5-3/4" x 3"	10
96222	w/ Laminate	7" x 4"	10

## Lockout Tagout



## Mini Safety Lockout Tags

- Heavy Duty plastic tag includes metal grommet for added durability
- Small 2-1/2" x 2" size makes them ideal for use within electrical panels
- Fasteners sold separately

Catalog #	Description	Size	Qty.
148824	Mini Tag	2-1/2" x 2"	25
81762	Nylon Fasteners	7"	100



## Detachable Key Stub Tags

- Perforated heavy cardstock tag with detachable key stub
- Matching identification numbers printed on each part
- Includes tie strings for tag attachment and 1" dia. ring for attaching stub to key

Catalog #	Legend	Size	Qty.
WKT2	Equipment Locked Out	5-3/4" x 3"	25
WKT3	Do Not Operate	5-3/4" x 3"	25



## Padlock Tags

- Employs 3/8" metal grommet that fits over most padlock shackles
- Dimensions: 3" x 2" (grommet adds another 1" to height)
- Sold individually

Catalog #	Legend	Size	Qty.
105722	Equipment Locked Out	3" x 2" plus grommet	1
105723	Do Not Operate	3" x 2" plus grommet	1
105724	Do Not Operate English/Spanish	3" x 2" plus grommet	1



## Spanish Lockout Tags

- B-837 - Heavy Duty Laminated Polyester tags meet OSHA's 50 lb. pull force requirement and have superior chemical resistance and 2 year outdoor fade resistance. Nylon ties included.
- B-851 - Economy Polyester tags meet OSHA's 50 lb. pull force requirement, have moderate chemical resistance and 3-5 year outdoor fade resistance. Nylon ties included.
- B-853 - Cardstock tags are a economical, yet durable material option. Attachment strings included.



98219 5-3/4" x 3" B-837 25/pk



121514 5-3/4" x 3" B-851 25/pk

Includes self-laminate flap to protect face of tag and photo.



121515 5-3/4" x 3" B-837 25/pk

121516 5-3/4" x 3" B-851 25/pk

121517 5-3/4" x 3" B-853 25/pk



121518 5-3/4" x 3" B-837 25/pk

121519 5-3/4" x 3" B-851 25/pk


121520 5-3/4" x 3" B-853 25/pk



## 1-Pocket Tag Holder

- Clear plastic holder is designed to hold 50 tags, ties and a marking pen (Tags and pen not included)
- Comes with adhesive strips, magnetic strips, and screws for mounting
- Dimensions: 7-1/2"H x 4-1/2"W x 1-1/2"D

Catalog #	Description
TH2	1-Pocket Economy Tag Holder



## Tag Fasteners

- Three fastener styles available to meet every application
- Nylon fasteners meet OSHA requirements for attaching to devices

Catalog #	Description	Qty.
81760	12" 26 Gauge Wire	100
81761	8" Reusable Beaded Ties	100
81762	7" Nylon Fasteners	100



## Pocket Premium Tag Center

- Acrylic center features 8 pockets for displaying and dispensing tags
- Each pocket holds up to 30 tags. Tags not included
- Four pre-drilled holes for wall mounting
- Dimensions: 15-3/4"H x 23-1/2"W x 2"D

Catalog #	Description
TC8	8-Pocket Premium Tag Center



## Magnetic-Backed Protective Envelopes

- Transparent, durable vinyl construction makes it ideal for indoor or outdoor use
- Protects tags and data cards on machinery, valves, switches and more

Catalog #	Size	Qty.
81769	4-1/2" x 6-1/2"	10
81770	5-1/2" x 8-1/2"	10



## 10-Pocket Tag Safety Station

- Made of rugged polycarbonate
- Four pre-drilled holes for wall mounting
- Dimensions: 22"H x 16-1/2"W x 2-1/4"D
- Tags not included

Catalog #	Description
81773	10-Pocket Tag Safety Station



## Zip-Lock Protective Envelopes

- Transparent, durable vinyl construction makes it ideal for indoor or outdoor use
- Protects tags and data cards on machinery, valves, switches and more

Catalog #	Size	Qty.
81765	4-1/2" x 6-1/2" (w/o grommet)	10
81766	4-1/2" x 6-1/2" (w/grommet)	10
81767	5-1/2" x 8-1/2" (w/o grommet)	10
81768	5-1/2" x 8-1/2" (w/grommet)	10