

# Additional Benchtop Printer Materials

BradyID.com/s35

## ▶ Make Your Own Rigid Signs

### Rigid Sign Blanks

- Laminate output using the BLS1255 Laminator.
- These plastic and aluminum blanks are sized to fit output and come in white, yellow and orange.

#### Aluminum Panels (rounded corners/hole punched)

Catalog #	Material	Color	Sign Height	Sign Length	Qty
146083	Aluminum	White	2.5"	6.26"	10
146113	Aluminum	White	2.5"	10.25"	10
13629	Aluminum	White	4.25"	6.25"	10
106461	Aluminum	White	4.25"	10.25"	10
146082	Aluminum	White	4.25"	14.25"	10
13632	Aluminum	White	7.25"	10.25"	10
106460	Aluminum	White	7.63"	10.38"	10
106462	Aluminum	White	10.25"	10.25"	10
13635	Aluminum	White	10.25"	14.25"	10
146116	Aluminum	Yellow	2.5"	6.26"	10
146117	Aluminum	Yellow	2.5"	10.25"	10
13630	Aluminum	Yellow	4.25"	6.25"	10
146114	Aluminum	Yellow	4.25"	10.25"	10
146115	Aluminum	Yellow	4.25"	14.25"	10
13633	Aluminum	Yellow	7.625"	10.375"	10
13636	Aluminum	Yellow	10.25"	14.25"	10
13631	Aluminum	Orange	4.25"	6.25"	10
13634	Aluminum	Orange	7.625"	10.375"	10
13637	Aluminum	Orange	10.25"	14.25"	10

#### Plastic Panels (rounded corners/hole punched)

Catalog #	Material	Color	Sign Height	Sign Length	Qty
146076	Plastic	White	2.5"	6.25"	10
146077	Plastic	White	2.5"	10.25"	10
13620	Plastic	White	4.25"	6.25"	10
146074	Plastic	White	4.25"	10.25"	10
146075	Plastic	White	4.25"	14.25"	10
13623	Plastic	White	7.63"	10.38"	10
146080	Plastic	Yellow	2.5"	6.25"	10
146081	Plastic	Yellow	2.5"	10.25"	10
13620	Plastic	Yellow	4.25"	6.25"	10
146078	Plastic	Yellow	4.25"	10.25"	10
146079	Plastic	Yellow	4.25"	14.25"	10
13622	Plastic	Orange	4.25"	6.25"	10
13625	Plastic	Orange	7.63"	10.38"	10
13628	Plastic	Orange	10.25"	14.25"	10



#### Clear acrylic panels with pressure sensitive adhesive

- Use to mount output behind a clear panel to add rigidity while protecting the graphics...polished finish for office areas.
- Sign panel and overlamine in one step

Catalog #	Material	Color	Size Inch	Qty. Per Package
13638	Acrylic	Clear	4" x 6"	10
106464	Acrylic	Clear	4.25" x 10.25"	10
13639	Acrylic	Clear	7.25" x 10"	10
106463	Acrylic	Clear	7.25" x 10.25"	10
13640	Acrylic	Clear	10" x 14"	10
106465	Acrylic	Clear	10.25" x 10.25"	10



Laminates documents up to 12" wide

### BLS1255 Laminating System

Quickly mount output to plastic or aluminum sign blanks...takes only seconds! Without heat, electricity or messy chemicals.

#### Three Laminating Options:

- Mount label to a rigid plastic or aluminum sign panel
- Mount label behind a rigid, clear acrylic sign panel to add rigidity while protecting the graphics...polished look for office areas
- Overlamine documents with a single or double-sided flexible, clear overlamine

Catalog #	Description
105038	BLS1255 Laminating System
105041	12" x 50' Double-sided polyester overlamine

# Additional Benchttop Printer Materials

BradyID.com/s35

## ▶ Make Your Own Valve Tags

### Rigid Plastic Valve Tags

- Print labels on your Brady printer, and apply to these durable plastic tags for a custom tag solution
- Withstands temps -40°F (-40°C) to 180°F (82°C)

#### Tag Size

**2.1" x 3.6" Tag** accepts labels 1.5" x 3" or smaller  
**3.1" x 4.6" Tag** accepts labels 2.5" x 4" or smaller



Choose from 10 different colors!

Catalog #	Color	Tag Size	Recessed Area for Label
87696	White	2.1" x 3.6"	1.5" x 3"
87697	White	3.1" x 4.6"	2.5" x 4"
41922	Yellow	2.1" x 3.6"	1.5" x 3"
41923	Yellow	3.1" x 4.6"	2.5" x 4"
41924	Red	2.1" x 3.6"	1.5" x 3"
41925	Red	3.1" x 4.6"	2.5" x 4"
41926	Blue	2.1" x 3.6"	1.5" x 3"
41927	Blue	3.1" x 4.6"	2.5" x 4"
41928	Green	2.1" x 3.6"	1.5" x 3"
41929	Green	3.1" x 4.6"	2.5" x 4"
87694	Orange	2.1" x 3.6"	1.5" x 3"
87695	Orange	3.1" x 4.6"	2.5" x 4"
87712	Tan	2.1" x 3.6"	1.5" x 3"
87713	Tan	3.1" x 4.6"	2.5" x 4"
87710	Brown	2.1" x 3.6"	1.5" x 3"
87711	Brown	3.1" x 4.6"	2.5" x 4"
87698	Gray	2.1" x 3.6"	1.5" x 3"
87699	Gray	3.1" x 4.6"	2.5" x 4"
41920	Black	2.1" x 3.6"	1.5" x 3"
41921	Black	3.1" x 4.6"	2.5" x 4"
142133	Variety Pack*		-

\* Variety Pack combines 30 tags including at least one of each size and color. Perfect for evaluating which sizes and colors you need.

## ▶ Labels Sized to Fit These Tags



**B30 Series Tag Labels**  
See page 395

**GlobalMark®2 Tag Labels**  
See page 438

Benchttop Printers



### Fastening Devices

- 32 mil stainless steel safety wire to be used with wire twister pliers.

Catalog #	Description	Length
15424	Stainless Steel Safety Wire	1800 ft



### Quik-ApPLY™ Nylon Straps


- Can be used with a variety of tags including valve and lockout/tagouts

Catalog #	Outside Dia.	Strap Length
91165	1"	6"
91166	2"	7"

# Additional Benchtop Printer Materials

BradyID.com/s35

## ▶ Make Your Own Pipe Markers



### BradySnap-On™ Pipe Markers

- Blank Brady Snap-On™ Pipe Markers accept self-sticking pipe markers produced on your Brady printers
- Pre-coiled to snap around pipe

Catalog #	Color	For Outside Diameter Inch (mm)	Length of Marker Inch (mm)
4010-A	Yellow	0.750 - 1.375 (19.1 - 34.9)	8.000 (203.2)
42304	Yellow	1.125 - 2.375 (28.6 - 60.3)	16.000 (406.4)
4010-B	Yellow	1.500 - 2.375 (38.1 - 60.3)	9.000 (228.6)
4010-C	Yellow	2.500 - 3.875 (63.5 - 98.4)	13.000 (330.2)
4010-D	Yellow	4.000 - 6.000 (101.6 - 152.4)	21.000 (533.4)
4011-A	Green	0.750 - 1.375 (19.1 - 34.9)	8.000 (203.2)
42301	Green	0.750 - 1.375 (19.1 - 34.9)	16.000 (406.4)
42305	Green	1.125 - 2.375 (28.6 - 60.3)	16.000 (406.4)
4011-B	Green	1.500 - 2.375 (38.1 - 60.3)	9.000 (228.6)
4011-C	Green	2.500 - 3.875 (63.5 - 98.4)	13.000 (330.2)
4011-D	Green	4.000 - 6.000 (101.6 - 152.4)	21.000 (533.4)
4012-A	Red	0.750 - 1.375 (19.1 - 34.9)	8.000 (203.2)
42302	Red	0.750 - 1.375 (19.1 - 34.9)	16.000 (406.4)
42306	Red	1.125 - 2.375 (28.6 - 60.3)	16.000 (406.4)
4012-B	Red	1.500 - 2.375 (38.1 - 60.3)	9.000 (228.6)
4012-C	Red	2.500 - 3.875 (63.5 - 98.4)	13.000 (330.2)
4012-D	Red	4.000 - 6.000 (101.6 - 152.4)	21.000 (533.4)
4013-A	Blue	0.750 (19.1) - 1.375 (34.9)	8.000 (203.2)
42303	Blue	0.750 (19.1) - 1.375 (34.9)	16.000 (406.4)
42307	Blue	1.125 - 2.375 (28.6 - 60.3)	16.000 (406.4)
4013-B	Blue	1.500 - 2.375 (38.1 - 60.3)	9.000 (228.6)
4013-C	Blue	2.500 - 3.875 (63.5 - 98.4)	13.000 (330.2)
4013-D	Blue	4.000 - 6.000 (101.6 - 152.4)	21.000 (533.4)

\*outside diameter includes pipe O.D. plus any insulation.



### Blank HPHV Carrier

- Ideal for marking custom markers on the spot
- Fiberglass carrier is blank (no label) and comes with two clips for installation
- Sized to accommodate the largest ASME (ANSI) requirements


Catalog #	Description	Size
59918	Blank HPHV Carrier	4.25" x 32"

### Brady Strap-On™ Pipe Markers

- Blank Brady Strap-On Pipe Markers accept self-sticking pipe markers produced on your Brady printers
- Includes nylon straps

Catalog #	Color	For Outside Diameter Inch (mm)	Length of Marker Inch (mm)
4010-F	Yellow	6.000 - 7.875 (152.4 - 250.8)	8.000 (203.2)
4010-G	Yellow	8.000 - 9.875 (203.2 - 258.0)	10.000 (254.0)
4010-H	Yellow	10.000 - 15.000 (254.0 - 381.0)	32.000 (812.8)
4011-F	Green	6.000 - 9.875 (152.4 - 250.8)	12.000 (304.8)
4011-G	Green	8.000 - 9.875 (203.2 - 258.0)	10.000 (254.0)
4011-H	Green	10.000 - 15.000 (254.0 - 381.0)	32.000 (812.8)
4012-F	Red	6.000 - 9.875 (152.4 - 250.8)	12.000 (304.8)
4012-G	Red	8.000 - 9.875 (203.2 - 258.0)	10.000 (254.0)
4012-H	Red	10.000 - 15.000 (254.0 - 381.0)	32.000 (812.8)
4013-F	Blue	6.000 - 9.875 (152.4 - 250.8)	12.000 (304.8)
4013-G	Blue	8.000 - 9.875 (203.2 - 258.0)	10.000 (254.0)
4013-H	Blue	10.000 - 15.000 (254.0 - 381.0)	32.000 (812.8)

\*outside diameter includes pipe O.D. plus any insulation.



### Blank High Performance Wrap-Around Pipe Marker

- Create custom Wrap-Around Pipe Markers with your printer
- Self-adhesive strip holds pipemarker securely in place
- Service temp: -40°F (-40°C) to 248°F (120°C)

Catalog #	Color	Fits Pipe Outside Diameter Inch (mm)
5600-I	Blue	1.500 - 2.375 (38.1 - 60.3)
5600-II	Blue	2.500 - 7.875 (63.5 - 200.0)
5603-I	Yellow	1.500 - 2.375 (38.1 - 60.3)
5603-II	Yellow	2.500 - 7.875 (63.5 - 200.0)
5602-I	Red	1.500 - 2.375 (38.1 - 60.3)
5602-II	Red	2.500 - 7.875 (63.5 - 200.0)
5601-I	Green	1.500 - 2.375 (38.1 - 60.3)
5601-II	Green	2.500 - 7.875 (63.5 - 200.0)