

Professional Fingerprint Card Access Control Reader



Features:

- Small in size and compact in design. Can be easily installed on doorframe
- New generation fully sealed, waterproof and dustproof fingerprint sensor. BioNano core fingerprint algorithm
- Steady 2011 version algorithm platform for T&A and access control, high performance and reliability
- Easy user enrollment on the unit via Master Card or in the management software on computer
- Identification method: fingerprint, card, fingerprint + card
- RFID, Mifare card module. Compatible with industrial standard
- Fingerprint Storage Capacity: 1000
- Communicate with computer via TCP/IP and RS485, Mini USB port
- Direct lock control and door open sesor as a standlone access controller
- Standard Wiegand26 output to connect with standard access controller
- Encrypted wiegand output to connect with Anviz simple access controller SC011

Specification:

Model:	EP-FR3
Sensor:	AFOS300 Optical Sensor
Sensor Wake Up Mode	Infrared Auto Wakeup Sensor
Scan Area	22mm*18mm
Resolution	500 DPI
Fingerprint Capacity	1000
Log Capacity	50000
Identification Mode	FP,Card,FP+Card,
Identification Time:	<0.5
FRR/FAR	0.001% / 0.00001%
Card Reader Module	EM RFID Optional Mifare Card
Communication Interface	TCP/IP Networking USB plug&play
Size	145mm*55mm*37mm L*W*H



www.jantech.com.my