

IHD60MS

HYBRID SERIES

MULTI-PLATFORM AHD INFRA RED DOME CAMERA

KEY FEATURES

- 1/2.8" Sony Starvis IMX291
- Multi-Platform (AHD, CVI, TVI and Analogue)
- Indoor application
- High Definition resolution 1920×1080
- Super Low Lux
- 3.6mm fixed lens
- Max. transmission distance up to 500 meters
- 24 IR LEDs
- 20m IR range
- 0.01 Lux @ F1.2, 0 Lux (IR On)
- IR-CUT optical filter technology
- IP67 Rating



Day & Nite



Infra Red



1080P



STARVIS

TECHNICAL SPECIFICATIONS

Image Sensor	1/2.8" Sony Starvis IMX291
Processor	NVP2441H
Scanning System	Progressive scan method
Resolution	2.0MP
Effective Pixels	1920*1080
Image System	PAL/ NTSC
Electronic Shutter	4/25s~1/45,000s
Min. Illumination	0.01 Lux @ F1.2, 0 Lux (IR On)
Video Output	1CH AHD /TVI /CVI / CVBS output
S/N Ratio	More than 50dB (AGC off)
Gamma Correction	0.45
Lens	Fixed Lens 3.6mm
IR LED	24 nos
IR Distance	20M
Working Temperature	-20°C ~ 50°C
Storage Temperature	-30°C~60°C
Humidity	20%~90%
Power Consumption	12VDC±10%

IMAGE SETTING

Lens	Manual / DC (Indoor/Outdoor)
Exposure	Shutter, AGC, Sens-Up, Brightness, D-WDR, Defog
Backlight	Off / BLC / HSBLC
White Balance	ATW / AWC / Indoor / Outdoor / Manual / AWB
Day & Night	EXT / Auto / Color / BW
NR	2DNR, 3DNR
Special	Cam Title, D-Effect, Motion, Privacy, Language, Defect, RS485
Adjust	Sharpness (Auto / Off), Monitor (LCD / CRT), LSC, Video Out
Reset	Yes

