
Grade 60 Concrete Spacer



Cube1 30 days aged In-house test result





Cube2 30 days aged In-house test result





Third Party Test Report - 20 days aged



GEOLAB (M) SDN. BHD. (Reg. No.: 210351-V) Foundation, Soil & Concrete Specialists.

Foundation, Soil & Concrete Specialists.


102 No. 16. 45 ft. Julian Union 15. Tamen Perring, 8100 John Bahru, John Maleysia.
Tet. 4607-441 9502 / 607-241 1960 Fax. 4607-241 9801
Ernati geobab@geoloba-beh dorn Williams away geobab-deh-don com
Op Cff No. 380-390-A, Jalan Simbaru, Tamen Perring, 8120 John Bahru, John Maleysia.
Tet. 4607-246 4912 (22) 9614 Fax. 4607-234 4931 (22) 983
Cube Cff No. 2, Jalan Union 16, Taman Perring, 81200 John Bahru, John 1667-8x. 4607-245 1903

No: F19288/22

					T	EST F	REPO	RT												
	EAI N			BS EN 12				12390 : Part	7: 2019) 50m	RETE m x 50mm	x 50mm									
Customer:								Nominal Size												
NO.37, JALAN BAKAWALI 41, TAMAN JOHOR JAYA, B1100 JOHOR BAHRU, JOHOR								Design Mix:												
								Water Cemei	st Ratio :											
Projec	, MON	THLY CON	CRETE CU	BE TEST	FOR CO	NCRETE	SPACER	09/27:												
CUBE SPACER Location of Structures : SITE MIX Concrete Cube Supplier :								Type of Cement:												
								Fine Aggregate: Coarse Aggregate: Admixture (if any):												
													Remarks:							
								Date I	Received	17-0	ct-22									
Lab Ref.	Client Ref.	Date Casted	Date Test	Age (Days)	Cube I	Dimensio	ns (mm)	Weight (kg)	Density(1) (kg/m³)	Load (kN)	Strength (N/mm²)									
1		27-Sep-22	17-0ct-22	20	50	50	50	0.25	2000	114.8	45.92	A								
2		27-Sep-22	17-Oct-22	20	50	50	50	0.28	2240	144.9	57.96	Α								
3		27-Sep-22	17-0ct-22	20	50	50	50	0.26	2080	106.2	42.48	Α								
										AVE: 48.79										
* Figure A	, B, C, - Selle/	ctory fellures	* Figure 1 to 9 - 9	one unsatisfacts	ry failures (T = 1	Tensile Crack)		. ~	07 A	2										
wr		A	m.	9 , 6	1 2	D, S	D , E			ESSION	AL ENC	×/								
Note	(1)	-							6	auth rized	Signatoric	res								
Dens	ity of cor	crete cube	y Losenson						0	E/ C	VIC \	70								
		calculation ement meth	4.5						lr.	KOGKI	EAN SIA	NG								

White : Customer Copy Yellow : Customer Copy Blue : Account Copy Green : Second Y 5

Concrete Spacer 50mm x 50mmx 50mm Weight 273g



Tooling for Concrete Spacer

