



About Philips Digital Door Lock

Philips Digital Door Lock is a new product category of Royal Philips. Driven by the perception of "Human centric innovation", Philips digital door locks aim to evolve the use of traditional door locks through advanced technologies and offer the end users a hassle-free, convenient and reassuring home entry experience that meets their needs in all aspects.

Since the brand release, Philips Digital Door Lock has always been digging deep into its users' diverse demands and adhering to the ambition of simplifying people's way of living with constant and significant innovation. The product portfolio now covers 5 series (9000 series push-pull lock, 7000 series lever lock, Alpha series compact push-pull lock, 6000 series engineering lock, and 5000 series rim lock) and includes 7 models, which form a complete and mature system applicable to extensive scenarios.

As a member of the world-renowned Philips family, Philips Digital Door Lock endeavors to provide customers and consumers with industry-leading international standard services at all stages. Based on the idea of solving problems at the first time, the nation-wide after-sales servicing network comprises not only 24-hour free service hotline, but also the capability of executing immediate door-to-door repair.

Now, throw away your keys and get ready to embrace a new level of convenience and peace of mind with Philips EasyKey!



Trusted and reliable performance

Enjoy your family life in comfort and security









Safe handle



C-class lock cylinder



Various ways of unlocking



Dual verification mode



Free lever handle



Universal



Specifications

General Characteristics		Modes		Key Features	
Material	Aluminum alloy	Operation mode	Manual mode	Lock	Indoor deadlock
Finishing	Electroplating		· · · · · · · · · · · · · · · · · · ·		System lock
	Baking varnishing	System unlock mode	General mode	Safety	Hidden PIN code
Color	Sliver/Copper	Dual verification mode		Outside forced lock mode	
Handle	Lever handle	Electrical Power			Dual verification
Mortise	Electronic mortise	Working power supply	4 AA batteries	Alarm	Anti-prying alarm
C	-grade lock cylinder	Battery life	10 months*	Mecha	nical key unlocking alarm
Fingerprint sensor	Semiconductor	Emergency charging	5V power bank	Emergency es	cape Indoor fast
Connection		Operating Environment			opening mortise
Access Solution		Working voltage	4.5~6V	Update OTA or serial interface update	
Outside unlocking	Fingerprint	Static working	<45uA	Indicator	Low battery indicator
	PIN code	current			Lock status indicator
	Card	Dynamic working	<35mA		Mute status indicator
	Mechanical key	current			System lock indicator
	8 7 - 87	Temperature	-20°C~+60°C	Voice guide	Human voice guide
Inside unlocking	Handle	Humidity	15%RH-93%RH		
	(5 0	Installation Requirements			
	-	Door thickness	38-60mm		
Capacity			60-90mm		
Fingerprint	100		90~120mm		
Card	100		Other range*		
Master PIN code	1	Door opening	Left-in/Left-out/		
User PIN code	10	direction	Right-in/Right-out		
One-time PIN code	1	Doortype Woode	n/Copper/Security		

^{*10} months: The laboratory data, the actual battery life will vary depending on the using scenes.

^{*} Other range: Please consult our service agent or an authorized dealer.



Smart Door Lock Solution Full smart life starts from here





© 2021 Koninklijke Philips N.V. All rights reserved. Philips EasyKey reserves the right to make changes in specifications and/or to discontinue any product at any time without notice or obligation and will not be liable for any consequences resulting from the use of this publication.