

**PHILIPS**

EasyKey



**Change,**  
at your fingertips.



# EasyKey

Philips Digital  
Door Locks

**Premium quality originated in  
the Netherlands**

Innovation defines intelligence  
Elaboration brings reassurance

## About Philips Digital Door Lock

Philips Digital Door Lock is a new product category of Royal Philips. Driven by the perception of “Human centric innovation”, Philips digital door locks aim to evolve the use of traditional door locks through advanced technologies and offer the end users a hassle-free, convenient and reassuring home entry experience that meets their needs in all aspects.

Since the brand release, Philips Digital Door Lock has always been digging deep into its users’ diverse demands and adhering to the ambition of simplifying people’s way of living with constant and significant innovation. The product portfolio now covers 5 series (9000 series push-pull lock, 7000 series lever lock, Alpha series compact push-pull lock, 6000 series engineering lock, and 5000 series rim lock) and includes 7 models, which form a complete and mature system applicable to extensive scenarios.

As a member of the world-renowned Philips family, Philips Digital Door Lock endeavors to provide customers and consumers with industry-leading international standard services at all stages. Based on the idea of solving problems at the first time, the nationwide after-sales servicing network comprises not only 24-hour free service hotline, but also the capability of executing immediate door-to-door repair.

Now, throw away your keys and get ready to embrace a new level of convenience and peace of mind with Philips EasyKey!

# PHILIPS

## EasyKey

9000 series

Smart push-pull  
door lock

9300

## Your entrance to smart life

Smart control via remote  
access



Copper



PIN code  
distributing



Access record  
query



Indoor infrared  
sensor



Dual verification  
mode



Intuitive  
fingerprinting



Automatic  
locking



## Specifications

General Characteristics		Modes		Key Features	
Material	Aluminum alloy, glass	Operation mode	Manual mode	Lock	Indoor deadlock
Finishing	Electroplating		Auto mode		System lock
	Baking varnishing	System unlock mode	General mode	Safety	Hidden PIN code
Color	Copper		Dual verification mode		Outside forced lock mode
Handle	Push-pull handle	<b>Electrical Power</b>			Dual verification
Mortise	Full auto mortise	Working power supply	4 AA batteries	Alarm	Anti-prying alarm
	C-grade lock cylinder	Battery life	10 months*		Outside forced lock alarm
Fingerprint sensor	Semiconductor	Emergency charging	5V power bank		Abnormal latch bolt alarm
Connection	Gateway	<b>Operating Environment</b>		Remote	Unlock when link
<b>Access Solution</b>		Working voltage	4.5-6V	controlling	with smart door viewer*
Outside unlocking	Fingerprint	Static working	<110uA		Add PIN codes
	PIN code	current	(With gateway)		Door lock parameter settings
	Card	Dynamic working	<50mA	Emergency escape	Indoor fast
	Mechanical key	current	(With gateway)		opening mortise
Inside unlocking	App	Temperature	-20°C~+60°C	Update	OTA or serial interface update
	Knob	Humidity	15%RH-93%RH	Indicator	Low battery indicator
	Button	<b>Installation Requirements</b>			Lock status indicator
	Infrared induction	Door thickness	38-60mm		Mute status indicator
<b>Capacity</b>			60-90mm		System lock indicator
Fingerprint	100		90-120mm		Outside forced lock indicator
Card	100		Other range*		Indoor infrared unlocking indicator
Master PIN code	1	Door opening	Left-in/Left-out/	Open/Close infrared unlocking indicator	
User PIN code	10	direction	Right-in/Right-out	Voice guide	Human voice guide
One-time PIN code	1	Door type	Wooden/Copper/Security		

\* 10 months: The laboratory data, the actual battery life will vary depending on the using scenes.

\* Other range: Please consult our service agent or an authorized dealer.

\* Smart door viewer: The Philips smart door viewer needs to buy separately.



# Smart Door Lock Solution

Full smart life starts from here





© 2021 Koninklijke Philips N.V. All rights reserved. Philips EasyKey reserves the right to make changes in specifications and/or to discontinue any product at any time without notice or obligation and will not be liable for any consequences resulting from the use of this publication.