

Elevate expectations.

The Mach 200 is a flexible and practical waterjet solution, specifically engineered to deliver value, reliability, and performance. Get capabilities often reserved for elite waterjet systems at an incredible value with the Mach 200.

Where value meets performance

BENEFITS

- 3-sided access for easy loading and unloading of materials
- Pivot+ Waterjet for competitive bevel cutting
- Flexible and versatile, easily adapting to application requirements
- Options and configurations to match your needs



FLEXIBLE SOLUTION FAST ROI

Featuring tried and true genuine Flow waterjet technology throughout, the Mach 200 is purposefully crafted to provide high value features and benefits at an entry level price point. Modern electrical systems and the latest generation Flow software create a fast ROI and reliable operation.

PIVOT+™ WATERJET BEVEL CUTTING

With the all new Pivot+™ Waterjet for bevel cutting and taper control the Mach 200 allows you to confidently take on more advanced waterjet applications. Get the best cut from our robust and compact bevel solution, designed by the same engineers who developed Dynamic Waterjet XD® (our premier 5 axis solution).

GENUINE FLOW SUPPORT

The Mach 200 is backed by FlowCare, Flow's support and service offerings. We're dedicated to improving customer uptime, and delivering programs that offer worry-free operation. FlowCare programs are available at three levels of support to keep your system running prime.

Mach 200

As the world leader and inventor of waterjet, Flow is the only supplier who researches, designs, and manufactures the entire waterjet system. This unique blend of industry leading waterjet capability and customer commitment allows us to deliver an unparalleled waterjet solution.

Elevate Expectations.



SPECIFICATIONS & CONFIGURATIONS

Linear Straightness Accuracy $\pm 0.0037 \text{ in/3ft } / \pm 0.095 \text{ mm/m}$ 400 in/min / 10 m/min Rapid Traverse Maximum ± 0.0025 in / ± 0.064 mm Repeatability — 8 in / 203 mm Z Travel 4.3 ft, 6.6 ft / 1.3 m, 2 m Base Bridge 4.3 ft, 10 ft, 13 ft, 24 ft / 1.3 m, 3 m, 4 m, 7.3 m Acceleration - $0.05 \, q$ Ball Bar Circularity ± 0.0038 in / ± 0.095 mm



ULTRAHIGH-PRESSURE PUMPS

Direct Drive rated at 60,000 psi [4,150 bar] Intensifier rated at 60,000 psi [4,150 bar]



SOFTWARE

FlowXpert® 3D CAD/CAM Package FlowMaster® CAD/CAM Package FlowCode™ G-Code Converter FlowNest™ CATIA Compatibility Package



CUTTING HEAD OPTIONS

Pure Waterjet Standard Abrasive Waterjet Pivot+™ Waterjet



ANCILLARY OPTIONS

Roll-Around Control
Paser CF-900 Continuous Feed Hopper
UltraPierce™ Vacuum Assist
Abrasive Removal System
Closed Loop Water System
Spray Containment Shields
ProXtract™Part Extractor

elevate expectations.

Contact Us 253.850.3500 1.800.446.FLOW info@flowcorp.com

Flow Worldwide Headquarters 23500 64th Avenue South Kent, Washington 98032 USA

