

A member Of Advanced Product Group

TechHaus

Cutting Edge Technology™



YOUR ONE STOP HVAC SOLUTION

HQ OFFICE :

No. 16, Jalan Sungai Jeluh 32/192, Nouvelle Kemuning Industrial Park, Seksyen 32, 40460 Shah Alam, Selangor, Malaysia.

TechHaus Sdn. Bhd. (793973-V)

 TechHaus HVAC
 techhaus_malaysia
 techhaus.advpg.com
 enquiry@techhaus.advpg.com



SCAN ME 

PENANG OFFICE :

No. 16,
Lorong Sungai Lokan 3/5,
Sungai Dua,
13800 Butterworth,
Pulau Pinang.

JOHOR OFFICE :

No. 103,
Jalan Permatang,
Taman Desa Jaya,
81100 Johor Bahru,
Johor.

KUANTAN OFFICE :

B-36 (Ground Floor),
Jalan Gebeng 2/6,
Pusat Perindustrian
Gebeng,
26080 Kuantan,
Pahang.



- Series 41 Analog Manifold
- TITANMAX™ Digital Manifold
- Superevac® Plus II Vacuum Pumps
- Core Removal / Torque Tools
- YJACK Press® Pressure Gauge
- YJACK AMP® Current Probe
- YJACK DEW® Psychrometer
- YJACK® Temperature Clamp
- Max - Flow™ Deluxe Oil Pump
- YJACK VAC® Vacuum Gauge



ALUXCOR



- Harris 0, Stay-Silv 2, 5, 15
- Safety-Silv 35, 45, 56
- Blockade
- Dynaflow
- Aluxcor (Aluminium Brazing)
- ECO Smart Flux
- Stay Silv White Flux
- Stay Silv Black Flux
- Stay Silv White Powder Flux
- Regulator (O₂, CO₂, H₂, N₂, AC & etc.)
- Cutting & Brazing Torch

MUELLER REFRIGERATION

MUELLER STREAMLINE CO.



- CYCLEMASTER® Ball Valves
- SAFETYMASTER® Pressure Relief Valves
- DRYMASTER® Filter Driers
- DRYMASTER® Filter Core
- DRYMASTER® Replaceable Core Shells
- Sight Glass / Moisture Indicators - Hermetically Sealed
- Copper Tube & Fittings



THE MEASURABLE DIFFERENCE



- Refrigerant Gas Leak Detector
 - H-10 Pro
 - H25-IR PRO
 - The Informant 2 (Combustible Refrigerant)
- Fixed Gas Leak Detector
 - MGS-450
 - MVR-300

TEKEDGE



- Mapp Gas
- Nitrogen Regulator
- Nitrogen Purge Tool
- Battery Vacuum Pump
- Vacuum Pump
- Recovery Machine
- Solenoid Service Magnet

MANCHESTER TANK



Refrigerant Recovery Cylinders

- 15 lbs
- 30 lbs
- 50 lbs
- 123 lbs
- 250 lbs

RECTORSEAL



- Tru-Blu Thread Sealant
- A/C Pan Treatment
- Better Bubble (Leak Locator)

DIVERSiTECH



- Acid Test Kits
- Spin Flaring Tools
- Spin Swaging Tools
- Coil Cleaner System
- SpeedyFoam



GOODWAY



- Portable Chiller Tube Cleaner (IRAM-EX-100)
- Chiller Tube Cleaner (RAM-4)
- Tube Cleaner, Air Powered (AWT-100)
- Commercial Vapor-Steam Cleaner (Jupiter Plus Pro)
- Tube Cleaning Brush
- Flexible Shaft

WIPCOOL®



- Condensate Pump - P12, P18, P180
- S Series DC Vacuum Pump
- F Series A2L Vacuum Pump
- Cordless Vacuum Pump
- Steam Coil Cleaning Machine - C30S
- Coil Cleaning - C10BW, C28T
- Tube Cleaning - CT370
- Tubing Cutter, Bender, Expander
- Flaring Tool
- Recovery Machine - MRM55
- Oil Charging Pump - R2, R4, R6
- Measuring Equipment
 - Anemometer
 - Multimeter
 - Clamp Meter
 - Infrared Thermometer



- Q Frame Motor
- C Frame Motor
- EC Fan & Motor
- AC Axial Fan
- DC Axial Fan
- Large Axial Fan

WEICON®



- Leak Detection Spray
- W44T Multi Lubrication Spray
- Zinc Spray / Galva Spray
- Repair Stick
- Thread Locker
- Cleaner & Degreaser Spray
- Allround Sealing Spray



**OXYHYDROGEN
Gas Generators**



- Gas Generators - Oxygen & Hydrogen brazing machine



KANOMAX
The Ultimate Measurements



- Anemometer
- Handheld Particle Counter
- Duct Air Leakage Tester
- TABmaster™ Capture Hood
- Handheld Odor Meter (Omx Series)
- High Temperature Anemometer



SUZUKI SEIKO CO.,LTD.



- SE-II Gas Saver with nitrogen solenoid control valve
- Valveless Torch
- Brazing Tip (Acetylene / LPG)



- Environmental Meters
- Whirling Hygrometer
- Industrial V-Line Thermometer
- Electronic Max Min Hygrometer
- IR Thermometer
- Sound Level Meter
- Lux Meter
- Legionella kit
- Digital Meters
- Pressure Gauges
- Pocket Thermometer

AZ
INSTRUMENT



- Data logger
 - Dry Ice Temperature
 - Ultra Low Temp. Recorder
 - Large Display Temp. RH
- Dissolved Oxygen Pen
- Anemometer
 - Hot Wire
 - Vane Blade
- Sound Level Meter
- Humidity Temp. Monitor
- Digital Hygrometer

BVA



- Synthetic Compressor Oil (POE)
 - 22, LT32, 68, 120, 170, 220, 320
- Mineral Oil
 - 3G Super, 4G Super, 5G Super
- Vacuum Pump Oil - VAC 235

Note : All POE lubricants are packed in steel packaging to prevent product degradation.

ROTHENBERGER
pipetool technologies at work



- ROTEST
- Flame Retardant Mat
- ROMAX 4000
- R600 Drain Cleaning Machine
- Minicut 2000
- ROLOCK Expander

ST ALBANS



- Compressor Lubricant
 - Mineral Oil - 3GS, 4GS, 5GS
 - POE Oil - 32, 68, 120, 170
 - PAG Oil - 46
- Super Dye UV Leak Detector
- Leak Stop
- Leak Sealer Kit