











AUDIO VISUAL & KEYPHONE PRODUCTS PRICE LIST - MARCH 2017

*Price / specification / design subject to change without prior notice. All price subject to Cash & Carry only

PICTURE	ITEM DESCRIPTION	MODEL	PRICE		
	NEC Value Projectors *Back-to-back order* VE280: 2800 Ansi Lumens; 800x600dpi (SVGA) VE281X: 2800 Ansi Lumens; 1024x768dpi (XGA); HDMI Eco Mode: 6000 hours max, Weight 2.3kg, 7W Speaker 3 years warranty; 1000 hours on lamp / 12 months (whichever comes first)	VE280 VE281X	3020.80 3802.43		
	Projection Screens *Certain sizes require Back-to-back order*				
	Manual Wall Screen (Pull-Down) 70" x 70" (6ft x 6ft) Size 84" x 84" (7ft x 7ft) Size 96" x 96" (8ft x 8ft) Size 120" x 120" (10ft x 10ft) Size	AB70x70W AB84x84W AB96x96W AB120x120W	350.90 606.10 693.83 1459.43		
		Tripod Screen (Portable & Foldable) 60" x 60" (5ft x 5ft) Size 70" x 70" (6ft x 6ft) Size 84" x 84" (7ft x 7ft) Size 96" x 96" (8ft x 8ft) Size	AB60x60T AB70x70T AB84x84T AB96x96T	390.78 494.45 661.93 893.20	
			Motorised Screen *Back-to-back order*; comes with Wireless Remote Control 70" x 70" (6ft x 6ft) Size 84" x 84" (7ft x 7ft) Size 96" x 96" (8ft x 8ft) Size 120" x 120" (10ft x 10ft) Size 144" x 144" (12ft x 12ft) Size	AB70x70M AB84x84M AB96x96M AB120x120M AB144x144M	1036.75 1291.95 1539.18 2296.80 3229.88
				Universal Projector Ceiling Mount Kit Ceiling-mount capability Adjustable length up to 817mm (32.17") Extremely flexible design allow to fit almost all popular projectors Quick release universal mount for projector 60 degrees rotate for projector +/- 20 degrees tilt and roll for projector Pitching upwards and downwards up to 20 degrees Cable-routing channel for a clean look Gross Weight: 2.7kg Gross Dimension: 420 x 200 x 120)mm (16.5" x 8" x 5") Expendable Length with Optional Rod: (900)mm. Diameter 38mm and 42mm Load Capacity: 15kg; Colour: Black or Silver (depending on availability)	AV815

PICTURE	ITEM DESCRIPTION	MODEL	PRICE
	Extension Rod for AV815 Projector Mount Kit 3 feet length; Φ 42mm; to replace the lower rod Able to stack multiple rods & poles to achieve longer length Colour: Black or Silver (depending on availability)	3FT-ROD	122.72
	Extension Pole for AV815 Projector Mount Kit 3 feet length; Φ 38mm; to replace the upper pole Able to stack multiple rods & poles to achieve longer length Colour: Black or Silver (depending on availability)	3FT-POLE	122.72
	Ceiling-mount capability Tilt: +/- 20° Swivel +/- 30° Material: SPCC with coating finished (seamless pipe) Colour: Black Load Capacity: 13.6kg	NBT717M	141.60
	VGA Plastic Faceplate with Stereo Plug Ready-made; just plug-n-play (does not require soldering) Comes with 3"x3" PVC back box	AV200FP	132.16
	VGA Faceplate 15-pin Solder type	FP-VGA1	28.32
	VGA Faceplate Screw terminal type	FP-VGA2	37.76
	HDMI Faceplate c/w 16cm Cable	FP-HDMI	47.20
	HDMI Faceplate c/w L-joint	FP-HDMI2	47.20


	LCD Monitor Mount LCD Monitor Wall Mount (Tilt) Load Capacity: 15kg Tilt angle: -5°/+15° Suitable Size: 10" to 27" LCD Monitor (VESA 75/100 Compliant) Overall Dimension: 130 x 125 x 65 (mm) Distance From Wall: 56mm	AV608-T	98.18
	Cantilever LCD Monitor Mount Gas-Strut Flexi Wall Mount Strong die cast aluminum alloy construction with anodized black Fits most 17" to 27" Flat panel displays VESA Compliance: 75x75mm and 100x100mm Tilting Angle: +35 to -50 degrees Swivel Angel: 180+ degrees Load Capacity: 7kg	F120	188.80

PICTURE	ITEM DESCRIPTION	MODEL	PRICE
	<p>Desktop Cantilever LCD Monitor Mount</p> <p>Gas-Strut Desktop Monitor Mount</p> <p>Strong die cast aluminum alloy construction with plastic material appearance</p> <p>Fits most 17" to 27" Flat panel displays</p> <p>VESA Compliance: 75x75mm and 100x100mm</p> <p>Tilting Angle: +35 to -50 degrees</p> <p>Swivel Angel: 180+ degrees</p> <p>Load Capacity: 6.5kg</p>	<p>F180</p>	<p>254.88</p>
	<p>Desktop Cantilever LCD Monitor Mount</p> <p>Gas-Strut Desktop Dual Monitor Mount</p> <p>Strong die cast aluminum alloy construction with plastic material appearance</p> <p>Fits most 17" to 27" Flat panel displays</p> <p>VESA Compliance: 75x75mm and 100x100mm</p> <p>Tilting Angle: +35 to -50 degrees</p> <p>Swivel Angel: 180+ degrees</p> <p>Load Capacity: 6.5kg</p>	<p>F160</p>	<p>462.56</p>
	<p>Plasma / LCD TV Display Mount</p> <p>Plasma/LCD Display Tilt Wall Mount</p> <p>Tilt angle: 0°/+12°, Swivel: 0°</p> <p>Fits most 32" to 47" Flat Panel Displays</p> <p>VESA Compliance: 100x100mm, 100x200mm, 200x200mm, 200x400mm, 400x400mm</p> <p>Load Capacity: 27.3kg</p> <p>Colour: Black</p>	<p>NBC2-T</p>	<p>141.60</p>
	<p>Plasma/LCD Display Tilt Wall Mount</p> <p>Tilt angle: 0°/+12°, Swivel: 0°</p> <p>Fits most 40" to 60" Flat Panel Displays</p> <p>VESA Compliance: 100x100mm, 100x200mm, 200x200mm, 200x400mm, 400x400mm, 400x600mm</p> <p>Load Capacity: 36.4kg</p> <p>Colour: Black</p>	<p>NBC3-T</p>	<p>151.04</p>
	<p>LCD TV Cantilever Mount (Double Arm)</p> <p>Fits most 32" to 47" Flat panel displays</p> <p>VESA Compliance: 100x100mm, 200x100mm, 200x200mm, 400x200mm, 300x300mm, 400x400mm</p> <p>Tilt angle: -2°/+10°, Swivel: 180°; Load capacity: 27.3kg</p> <p>Minimum extension: 40mm, Maximum extension: 490mm</p>	<p>DF400</p>	<p>160.48</p>
	<p>Colour: Black; Material: SPCC with coating finished</p> <p>32-57" Flat Panel TV Ceiling Mount Bracket</p> <p>Max. Load: 150lbs (68kg)</p> <p>Drop down height: Adjustable 725mm to 1500mm</p> <p>Tilt Angle: -5° ~ 15°; Swivel Angle +/- 30°</p> <p>VESA Compliance: 100/100x200/200/200x400/400x600mm</p> <p>Bracket Net Weight: 5kg; Black colour</p>	<p>NBT560-15</p>	<p>311.52</p>

PICTURE	ITEM DESCRIPTION	MODEL	PRICE
	<p>NEC Keyphone SL1000 (Package 408 1+3)</p> <p>Package includes:</p> <ul style="list-style-type: none"> 1 x 1632M-A KSU Main Unit 1 x 12TXH-A-TEL(B) 12-keys Hybrid Display Keyphone 3 x AT-40(B) Single Line Telephone <p>Volumetric Weight: 14kg</p>	SL1000 PKG A	1750.00
	<p>NEC Keyphone SL1000 (Package 408 2+6)</p> <p>Package includes:</p> <ul style="list-style-type: none"> 1 x 1632M-A KSU Main Unit 2 x 12TXH-A-TEL(B) 12-keys Hybrid Display Keyphone 6 x AT-40(B) Single Line Telephone <p>Volumetric Weight: 19kg</p>	SL1000 PKG B	1974.00
	<p>NEC Keyphone SL1000 (Package 824 2+12)</p> <p>Package includes:</p> <ul style="list-style-type: none"> 1 x 1632M-A KSU Main Unit 1 x 408E-A1 4CO 8EXT Expansion Card 1 x 008E-A1 8EXT Expansion Card 2 x 24TXH-A-TEL(B) 24-keys Hybrid Display Keyphone 12 x AT-40(B) Single Line Telephone <p>Volumetric Weight: 26kg</p>	SL1000 PKG C	3752.00
	<p>NEC Keyphone SL1000 (Package 1240)</p> <p>Package includes:</p> <ul style="list-style-type: none"> 1 x 1632M-A KSU Main Unit 1 x 1632ME-A EXP Expansion Unit 1 x EXIFB-C1 Bus Card 1 x MEMDB-C1 Expansion Memory Card 1 x 408E-A1 4CO 8EXT Expansion Card 2 x 008E-A1 8EXT Expansion Card 2 x 24TXH-A-TEL(B) 24-keys Hybrid Display Keyphone <p>Volumetric Weight: 22kg</p>	SL1000 PKG D	6930.00
	<p>NEC Keyphone SL1000 (Package 1672)</p> <p>Package includes:</p> <ul style="list-style-type: none"> 1 x 1632M-A KSU Main Unit 2 x 1632ME-A EXP Expansion Unit 1 x EXIFB-C1 Bus Card 1 x MEMDB-C1 Expansion Memory Card 1 x 408E-A1 4CO 8EXT Expansion Card 5 x 008E-A1 8EXT Expansion Card 2 x 24TXH-A-TEL(B) 24-keys Hybrid Display Keyphone <p>Volumetric Weight: 30kg</p>	SL1000 PKG E	9422.00

PICTURE	ITEM DESCRIPTION	MODEL	PRICE
	<p>NEC Keyphone SL1000 (Package 16104)</p> <p>Package includes:</p> <ul style="list-style-type: none"> 1 x 1632M-A KSU Main Unit 3 x 1632ME-A EXP Expansion Unit 1 x EXIFB-C1 Bus Card 1 x MEMDB-C1 Expansion Memory Card 1 x 408E-A1 4CO 8EXT Expansion Card 8 x 008E-A1 8EXT Expansion Card 2 x 24TXH-A-TEL(B) 24-keys Hybrid Display Keyphone <p>Volumetric Weight: 50kg</p>	SL1000 PKG F	12320.00
	<p>NEC Keyphone SL1000 (Package SIP/VOIP)</p> <p>Package supports 4 SIP Trunks + 64 NEC IP Extensions + 4 SIP Phones License</p> <ul style="list-style-type: none"> 1 x 1632M-A KSU Main Unit (c/w 4CO, 8EXT) 1 x MEMDB-C1 Expansion Memory Card 1 x NEC VoIP Gateway Card - IP4WW-VOIPDB-C1 4 x Standard SIP Terminal License (1 port) - SL-IP-SIPEXT-1 LIC 1 x 12TXH-A-TEL(B) 12-keys Hybrid Display Keyphone <p>Optional: Linksys Router (Required when interface w TM Multi-Line SIP Trunk Lines)</p> <p>Volumetric Weight: 9kg</p>	SL1000 SIP/VOIP PACKAGE	2548.00
	<p>NEC Keyphone SL1000 Main KSU ONLY</p> <ul style="list-style-type: none"> Built-in 4CO 8EXT, expandable to 16CO 32EXT Web-based configuration (TCP/IP) via built-in Ethernet Port Built in Caller ID and Doorphone/Door Relay function c/w battery connection cable <p>Volumetric Weight: 7kg</p>	1632M-A KSU	1233.38
	<p>NEC Keyphone SL1000 Expansion KSU</p> <ul style="list-style-type: none"> Built-in 4CO 8EXT, expandable to 16CO 32EXT Each Expansion KSU can accommodate another 16CO and 32EXT Max per SL1000 system can accommodate 48CO and 128EXT Prerequisite: EXIFB-C1 and MEMDB-C1 card <p>Volumetric Weight: 7kg</p>	1632ME-A EXP	1480.05
	<p>Related Accessories</p> <ul style="list-style-type: none"> Basic Single Line Telephone (SLT) w/o Message Waiting Lamp Black colour 	AT-40(B)	89.70
	<p>NEC 12key Hybrid Multiline Terminal</p> <ul style="list-style-type: none"> Display Keyphone with Speakerphone Black colour 	12TXH-A-TEL(B)	366.28
	<p>NEC 24key Hybrid Multiline Terminal</p> <ul style="list-style-type: none"> Display Keyphone with Speakerphone Black colour 	24TXH-A-TEL(B)	403.65

	NEC 24key IP Multiline Terminal (Black Colour) Display Keyphone with Speakerphone. Supports PoE 802.3af Equipped with (2) RJ45 jacks for LAN and PC connections. AC Adaptor not included. PWP at Special price if bundled with SL1000 VOIP Package	24TIXH-A-TEL(B)	717.60
	NEC BaseLine Pro SIP - IP Desktop Telephone Supports PoE and AC/DC adaptor (optional) Dual Ethernet port with switching and VLAN functionality Optional adaptor @ RM 35	BaseLine Pro SIP	299.00
	NEC BaseLine Basic Analog Desktop Telephone Message Waiting Lamp, Redial function Direct and Indirect memory keys	BaseLine Basic	164.45
	Star Tech Single Line Telephone with Speakerphone and MWL (Black or White Colour) Supports DTMF & FSK Dual Mode Caller ID Full Duplex IC Speakerphone / Redial and Mute Function / Desktop & Wall Mountable Call Memory / One-Touch Memory / In-Use Light Indicator / Calendar & Clock	ST-100	164.45
	UNIDEN Trimline Phone (suitable for Hotel/Apartment) Available in White or Black colour (depending on availability) Tone/Pulse Switchable Ringer On/Off, Last Number Redial	AS7101	89.70
	AEI Wall-Mount Corded Phone (suitable for Hotel/Apartment) Magnetic Hook Switch Design Message Waiting Lamp, Redial function Black colour	AAX-4100	209.30
	Professional Call Center and Communication Headset Comfortable and light-weight; adjustable headband Modular jack RJ-9 QD; Product of Korea Comes with Passive Amplifier (required for SL1000; not required for SV8100)	KJ-1000V	583.05
	NEC 60key Hybrid DSS Console Bundle with Multiline Terminal for operator use Black colour	60D DSS-A(B)	747.50
	4-port Analogue CO Line & 8-port Hybrid Extension Card Add 4 incoming Lines and 8 extension ports	408E-A1	897.00
	8-port Hybrid Expansion Card Add 8 extension ports	008E-A1	747.50
	Bus Card for Main KSU to connect to Expansion KSU (require one unit if connecting one or more 1632ME-A EXP) 3 x RJ45 terminals, one port to connect to one EXP KSU Prerequisite: MEMDB-C1 card	EXIFB-C1	1293.18
	Expansion memory card for capacity & feature expansion (require one unit if connecting one or more 1632ME-A EXP) increase Automated Attendant from 2ch to 16ch enable more than 2 voice mail box, enable VOIP	MEMDB-C1	508.30
	Embedded VRS / Voice Mail Card Require this card for more advanced Automated Attendant features and enable Voice mail storage	PZ-VM21	470.93

PICTURE	ITEM DESCRIPTION	MODEL	PRICE
	VRS (Voice Recording System) CF Card Can store 200 messages for Automated Attendant use Prerequisite: PZ-VM21 card	CFVRS-C1	949.33
	VRS (Voice Recording System) / 15 hours In-Mail CF Card Supports 200 messages for Automated Attendant and 15 hours of Voice Mail storage Prerequisite: PZ-VM21 card	CFVMS-C1	1300.65
	NEC Doorphone Unit Can directly connect to SL1000 Main unit, using one of the extension ports Max 2 units per KSU	D503D0R-A	224.25
	NEC VOIP Gateway Card Provides 16 VOIP channels First 4 channels of VOIP trunk does not require additional license Prerequisite: MEMDB-C1 card	VOIPDB-C1	822.25
	1 ISDN PRI/E1/T1 Interface card 30 channels with DID and Caller ID Feature Optional PRI Balun @ RM 200	1PRU-C1	2840.50
	Hotel/Motel Feature License (Wake-up call feature, linkage to PMS)	SYS-HOTEL	858.76
	NAPT License for Multi-Line IP & SIP Terminal	IP-NAPT	583.63
	IP Port Max Capacity Feature License	IP-CHANNEL-16	550.28
	SIP Trunk License (1 port)	IP-SIPTRK-1	208.44
	Standard SIP Terminal License (1 port)	IP-SIPEXT-1	225.11
	LAN Based Call Billing Software for SL1000 Third party software, to be installed in PC within same network as SL1000 Able to monitor incoming and outgoing calls, display phone numbers with duration	CALL BILL	1300.65
	Backup Battery Metal Casing for PABX System; enough to store 2 x 12V 7Ah SLA DOES NOT include batteries (PBB001) DOES NOT include connection cable (KX-BATCBL)	KX-BATCAS	89.70
	TELE DEFEND Lightning Isolator for Incoming Telephone Line 3 IN, 3 OUT	KLI001	97.18

WARRANTY PERIODS - Valid beginning 1 August 2013

BELCO CAMERAS & DVR	18 months
CROSSFIRE CAMERAS	18 months
CROSSFIRE DVR	12 months
DAHUA PRODUCTS	18 months
SEAGATE HDD	24 months
KOSS UPS	24 months
NEC PROJECTOR	36 months
ADAPTORS	1 month
TESTER SCREEN	1 month (effective 15 Jan 2013)
ALL OTHERS	12 months

1. PAYMENT TERMS :

1.1. CASH AND CARRY

1.2. CASH DEPOSIT / FUND TRANSFER TO Pro Tech Solution & Services : MAYBANK A/C **5012 7143 7648**

1.3. FOR CHEQUE PAYMENTS, FUNDS HAVE TO CLEAR BEFORE GOODS RELEASE

2. RETURN POLICY :

2.1. GOODS SOLD IS RETURNABLE WITHIN 7 DAYS AT A RESTOCKING FEE OF 20%. GOODS MUST BE RETURNED IN ITS ORIGINAL PACKAGING COMPLETE WITH ACCESSORIES AND IN MINT CONDITION. GOODS RETURNED AFTER 7 DAYS WILL NOT BE ACCEPTED.

3. WARRANTY AND REPAIR :

3.1. MINIMUM 3 WORKING DAYS FOR ITEM SENT IN TO REPAIR.

3.2. HARDWARE PURCHASES COME WITH 1 YEAR WARRANTY (CARRY-IN) EXCEPT FOR POWER ADAPTORS AND UNLESS OTHERWISE STATED.

3.3. ONE TO ONE REPLACEMENT ON FAULTY HARDWARE TO BE GIVEN WITHIN 1 WEEK FROM DATE OF PURCHASE. (SUBJECT TO INSPECTION BY OUR TECHNICIANS FOR DAMAGES)

3.4. PRO TECH RESERVES THE RIGHT TO REPLACE THE PRODUCT OR RELEVANT PART WITH THE SAME OR EQUIVALENT PRODUCT OR PART, RATHER THAN REPAIR IT. WHERE A REPLACEMENT IS PROVIDED, THE PRODUCT OR PART BECOMES PROPERTY OF PRO TECH. PRO TECH MAY REPLACE WITH REFURBISHED PARTS, REPLACEMENT OF THE PRODUCT OR PART DOES NOT EXTEND OR RESTART THE WARRANTY PERIOD.

3.5. WARRANTY COVERS MANUFACTURER DEFECTS ONLY. DOES NOT COVER DAMAGE DUE TO LIGHTNING AND POWER SURGE. THE WARRANTY WILL VOID IF THE FACTORY-APPLIED SERIAL NUMBER HAS BEEN ALTERED/ TORN / REMOVED FROM THE PRODUCT. WARRANTY WILL NOT APPLY IF DAMAGE, MALFUNCTION OR FAILURE RESULTING FROM ALTERATIONS, ACCIDENT, MISUSE, BURNT MARK, FIRE, LIQUID SPILLAGE, MIS-ADJUSTMENT OF CUSTOMER CONTROLS, USE ON AN INCORRECT VOLTAGE, POWER SURGES AND LIGHTNING/THUNDERSTORM ACTIVITIES.

3.6. FOR WARRANTY SERVICE, RETURN PRODUCTS WITH TRANSPORTATION PREPAID TO BELCO MARKETING. BUYER TO BEAR BOTH WAYS TRANSPORTATION CHARGES, IF ANY.

4. LOAN POLICY :

4.1. FOR LOAN ITEM WE REQUIRE FULL DOWNPAYMENT. LOAN PERIOD IS 7 WORKING DAYS. IF NOT RETURNED, WE WILL NOT REFUND THE DOWNPAYMENT AND ITEM IS CONSIDERED SOLD. ITEM MUST BE RETURNED IN PERFECT CONDITION AND PACKAGING AS AT THE TIME OF LOAN.