

# Panasonic

## Analogue Proprietary Telephones

### KX-T7700 Series



Panasonic's new telephones combine a fresh, energetic design with convenient, efficient functions that help busy offices run at peak productivity.

With styling that's both practical and appealing, each of these models is a pleasure to use and makes a sleek, handsome addition to the office decor.

Each is a good workmate, too, with a long list of features that let you work smarter, more comfortably, and more


productively.

See how Panasonic's fresh looks and smart features can brighten up your office.

**Programmable Keys with Dual Colour LED (Red/Green)**

Enjoy one-touch operation of features such as Direct Station Selection (DSS), Log-In/Log-Out, or voice mail transfer.

Dual-colour LEDs show convenient information. A Busy Lamp Field (BLF) shows which extensions are in use.



**16-Character LCD (KX-T7730)**

The large display has easy-to-read characters.



KX-T7730  
Display Unit



KX-T7720  
Speakerphone Unit

Smart-Looking Tel

## Bringing a Sleek New Form to C

■ **High-Quality Design**

Easy-to-grip handset, solid-touch keys, and a smart matte finish.

■ **Speakerphone for Hands-Free Convenience**

Dial or talk without picking up the handset.

(The KX-T7750 has a monitor key used for monitoring and on-hook dialling.)



# KX-T7700 series

### **Incoming Call/Message Lamp**

This large, easy-to-see lamp announces incoming calls or messages, so you'll always know whose telephone is ringing – even from a distance.



### **Headset Jack (KX-T7730)**

Talk while using your keyboard.




### **Navigator Key (KX-T7730)**

For quick adjustment of the volume and display contrast.



### **Tilt-Angle Adjustment**

The telephone adjusts to either of two angles for easier use and a smaller, space-saving footprint.



## Telephones that Answer the Needs of Today's Energetic Office



KX-T7750  
Monitor Unit






KX-T7740  
DSS Console

## Communications

- **Message**  
Use to leave a message-waiting indication, or to reply to one.
- **Call Forwarding/Do Not Disturb**  
Call forwarding transfers calls to a different telephone. The "Do Not Disturb" function blocks calls when you're busy.
- **Auto Dial/Store**  
For use with speed-dialling.
- **Conference**  
For making multi-party calls.
- **Transfer**  
For transferring calls to another extension or to voice mail.
- **Pause**  
Inserts a pause in speed-dial numbers.
- **Redial**  
For redialling.
- **Auto Answer/Mute**  
Auto Answer: For use with intercom calls.  
Mute: Listen in without being heard.  
(With the KX-T7750, the Voice Call key is used to monitor intercom calls automatically.)
- **Flash/Recall**  
Use to disconnect a call without hanging up, then to reconnect.
- **Hold**  
Places a call on hold.



# Features List

Feature	Model		
	 KX-T7730	 KX-T7720	 KX-T7750
Alphanumeric Display (Lines x Characters)	1 x 16	—	—
Programmable Keys with Dual Colour LED	12	12	12
Hands-Free Speech	●	●	Monitor
SP-Phone (Monitor) Volume Control	Navigator Key	Up/Down Key	Up/Down Key
Handset Volume Control	Navigator Key	Up/Down Key	Up/Down Key
Ringer Volume Control	Slide Switch (Off/Low/High)	Slide Switch (Off/Low/High)	Slide Switch (Off/Low/High)
Contrast Control	Navigator Key	—	—
Incoming Call / Message Lamp	●	●	●
FWD/DND	●	●	●
Redial	●	●	●
Flash / Recall	●	●	●
Hold	●	●	●
Auto Answer / Mute	●	●	—
Voice Call	—	—	●
Auto Dial / Store	●	●	●
Transfer	●	●	●
Conference	●	●	●
Program	●	●	●
Message	●	●	●
Intercom	●	●	●
Pause	●	●	●
Headset Compatible*	●	—	—
Dimensions (W x D x H mm)	183 x 218 x 107 (Low) 183 x 207 x 130 (High)	183 x 218 x 107 (Low) 183 x 207 x 130 (High)	183 x 218 x 107 (Low) 183 x 207 x 130 (High)
Weight (Kg)	0.8	0.78	0.77

\*Only a ø2.5mm pin jack is connectable. The use of KX-TCA87 or KX-TCA89 is recommendable.

## KX-T7740 DSS Console

32 Direct Station Selection (DSS)/Busy Lamp Field (BLF) Keys

Dimensions (W x D x H mm)	122 x 218 x 85 (Low Tilt Angle) 122 x 207 x 111 (High Tilt Angle)
Weight (kg)	0.4



# Panasonic

