# PRODUCT INFORMATION



## **HIGHTEC SYNT ASIA HS SAE 5W-30**

Synthetic high-performance engine oil developed specifically for vehicles from leading Asian vehicle manufacturers. Suitable for models with or without turbocharging.

#### **Description**

HIGHTEC SYNT ASIA HS SAE 5W-30 is an engine oil developed on the basis of premium synthetic base oils that is specially aligned to modern, Asian passenger car Otto and diesel engines without exhaust after-treatment (particulate filters).

## **Application**

HIGHTEC SYNT ASIA HS SAE 5W-30 has been specially adapted to the needs of modern, Asian petrol and diesel vehicles. This product meets the requirements of many vehicle manufacturers. It is used in vehicles equipped with Otto and diesel engines, without exhaust after-treatment systems (particulate filters), according to the manufacturer's specification. It is therefore suitable for vehicles both with or without turbocharging.

### The quality of this product is equivalent to EU regulations

ACEA A3/B4

#### **Benefits**

- First-class rationalization product for multi-functional use in diesel and Otto engines from different manufacturers.
- Hinders the formation of deposits in the engine. As a result, outstanding operational safety and low service costs.
- Low oil consumption due to a very low evaporation loss
- Quick engine lubrication and good cold-starting properties
- Miscible and compatible with conventional and synthetic engine oils. However, in order to exploit the full product benefits of HIGHTEC SYNT ASIA HS SAE 5W-30, a complete oil change is recommended.

### **Typical characteristics**

Property	Method	Unit	Value
Density at 15 °C	ASTM D-7042	g/ml	0.855
Kinematic viscosity KV 40	ASTM D-7042	mm²/s	68,23
Viscosity index	ASTM D-7042	-	171
CCS	ASTM D-5293	cP@°C	5514@-30
Total base number	DIN 51639-1	mgKOH/g	10,59

The characteristics shown are typical of current production. This data cannot be constructed as a legally binding warranty or guaranty of certain product properties or of the suitability of the product for a specific application. ROWE products are continually improved. Therefore ROWE reserves the right to change all the technical data in this product information at any time without notice. All sales and deliveries shall be subject to our current General Terms and Conditions of Sale and Terms (www.rowe-oil.com).

ROWE MINERALÖLWERK GMBH Langgewann 101, D-67547 Worms

