MGEN NG-9 Intelligent Guard Tour System

The NG-9 Super Durable Guard Tour Reader employs many revolutionary new technologies in creating the ultimate guard tour product. The reader adopts three-layed protection design. And there is no button in the casing, which further enhances the impact resistibility of the reader. In factory, we've made hundreds of free-drop experiements on this model from 2 metres high on to concretes, and the results are satisfactory. In addition, the reader is completedly sealed against liquids, so it can easily cope with diversified weather conditions. The rubber-covered surface of the NG-9 is non-conductive, and it is able to resist damage from electrical shocks of over 1 million volts even when applied directly to its exposed metalic section. This makes the reader safe to operate in high voltage environments such as near power generation equipment, and impossible to damage by using stun guns and other electrical power sources. The NG-9 Super Durable Guard Tour Readers works with the popular EM format signal cards, which are low in cost and have been widely used in guard tour systems as well as other applications including time and attendance, vehicle management, animal identification, parts management, etc.



- * Flexible rubber shell, strong to resist impact. Fully sealed design, waterproof.
- * Auto-induction, free pressing any button to read proximity station.
- * Wireless communication downloader.
- * Downloader with large LCD showing the transaction record, date, time and working indication.
- * We can print our report by selection of:
- Site/Routes
- Location
- Person
- * Software report will match with guards actual patrol activities, automatically will preset plan and generate a result like Late, Missing and on time indication.

SPECIFICATIONS

Storage Capacity : 8,000 Logs

Communication : Wireless Data Downloader

Reading Speed : < 0.2 second

Reading Distance : < 5CM

Battery Type : CR123A Lithium Battery

Operation Temperature : -20°C ~ +70°C

Weight : 150g

Dimension : 142 x 32 x 40mm

Wireless Data Downloader

Transmission : Wireless (with NG-9), USB (with computer)

Storage capacity : 600,000 Logs

Working indication : LED + LCD display + Beeps sound

Battery : 3pcs AA battery

Weight : 220g

Dimension : 118 x 82 x 36mm



Inspect Result Form

08/08/2014 16:00:00 $\sim 08/08/2014$ 19:00:59

Route	Start time	Over time	Location	Cruise time	Unusual situation	Personnel	Result
TIME SQUIRE	08/08/2014 16:30:00	08/08/2014 16:30:00 08/08/2014 16:59:59 STATION 1	STATION 1	8/8/2014 4:34:00 PM	Normal	Admin	Eligibility
TIME SQUIRE	08/08/2014 16:30:00	08/08/2014 16:30:00 08/08/2014 16:59:59 STATION 2	STATION 2	8/8/2014 4:34:00 PM	Normal	Admin	Eligibility
TIME SQUIRE	08/08/2014 16:30:00	08/08/2014 16:30:00 08/08/2014 16:59:59 STATION 3	STATION 3	8/8/2014 4:34:00 PM	Normal	Admin	Eligibility
TIME SQUIRE	08/08/2014 16:30:00	08/08/2014 16:30:00 08/08/2014 16:59:59 STATION 4	STATION 4	8/8/2014 4:34:00 PM	Normal	Admin	Eligibility
TIME SQUIRE	08/08/2014 16:30:00	08/08/2014 16:30:00 08/08/2014 16:59:59 STATION 5	STATION 5	8/8/2014 4:34:00 PM	Normal	Admin	Eligibility
TIME SQUIRE	08/08/2014 18:00:00	08/08/2014 18:00:00 08/08/2014 18:29:59 STATION 1	STATION 1	8/8/2014 6:00:00 PM	Normal	Admin	Eligibility
TIME SQUIRE	08/08/2014 18:00:00	08/08/2014 18:00:00 08/08/2014 18:29:59 STATION 2	STATION 2	8/8/2014 6:00:00 PM	Normal	Admin	Eligibility
TIME SQUIRE	08/08/2014 18:00:00	08/08/2014 18:00:00 08/08/2014 18:29:59 STATION 3	STATION 3				Missing
TIME SQUIRE	08/08/2014 18:00:00	08/08/2014 18:00:00 08/08/2014 18:29:59 STATION 4	STATION 4	8/8/2014 6:00:00 PM	Normal	Admin	Eligibility
TIME SQUIRE	08/08/2014 18:00:00	08/08/2014 18:00:00 08/08/2014 18:29:59 STATION 5	STATION 5	8/8/2014 6:00:00 PM	Normal	Admin	Eligibility

8/18/2014