

Model Number	Description: Butterfly Valves
230Vac Motorised Butterfly valves epoxy coated ductile iron disk PN 16 (Wafer fitting)	
V4ABFW16-050-012	2" (DN50), On-Off, Valve Body V4BFW16-050, Actuator OM-1
V4ABFW16-050-112	2" (DN50), Modulating, Valve Body V4BFW16-050, Actuator OM-P1
V4ABFW16-065-012	2 1/2" (DN65), On-Off, Valve Body V4BFW16-065, Actuator OM-1
V4ABFW16-065-112	2 1/2" (DN65), Modulating, Valve Body V4BFW16-065, Actuator OM-P1
V4ABFW16-080-012	3" (DN80), On-Off, Valve Body V4BFW16-080, Actuator OM-1
V4ABFW16-080-112	3" (DN80), Modulating, Valve Body V4BFW16-080, Actuator OM-P1
V4ABFW16-100-012	4" (DN100), On-Off, Valve Body V4BFW16-100, Actuator OM-1
V4ABFW16-100-112	4" (DN100), Modulating, Valve Body V4BFW16-100, Actuator OM-P1
V4ABFW16-125-012	5" (DN125), On-Off, Valve Body V4BFW16-125, Actuator OM-2
V4ABFW16-125-112	5" (DN125), Modulating, Valve Body V4BFW16-125, Actuator OM-P2
V4ABFW16-150-012	6" (DN150), On-Off, Valve Body V4BFW16-150, Actuator OM-2
V4ABFW16-150-112	6" (DN150), Modulating, Valve Body V4BFW16-150, Actuator OM-P2
V4ABFW16-200-012	8" (DN200), On-Off, Valve Body V4BFW16-200, Actuator OM-3
V4ABFW16-200-112	8" (DN200), Modulating, Valve Body V4BFW16-200, Actuator OM-P3
V4ABFW16-250-012	10" (DN250), On-Off, Valve Body V4BFW16-250, Actuator OM-4
V4ABFW16-250-112	10" (DN250), Modulating, Valve Body V4BFW16-250, Actuator OM-P4
V4ABFW16-300-012	12" (DN300), On-Off, Valve Body V4BFW16-300, Actuator OM-4
V4ABFW16-300-112	12" (DN300), Modulating, Valve Body V4BFW16-300, Actuator OM-P4
V4ABFW16-350-012	14" (DN350), On-Off, Valve Body V4BFW16-350, Actuator OM-7
V4ABFW16-350-112	14" (DN350), Modulating, Valve Body V4BFW16-350, Actuator OM-P7
V4ABFW16-400-012	16" (DN400), On-Off, Valve Body V4BFW16-400, Actuator OM-8
V4ABFW16-400-112	16" (DN400), Modulating, Valve Body V4BFW16-400, Actuator OM-P8
V4ABFW16-450-012	18" (DN450), On-Off, Valve Body V4BFW16-450, Actuator OM-9
V4ABFW16-450-112	18" (DN450), Modulating, Valve Body V4BFW16-450, Actuator OM-P9
V4ABFW16-500-012	20" (DN500), On-Off, Valve Body V4BFW16-500, Actuator OM-10
V4ABFW16-500-112	20" (DN500), Modulating, Valve Body V4BFW16-500, Actuator OM-P10
V4ABFW16-600-012	24" (DN600), On-Off, Valve Body V4BFW16-600, Actuator OM-12
V4ABFW16-600-112	24" (DN600), Modulating, Valve Body V4BFW16-600, Actuator OM-P12
230Vac Motorised Butterfly valves epoxy coated ductile iron disk PN16 (Flanged fitting)	
V4ABFL16-050-012	2" (DN50), On-Off, Valve Body V4BFL16-050, Actuator OM-1

Model Number	Description: Butterfly Valves
V4ABFL16-050-112	2" (DN50), Modulating, Valve Body V4BFL16-050, Actuator OM-P1
V4ABFL16-065-012	2 1/2" (DN65), On-Off, Valve Body V4BFL16-065, Actuator OM-1
V4ABFL16-065-112	2 1/2" (DN65), Modulating, Valve Body V4BFL16-065, Actuator OM-P1
V4ABFL16-080-012	3" (DN80), On-Off, Valve Body V4BFL16-080, Actuator OM-1
V4ABFL16-080-112	3" (DN80), Modulating, Valve Body V4BFL16-080, Actuator OM-P1
V4ABFL16-100-012	4" (DN100), On-Off, Valve Body V4BFL16-100, Actuator OM-1
V4ABFL16-100-112	4" (DN100), Modulating, Valve Body V4BFL16-100, Actuator OM-P1
V4ABFL16-125-012	5" (DN125), On-Off, Valve Body V4BFL16-125, Actuator OM-2
V4ABFL16-125-112	5" (DN125), Modulating, Valve Body V4BFL16-125, Actuator OM-P2
V4ABFL16-150-012	6" (DN150), On-Off, Valve Body V4BFL16-150, Actuator OM-2
V4ABFL16-150-112	6" (DN150), Modulating, Valve Body V4BFL16-150, Actuator OM-P2
V4ABFL16-200-012	8" (DN200), On-Off, Valve Body V4BFL16-200, Actuator OM-3
V4ABFL16-200-112	8" (DN200), Modulating, Valve Body V4BFL16-200, Actuator OM-P3
V4ABFL16-250-012	10" (DN250), On-Off, Valve Body V4BFL16-250, Actuator OM-4
V4ABFL16-250-112	10" (DN250), Modulating, Valve Body V4BFL16-250, Actuator OM-P4
V4ABFL16-300-012	12" (DN300), On-Off, Valve Body V4BFL16-300, Actuator OM-4
V4ABFL16-300-112	12" (DN300), Modulating, Valve Body V4BFL16-300, Actuator OM-P4
V4ABFL16-350-012	14" (DN350), On-Off, Valve Body V4BFL16-350, Actuator OM-7
V4ABFL16-350-112	14" (DN350), Modulating, Valve Body V4BFL16-350, Actuator OM-P7
V4ABFL16-400-012	16" (DN400), On-Off, Valve Body V4BFL16-400, Actuator OM-8
V4ABFL16-400-112	16" (DN400), Modulating, Valve Body V4BFL16-400, Actuator OM-P8
V4ABFL16-450-012	18" (DN450), On-Off, Valve Body V4BFL16-450, Actuator OM-9
V4ABFL16-450-112	18" (DN450), Modulating, Valve Body V4BFL16-450, Actuator OM-P9
V4ABFL16-500-012	20" (DN500), On-Off, Valve Body V4BFL16-500, Actuator OM-10
V4ABFL16-500-112	20" (DN500), Modulating, Valve Body V4BFL16-500, Actuator OM-P10
V4ABFL16-600-012	24" (DN600), On-Off, Valve Body V4BFL16-600, Actuator OM-12
V4ABFL16-600-112	24" (DN600), Modulating, Valve Body V4BFL16-600, Actuator OM-P12
230Vac Motorised Butterfly Valves epoxy coated ductile disk PN25 (Wafer fitting)	
BF-FT9-PN25-0050	DN50 Butterfly valve, without operator, flange, triple offset, WCB valve body and disc, PN25
BF-FT9-PN25-0065	DN65 Butterfly valve, without operator, flange, triple offset, WCB valve body and disc, PN25
BF-FT9-PN25-0080	DN80 Butterfly valve, without operator, flange, triple offset, WCB valve body and disc, PN25

Model Number	Description: Butterfly Valves
BF-FT9-PN25-0100	DN100 Butterfly valve, without operator, flange, triple offset, WCB valve body and disc, PN2
BF-FT9-PN25-0125	DN125 Butterfly valve, without operator, flange, triple offset, WCB valve body and disc, PN2
BF-FT9-PN25-0150	DN150 Butterfly valve, without operator, flange, triple offset, WCB valve body and disc, PN2
BF-FT9-PN25-0200	DN200 Butterfly valve, without operator, flange, triple offset, WCB valve body and disc, PN2
BF-FT9-PN25-0250	DN250 Butterfly valve, without operator, flange, triple offset, WCB valve body and disc, PN2
BF-FT9-PN25-0300	DN300 Butterfly valve, without operator, flange, triple offset, WCB valve body and disc, PN2
BF-FT9-PN25-0350	DN350 Butterfly valve, without operator, flange, triple offset, WCB valve body and disc, PN2
BF-FT9-PN25-0400	DN400 Butterfly valve, without operator, flange, triple offset, WCB valve body and disc, PN2
BF-FT9-PN25-0450	DN450 Butterfly valve, without operator, flange, triple offset, WCB valve body and disc, PN2
BF-FT9-PN25-0500	DN500 Butterfly valve, without operator, flange, triple offset, WCB valve body and disc, PN2
BF-FT9-PN25-0600	DN600 Butterfly valve, without operator, flange, triple offset, WCB valve body and disc, PN2
BF-HWT9-PN25-0050	DN50 Butterfly valve, lever operated, wafer, triple offset, WCB valve body and disc, PN25
BF-HWT9-PN25-0065	DN65 Butterfly valve, lever operated, wafer, triple offset, WCB valve body and disc, PN25
BF-HWT9-PN25-0080	DN80 Butterfly valve, lever operated, wafer, triple offset, WCB valve body and disc, PN25
BF-HWT9-PN25-0100	DN100 Butterfly valve, lever operated, wafer, triple offset, WCB valve body and disc, PN25
BF-HWT9-PN25-0125	DN125 Butterfly valve, lever operated, wafer, triple offset, WCB valve body and disc, PN25
BF-HWT9-PN25-0150	DN150 Butterfly valve, lever operated, wafer, triple offset, WCB valve body and disc, PN25
BF-HWT9-PN25-0200	DN200 Butterfly valve, lever operated, wafer, triple offset, WCB valve body and disc, PN25
BF-MWT9-PN25-0200	DN200 Butterfly valve, gearbox operated, wafer, triple offset, WCB valve body and disc, PN2
BF-MWT9-PN25-0250	DN250 Butterfly valve, gearbox operated, wafer, triple offset, WCB valve body and disc, PN2
BF-MWT9-PN25-0300	DN300 Butterfly valve, gearbox operated, wafer, triple offset, WCB valve body and disc, PN2
24Vac Motorised Butterfly Valves with epoxy coated ductile iron disk PN16 (wafer fitting)	
V4ABFW16-050-016	2"(DN50),On-Off, Valve Body V4BFW16-050 ,Actuator OM-1f
V4ABFW16-050-116	2"(DN50),Modulating, Valve Body V4BFW16-050 ,Actuator OM-P1f
V4ABFW16-065-016	2 1/2"(DN65),On-Off, Valve Body V4BFW16-065 ,Actuator OM-1f
V4ABFW16-065-116	2 1/2"(DN65),Modulating, Valve Body V4BFW16-065 ,Actuator OM-P1f
V4ABFW16-080-016	3"(DN80),On-Off, Valve Body V4BFW16-080 ,Actuator OM-1f
V4ABFW16-080-116	3"(DN80),Modulating, Valve Body V4BFW16-080 ,Actuator OM-P1f
V4ABFW16-100-016	4"(DN100),On-Off, Valve Body V4BFW16-100 ,Actuator OM-1f
V4ABFW16-100-116	4"(DN100),Modulating, Valve Body V4BFW16-100 ,Actuator OM-P1f
V4ABFW16-125-016	5"(DN125),On-Off, Valve Body V4BFW16-125 ,Actuator OM-2f

Model Number	Description: Butterfly Valves
V4ABFW16-125-116	5"(DN125),Modulating, Valve Body V4BFW16-125 ,Actuator OM-P2f
V4ABFW16-150-016	6"(DN150),On-Off, Valve Body V4BFW16-150 ,Actuator OM-2f
V4ABFW16-150-116	6"(DN150),Modulating, Valve Body V4BFW16-150 ,Actuator OM-P2f
V4ABFW16-200-016	8"(DN200),On-Off, Valve Body V4BFW16-200 ,Actuator OM-3f
V4ABFW16-200-116	8"(DN200),Modulating, Valve Body V4BFW16-200 ,Actuator OM-P3f
V4ABFW16-250-016	10"(DN250),On-Off, Valve Body V4BFW16-250 ,Actuator OM-4f
V4ABFW16-250-116	10"(DN250),Modulating, Valve Body V4BFW16-250 ,Actuator OM-P4f
V4ABFW16-300-016	12"(DN300),On-Off, Valve Body V4BFW16-300 ,Actuator OM-4f
V4ABFW16-300-116	12"(DN300),Modulating, Valve Body V4BFW16-300 ,Actuator OM-P4f
V4ABFW16-350-016	14"(DN350),On-Off, Valve Body V4BFW16-350 ,Actuator OM-7f
V4ABFW16-350-116	14"(DN350),Modulating, Valve Body V4BFW16-350 ,Actuator OM-P7f
V4ABFW16-400-016	16"(DN400),On-Off, Valve Body V4BFW16-400 ,Actuator OM-8f
V4ABFW16-400-116	16"(DN400),Modulating, Valve Body V4BFW16-400 ,Actuator OM-P8f
V4ABFW16-450-016	18"(DN450),On-Off, Valve Body V4BFW16-450 ,Actuator OM-9f
V4ABFW16-450-116	18"(DN450),Modulating, Valve Body V4BFW16-450 ,Actuator OM-P9f
V4ABFW16-500-016	20"(DN500),On-Off, Valve Body V4BFW16-500 ,Actuator OM-10f
V4ABFW16-500-116	20"(DN500),Modulating, Valve Body V4BFW16-500 ,Actuator OM-P10f
230Vac Motors for Butterfly Valve	
OM-1	On-Off, 35Nm, 220V 50/60Hz
OM-2	On-Off, 90Nm, 220V 50/60Hz, Hand-Wheel
OM-3	On-Off, 150Nm, 220V 50/60Hz, Hand-Wheel
OM-4	On-Off, 400Nm, 220V 50/60Hz, Hand-Wheel
OM-5	On-Off, 500Nm, 220V 50/60Hz, Hand-Wheel
OM-6	On-Off, 600Nm, 220V 50/60Hz, Hand-Wheel
OM-7	On-Off, 1000Nm, 220V 50/60Hz, Hand-Wheel
OM-8	On-Off, 1500Nm, 220V 50/60Hz, Hand-Wheel
OM-9	On-Off, 2000Nm, 220V 50/60Hz, Hand-Wheel
OM-10	On-Off, 2500Nm, 220V 50/60Hz, Hand-Wheel
OM-12	On-Off, 3500Nm, 220V 50/60Hz, Hand-Wheel
OM-P1	Modulating, 35Nm, 220V 50/60Hz
OM-P2	Modulating, 90Nm, 220V 50/60Hz, Hand-Wheel

Model Number	Description: Butterfly Valves
OM-P3	Modulating, 150Nm, 220V 50/60Hz, Hand-Wheel
OM-P4	Modulating, 400Nm, 220V 50/60Hz, Hand-Wheel
OM-P5	Modulating, 500Nm, 220V 50/60Hz, Hand-Wheel
OM-P6	Modulating, 600Nm, 220V 50/60Hz, Hand-Wheel
OM-P7	Modulating, 1000Nm, 220V 50/60Hz, Hand-Wheel
OM-P8	Modulating, 1500Nm, 220V 50/60Hz, Hand-Wheel
OM-P9	Modulating, 2000Nm, 220V 50/60Hz, Hand-Wheel
OM-P10	Modulating, 2500Nm, 220V 50/60Hz, Hand-Wheel
OM-P11	Modulating, 3000Nm, 220V 50/60Hz, Hand-Wheel
OM-P12	Modulating, 3500Nm, 220V 50/60Hz, Hand-Wheel
24 Vac motors for Butterfly Valves	
OM-1F	On-Off, 35Nm, 24Vac 50/60Hz
OM-2F	On-Off, 90Nm, 24Vac 50/60Hz, Hand-Wheel
OM-3F	On-Off, 150Nm, 24Vac 50/60Hz, Hand-Wheel
OM-4F	On-Off, 400Nm, 24Vac 50/60Hz, Hand-Wheel
OM-5F	On-Off, 500Nm, 24Vac 50/60Hz, Hand-Wheel
OM-6F	On-Off, 600Nm, 24Vac 50/60Hz, Hand-Wheel
OM-7F	On-Off, 1000Nm, 24Vac 50/60Hz, Hand-Wheel
OM-8F	On-Off, 1500Nm, 24Vac 50/60Hz, Hand-Wheel
OM-9F	On-Off, 2000Nm, 24Vac 50/60Hz, Hand-Wheel
OM-10F	On-Off, 2500Nm, 24Vac 50/60Hz, Hand-Wheel
OM-11F	On-Off, 3000Nm, 24Vac 50/60Hz, Hand-Wheel
OM-12F	On-Off, 3500Nm, 24Vac 50/60Hz, Hand-Wheel
OM-P1F	Modulating, 35Nm, 24Vac 50/60Hz
OM-P2F	Modulating, 90Nm, 24Vac 50/60Hz, Hand-Wheel
OM-P3F	Modulating, 150Nm, 24Vac 50/60Hz, Hand-Wheel
OM-P4F	Modulating, 400Nm, 24Vac 50/60Hz, Hand-Wheel
OM-P5F	Modulating, 500Nm, 24Vac 50/60Hz, Hand-Wheel
OM-P6F	Modulating, 600Nm, 24Vac 50/60Hz, Hand-Wheel
OM-P7F	Modulating, 1000Nm, 24Vac 50/60Hz, Hand-Wheel
OM-P8F	Modulating, 1500Nm, 24Vac 50/60Hz, Hand-Wheel

Model Number	Description: Butterfly Valves
OM-P9F	Modulating, 2000Nm, 24Vac 50/60Hz, Hand-Wheel
OM-P10F	Modulating, 2500Nm, 24Vac 50/60Hz, Hand-Wheel
OM-P11F	Modulating, 3000Nm, 24Vac 50/60Hz, Hand-Wheel
OM-P12F	Modulating, 3500Nm, 24Vac 50/60Hz, Hand-Wheel