


WALL MOUNT TEMPERATURE SENSORS

Discrete Wall Mount Housing





The **Series TE-E/N Wall Mount Temperature Sensors** provide a low cost temperature input for any building management system.

FEATURES/BENEFITS

- North American or European housing aesthetic options
- · Uniform look matches other Dwyer wall mount devices
- · Universal mounting plate meets various installation requirements

APPLICATIONS

- · Building automation
- · Room temperature monitoring

SPECIFICATIONS

Accuracy: Thermistor temp sensor: ±0.22°C @ 25°C (±0.4°F @ 77°F); RTD temp sensor: DIN class B; ±0.3°C @ 0°C (±54°F @ 32°F).

Temperature Limits: -40 to 140°F (-40 to 60°C).

Housing Material: ABS plastic.

Weight: 0.3 lb (136 g).

MODEL CHART			
North American Model	Sensor Type	European Model	Sensor Type
TE-NND-A	10k Ω type III thermistor		10k Ω type III thermistor
TE-NND-B	10k Ω type II thermistor		10k Ω type II thermistor
TE-NND-C	3k Ω thermistor	TE-END-C	3k Ω thermistor
TE-NND-D	Pt100 Ω RTD	TE-END-D	Pt100 Ω RTD
TE-NND-E	Pt1000 Ω RTD	TE-END-E	Pt1000 Ω RTD
TE-NND-F	20k Ω thermistor	TE-END-F	20k Ω thermistor
TE-NND-Q	10k Ω type III with 11 k Ω shunt		