

## HD 4/10 X CLASSIC \*KAP

Compact HD 4/10 X Classic high-pressure cleaner with automatic pressure relief and integrated hose reel. Very ergonomic and mobile thanks to retractable pull handle and robust wheels.



Order no.

1.520-976.0


### Technical data

EAN code		4054278722979
Supply voltage	Ph / V / Hz	1 / 220 / 50
Flow rate	l/h	400
Working pressure	bar	100 - max. 145
Max. pressure	bar	145
Connected load	kW	1.8
Power cable	m	5
Nozzle size	mm	28
Weight (with accessories)	kg	17.5
Weight incl. packaging	kg	20
Dimensions (L x W x H)	mm	335 x 320 x 845

### Equipment

Spray gun		Standard
High-pressure hose	m	8 / DN 6, 200 bar
Spray lance	mm	600
Pressure switch-off		■

■ Included in the scope of supply.



## Outstanding mobility

- The robust D180 wheels are ideal for tough applications.
- Extendible handle for convenient transport over short distances.
- Additional handle makes it easier to carry the machine, e.g. up steps.



## Perfect ergonomics


- Just one on/off switch for foolproof operation.
- The hose reel offers high comfort and reduced set-up time.
- Ergonomic and effortless trigger gun that is convenient to use.



## Compact design

- Very easy to transport thanks to its low weight.
- Space saving and easy to store.

## ACCESSORIES FOR HD 4/10 X CLASSIC \*KAP 1.520-976.0



		Order no.	Description	
<b>SPRAY LANCES</b>				
<b>Spray lance</b>				
600 mm spray lance	1	9.751-140.0	600 mm long, zinc coated spray lance with hand screw connection. Not rotatable.	■
Spray lance 850 mm	2	9.751-146.0	Galvanised spray lance with manual screw fitting for high-pressure cleaners in the Classic range from Kärcher. Not rotatable. Length: 850 mm.	□
<b>NOZZLE UNION / SPACER</b>				
<b>Nozzle union</b>				
Nozzle connector	3	5.401-210.0	For protecting and connecting Kärcher power nozzles to spray lances (M 18 × 1.5 IG).	■
<b>MULTIPLE-JET NOZZLES</b>				
<b>Triple nozzles</b>				
Triple nozzle, 028	4	4.767-144.0	Triple nozzle with manual nozzle changeover. Convenient spray adjustment. For machines with an injector, the low-pressure flat stream is useful for cleaning agent suction and application. Connection M 18 × 1.5.	□
<b>FLOOR AND HARD SURFACE CLEANER</b>				
<b>FR Classic surface cleaner</b>				
FR Classic surface cleaner	5	2.643-476.0	The ideal entry-level model in the Kärcher surface cleaner range for cleaning surfaces indoors and outdoors. With splash guard and up to 150 bar working pressure.	□
<b>Machine-specific nozzle kits for FR Classic</b>				
Nozzle kit for FR Classic, 034	6	2.885-313.0	Nozzle kit specifically for FR Classic surface cleaner.	□
<b>FOAM SYSTEMS</b>				
<b>Cup foam lance</b>				
Cup foam lance, 1200 l/h -	7	6.394-668.0	Short, handy foam lance with adjustable spray angle with 1 litre detergent tank. Ideal for cleaning cars due to its compact design.	□

■ Included in the scope of supply. □ Available accessories.