

Innovative

Reliability

Solutions

Quality

Safety

High MegaPixel

Professional Camera with Advanced Full View Imaging

Innovative

Reliability

Solutions

Quality

Safety

High MegaPixel

Professional Camera with Advanced Full View Imaging

Innovative

Reliability

Solutions

Quality

Safety

High MegaPixel

Professional Camera with Advanced Full View Imaging

Innovative

Reliability

Solutions

Quality

Safety

High MegaPixel

Professional Camera with Advanced Full View Imaging

Innovative

Reliability

Solutions

Quality

Safety

High MegaPixel

Professional Camera with Advanced Full View Imaging

Innovative

Reliability

Solutions

Quality

Safety

High MegaPixel

Professional Camera with Advanced Full View Imaging

Innovative

Reliability

Solutions

Quality

Safety

High MegaPixel

Professional Camera with Advanced Full View Imaging

High Performance 5.0 MegaPixel IR Bullet Camera.



High performance
5.0 MegaPixel Camera Chip
sensor in a native 16:9 format
designed for next generation
Surveillance and Security
system.

The latest processor comes
with 2 new multiple processing
technologies, it can support 4
types of video formats and
SUPER HYBRID resolutions
system.

The camera can produce AHD,
TVI, CVI and CVBS video
format, at the same time allow
user to select 8 difference
video resolutions and frame
rates.

High Quality
6.0 MegaPixel Lens.



Model : BHST7FB53F

Image Sensor	16:9 Wide Screen Sensor
System	PAL / NTSC
Effective Pixel	5.0MP ~ 2704 (H) × 1950 (V)
Hybrid System	5MP - 4MP - 2MP - 960H
Scanning System	Progressive Scan
Illumination	0.01Lux f1.2 AGC ON
Lens	6.0 MegaPixel 3.6mm Lens
IR Leds	High Power IR Array
FPS	30 FPS
Video Output	AHD. TVI. CVI. CVBS
Control	Up To Coaxial. UTC
Exposure	Shutter. AGC. Brightness. DWDR
Back Light	HSBLC. Back light. On - Off
White Balance	ATW. Indoor. Outdoor. Manual
Day / Night	EXT. Auto. Colour. BW. Smart IR
DNR	2DNR. 3DNR
Special	Mirror. Live DPC
Adjust	Sharpness. Display Screen.
Exit	Safe & Exit. Reset. Exit
Language	CH1. CH2. GER. FRA. ITA. etc
Operation Temperature	- 10c° ~ 60c° + -
Power	12 VDC ~ 480mA