

Woo Kyung P&J Logistic (M) Sdn. Bhd.

CONTENTS

PIPES — P01 — T Series

METAL JOINTS — P07 — HJ Series

METAL JOINTS — T 2.6 P11, T 2.3 P17 — H Series

PLASTICS — P19 — P Series

ROLLER TRACKS — P23 — R Series

METAL ACCESSORIES — P34 — F Series

LEVELING FEET — P39 — L Series

FASTENERS — P43 — N Series

CASTERS — P46 — C Series

TOOLS — P49 — O Series

T Series

PIPES

Unit : mm

Coated Pipe

1. Production Craft
This craft includs single-step and automatic integrated process.
Because of the high cost of the first craft,RELL suggests the second one. Moreover, we have successfully researched the automatic integrating pipe craft.

2. Performance and Parameters
Pipe is composed of five parts.
It can be provided according to customers different requirments on performance.

Powder coated pipe

1. Colorful
Wider selection of colors and textures.

2. UV light resistance
Can be used in outdoors.

3. Non-flammable
No emission of toxic fumes in fire.

4. Economical
20% less than coated pipe. 35% less than ESD pipe.30% less than SUS pipe.

5. Environmental
Powder coated pipe is fully recyclable. Powder coated pipe of internal and external surface.

SUS Pipe

1. High Strength & Durablity
Surface resistant to light abrasion or contact with metal tools.

2. High Oil & Chemical Resistance
High resistance to oil,solvents,bleaches,etc.

3. Non-flammable
Inherently non-flammable.

4. Conductive
Inherently conductive.

5. Environmental
SUS pipe is fully recyclable.

Galvanized Pipe

1. Economical

2. UV light & Chemical resistance
High resistance to UV light,oil,solvents,bleaches,etc.

3. Non-flammable
Inherently non-flammable.

4. Conductive
Inherently conductive.

5. Environmental
Galvanized pipe is fully recyclable.

Aluminum Alloy Pipe

1. Environmental
Aluminum pipe achieves a superb recyclability.

2. Weight
Weight reduced by 40% comparing with steel coated pipe.

3. Aesthetic
Alumite treatment allows for "maintenance-free",excellent appearance that lasts for long.

PIPES

PE coated pipe 2440			28 x 1.0		
Green(N)			T-1PE10N2440		
Blue(U)			T-1PE10U2440		
Red(R)			T-1PE10R2440		
Orange(E)			T-1PE10E2440		
Yellow(Y)			T-1PE10Y2440		
Slightly Yellow(SY)			T-1PE10SY2440		
Ivory(V)			T-1PE10V2440		
Grey(G)			T-1PE10G2440		
Dark Grey(DG)			T-1PE10DG2440		
Black(B)			T-1PE10B2440		
Snow White(SW)			T-1PE10SW2440		
Milky White(MW)			T-1PE10MW2440		

PE coated pipe 4000	28 x 0.7	28 x 0.9	28 x 1.0	28 x 1.4	28 x 2.0
Green(N)	T-1PE07N	T-1PE09N	T-1PE10N	T-1PE14N	T-1PE20N
Blue(U)	T-1PE07U	T-1PE09U	T-1PE10U	T-1PE14U	T-1PE20U
Red(R)	T-1PE07R	T-1PE09R	T-1PE10R	T-1PE14R	T-1PE20R
Orange(E)	T-1PE07E	T-1PE09E	T-1PE10E	T-1PE14E	T-1PE20E
Yellow(Y)	T-1PE07Y	T-1PE09Y	T-1PE10Y	T-1PE14Y	T-1PE20Y
Slightly Yellow(SY)	T-1PE07SY	T-1PE09SY	T-1PE10SY	T-1PE14SY	T-1PE20SY
Ivory(V)	T-1PE07V	T-1PE09V	T-1PE10V	T-1PE14V	T-1PE20V
Grey(G)	T-1PE07G	T-1PE09G	T-1PE10G	T-1PE14G	T-1PE20G
Dark Grey(DG)	T-1PE07DG	T-1PE09DG	T-1PE10DG	T-1PE14DG	T-1PE20DG
Black(B)	T-1PE07B	T-1PE09B	T-1PE10B	T-1PE14B	T-1PE20B
Snow White(SW)	T-1PE07SW	T-1PE09SW	T-1PE10SW	T-1PE14SW	T-1PE20SW
Milky White(MW)	T-1PE07MW	T-1PE09MW	T-1PE10MW	T-1PE14MW	T-1PE20MW

ABS coated pipe 4000			28 x 1.0		28 x 2.0
Green(N)			T-1ABS10N		T-1ABS20N
Blue(U)			T-1ABS10U		T-1ABS20U
Red(R)			T-1ABS10R		T-1ABS20R
Orange(E)			T-1ABS10E		T-1ABS20E
Yellow(Y)			T-1ABS10Y		T-1ABS20Y
Slightly Yellow(SY)			T-1ABS10SY		T-1ABS20SY
Ivory(V)			T-1ABS10V		T-1ABS20V
Grey(G)			T-1ABS10G		T-1ABS20G
Dark Grey(DG)			T-1ABS10DG		T-1ABS20DG
Black(B)			T-1ABS10B		T-1ABS20B
Snow White(SW)			T-1ABS10SW		T-1ABS20SW
Milky White(MW)			T-1ABS10MW		T-1ABS20MW

Unit : mm

Powder coated pipe 4000			28 x 1.0		
Green(N)			T-2PW10N		
Blue(U)			T-2PW10U		
Red(R)			T-2PW10R		
Orange(E)			T-2PW10E		
Yellow(Y)			T-2PW10Y		
Slightly Yellow(SY)			T-2PW10SY		
Ivory(V)			T-2PW10V		
Grey(G)			T-2PW10G		
Dark Grey(DG)			T-2PW10DG		
Black(B)			T-2PW10B		
Snow White(SW)			T-2PW10SW		
Milky White(MW)			T-2PW10MW		

ESD pipe			28 x 1.0		28 x 2.0
Black(B)			T-1ESD10B		T-1ESD20B
Black(B)			T-1ESD10B2440		

SUS 201 pipe	28 x 0.7	28 x 0.9	28 x 1.1		
	T-3SUS07	T-3SUS09	T-3SUS11		

STS 409 pipe	28 x 0.7				
	T-3STS07				
	T-3STS072440				

Galvanized pipe			28 x 1.0		
			T-4ZN10		

Aluminum Alloy pipe			28 x 1.2		
			T-5AL12OX		

HJ Series

METAL JOINTS

Unit : mm

HJ-1



H-1	2 pcs
N-1/N-2	1 set

HJ-1A



H-1A	2 pcs
N-1/N-2	1 set

HJ-2



H-2	1 pcs
H-3	1 pcs
N-1/N-2	2 sets

HJ-3



H-2	2 pcs
H-4	1 pcs
N-1/N-2	3 sets

HJ-4



H-4	2 pcs
N-1/N-2	2 sets

HJ-5



H-2	4 pcs
N-1/N-2	4 sets

HJ-6



H-5	2 pcs
H-6	2 pcs
N-1/N-2	2 sets

HJ-6A



H-6	2 pcs
H-6A	2 pcs
N-1/N-2	3 sets

HJ-6B



H-5	2 pcs
N-1/N-2	1 sets

HJ-6C



H-6A	2 pcs
N-1/N-2	2 sets

METAL JOINTS

SURFACE : ●BK ○WZ ○NP ○CP ●PC

HJ-7



HJ-7A



HJ-8

HJ-9

HJ-10

HJ-11

HJ-12

HJ-13

HJ-13A

HJ-13B



Unit : mm

HJ-14



H-14	2 pcs
H-6	4 pcs
N-1/N-2	4 sets

HJ-14A



H-14	2 pcs
N-1/N-2	2 sets

HJ-15

H-15	1 pcs
H-16	1 pcs
N-1/N-2	1 set

HJ-15A

H-15	1 pcs
H-16A	1 pcs
N-2	1 pcs

HJ-17

H-17	1 pcs
H-18	1 pcs
N-1/N-2	1 set

HJ-19

H-19	2 pcs
N-1/N-2	1 set
P-6	2 pcs

HJ-20



H-20	2 pcs
N-1/N-2	1 set

HJ-20A

H-20	1 pcs
H-1	1 pcs
N-1/N-2	1 set

HJ-21

H-21	2 pcs
N-1/N-2	1 set

HJ-23

H-23	2 pcs
N-1/N-2	1 set
P-6	1 pcs

METAL JOINTS

SURFACE : ●BK ○WZ ○NP ○CP ●PC

HJ-24



H-24	2 pcs
N-1/N-2	2 sets
P-6	1 pcs

HJ-30



H-30	2 pcs
N-1/N-2	1 set

HJ-45



H-45	2 pcs
N-1/N-2	1 set

HJ-60



H-60	2 pcs
N-1/N-2	1 set

HJ-90



H-90	2 pcs
N-1/N-2	2 sets

HJ-110



H-110	2 pcs
N-1/N-2	2 sets

HJ-160

H-160	2 pcs
N-1/N-2	2 sets

HJ-180



H-180	2 pcs
N-1/N-2	1 set

Unit : mm

HJ-103



H-103	2 pcs
N-1/N-2	1 sets

HJ-403



H-403	2 pcs
N-1/N-2	2 sets

HJ-13C



H-13C	2 pcs
N-1/N-2	1 sets

HJ-13D



H-13D	2 pcs
N-1/N-2	2 sets

HJ-101



H-101	2 pcs
N-1/N-2	1 set

HJ-102



H-102	2 pcs
N-1/N-2	1 set

HJ-201



H-301	1 pcs
H-2	1 pcs
N-1/N-2	3 sets

HJ-301



H-401	1 pcs
H-2	2 pcs
N-1/N-2	3 sets

HJ-401



H-401	2 pcs
N-1/N-2	2 sets

H Series T2.6

METAL JOINTS

Unit : mm

H-1



Kg/PC	0.067
PC/CTN	300

H-1A



Kg/PC	0.058
PC/CTN	360

H-2



Kg/PC	0.094
PC/CTN	200

H-3 (Ungrip Type)



Kg/PC	0.120
PC/CTN	80

H-3K (Grip Type)



Kg/PC	0.120
PC/CTN	80

H-4



Kg/PC	0.106
PC/CTN	200

H-5

Kg/PC	0.045
PC/CTN	300

H-6



Kg/PC	0.059
PC/CTN	300

H-6A



Kg/PC	0.066
PC/CTN	240

H-7



Kg/PC	0.048
PC/CTN	200

METAL JOINTS

SURFACE : ●BK ○WZ ○NP ○CP ●PC

H-7A

Kg/PC	0.040
PC/CTN	300

H-8



Kg/PC	0.067
PC/CTN	240

H-9



Kg/PC	0.062
PC/CTN	330

H-10

Kg/PC	0.054
PC/CTN	300

H-11



Kg/PC	0.060
PC/CTN	280

H-12



Kg/PC	0.063
PC/CTN	240

H-13

Kg/PC	0.053
PC/CTN	300

H-13A



Kg/PC	0.052
PC/CTN	330

H-13B



Kg/PC	0.044
PC/CTN	540

H-14



Kg/PC	0.056
PC/CTN	320

Unit : mm

H-15

Kg/PC	0.038
PC/CTN	400

H-16



Kg/PC	0.046
PC/CTN	400

H-16A



Kg/PC	0.046
PC/CTN	400

H-17



Kg/PC	0.069
PC/CTN	220

H-18



Kg/PC	0.069
PC/CTN	220

H-19



Kg/PC	0.062
PC/CTN	150

H-20



Kg/PC	0.070
PC/CTN	200

H-21



Kg/PC	0.133
PC/CTN	150

H-23



Kg/PC	0.064
PC/CTN	180

H-24



Kg/PC	0.102
PC/CTN	200

METAL JOINTS

SURFACE : ●BK ○WZ ○NP ○CP ●PC

H-30

Kg/PC	0.062
PC/CTN	330

H-45

Kg/PC	0.066
PC/CTN	230

H-60

Kg/PC	0.083
PC/CTN	150

H-90



Kg/PC	0.102
PC/CTN	150

H-110



Kg/PC	0.113
PC/CTN	150

H-160



Kg/PC	0.114
PC/CTN	160

H-180



Kg/PC	0.071
PC/CTN	300

Unit : mm

H-103



Kg/PC	0.073
PC/CTN	240

H-403

Kg/PC	0.106
PC/CTN	200

H-13C



Kg/PC	0.069
PC/CTN	180

H-13D



Kg/PC	0.068
PC/CTN	180

H-101



Kg/PC	0.078
PC/CTN	200

H-102



Kg/PC	0.078
PC/CTN	200

H-301



Kg/PC	0.120
PC/CTN	80

H-401



Kg/PC	0.106
PC/CTN	200

H Series T2.3 (Economic)

METAL JOINTS



Unit : mm

H-1



Kg/PC	0.061
PC/CTN	300

H-2



Kg/PC	0.086
PC/CTN	200

H-3 (Ungrip Type)



Kg/PC	0.111
PC/CTN	80

H-4



Kg/PC	0.098
PC/CTN	200

H-5

Kg/PC	0.042
PC/CTN	300

H-6



Kg/PC	0.055
PC/CTN	300



Kg/PC	0.050
PC/CTN	330

H-90



Kg/PC	0.095
PC/CTN	150

P Series

PLASTICS

Unit : mm

P-1



Kg/PC	0.003
PC/CTN	400

P-1A



Kg/PC	0.003
PC/CTN	400

P-2



Kg/PC	0.009
PC/CTN	200

P-2A



Kg/PC	0.017
PC/CTN	100

P-3



Kg/PC	0.005
PC/CTN	300

P-4



Kg/PC	0.005
PC/CTN	300

P-5



Kg/PC	0.003
PC/CTN	500

P-6



Kg/PC	0.006
PC/CTN	150

P-7



Kg/PC	0.010
PC/CTN	200

P-8



Kg/PC	0.005
PC/CTN	300

PLASTICS

P-9



Kg/PC	0.014
PC/CTN	100

P-10



Kg/PC	0.014
PC/CTN	100

P-11



Kg/PC	0.018
PC/CTN	100

P-13



Kg/PC	0.014
PC/CTN	100

P-14



Kg/PC	0.042
PC/CTN	100

P-L1



Kg/PC	0.040
PC/CTN	60

P-L1A



Kg/PC	0.053
PC/CTN	50

P-L2



Kg/PC	0.014
PC/CTN	120

P-L2A



Kg/PC	0.022
PC/CTN	60

Unit : mm

P-L2B



Kg/PC	0.013
PC/CTN	100

P-L2C



Kg/PC	0.020
PC/CTN	60

P-L2D



Kg/PC	0.026
PC/CTN	50

P-L3



Kg/PC	0.006
PC/CTN	1000

P-L3A



Kg/PC	0.009
PC/CTN	700

P-L3B



Kg/PC	0.088
PC/CTN	100

P-L3C



Kg/PC	0.045
PC/CTN	150

P-L3D



Kg/PC	0.029
PC/CTN	500

P-L4



Kg/PC	0.045
PC/CTN	150

R Series
ROLLER TRACKS

Unit : mm

RH-28H1



Kg/PC	0.128
PC/CTN	95

RH-28H2



Kg/PC	0.150
PC/CTN	85

RH-28H3



Kg/PC	0.153
PC/CTN	80

RH-28H4B



Kg/PC	0.171
PC/CTN	50

RH-28H5



Kg/PC	0.112
PC/CTN	110

RH-28H5B



Kg/PC	0.117
PC/CTN	110

ROLLER TRACKS

SURFACE : WZ

R-3533 (white)



Kg/m	0.810
m/PC	4
m/BDL.	40

R-3533 (yellow)



Kg/m	0.810
m/PC	4
m/BDL.	40

RH-35H1



Kg/PC	0.167
PC/CTN	70

RH-35H2A



Kg/PC	0.211
PC/CTN	45

RH-35H3A



Kg/PC	0.191
PC/CTN	55

RH-35H5



Kg/PC	0.137
PC/CTN	60

R-4036



Kg/m	1.100
m/PC	4
m/BDL.	40

R-4036ESD



Kg/m	1.100
m/PC	4
m/BDL.	40

R-4036A



Kg/m	1.100
m/PC	4
m/BDL.	40

R-4036AESD



Kg/m	1.100
m/PC	4
m/BDL.	40

R-4045A



Kg/m	1.100
m/PC	4
m/BDL.	40

R-4045AESD



Kg/m	1.100
m/PC	4
m/BDL.	40

ROLLER TRACKS

SURFACE : WZ

RH-40H1



Kg/PC	0.182
PC/CTN	45

RH-40H2A



Kg/PC	0.234
PC/CTN	45

RH-40H3



Kg/PC	0.208
PC/CTN	40

RH-40H3A



Kg/PC	0.220
PC/CTN	35

RH-40H4



Kg/PC	0.350
PC/CTN	30

RH-40H4A



Kg/PC	0.290
PC/CTN	25

RH-40H4B



Kg/PC	0.240
PC/CTN	25

RH-40H5



Kg/PC	0.164
PC/CTN	50

RH-40H6



Kg/PC	0.272
PC/CTN	50

RH-40H6A



Kg/PC	0.320
PC/CTN	20

Unit : mm

RH-40BH1





Kg/PC	0.141
PC/CTN	65

RH-40BH2A



Kg/PC	0.193
PC/CTN	45

RH-40BH2B



Kg/PC	0.167
PC/CTN	50

RH-40BH3



Kg/PC	0.167
PC/CTN	60

RH-40BH3A



Kg/PC	0.180
PC/CTN	55

RH-40BH4



Kg/PC	0.270
PC/CTN	35

RH-40BH4A



Kg/PC	0.213
PC/CTN	30

RH-40BH4B



Kg/PC	0.190
PC/CTN	40

RH-40BH5



Kg/PC	0.120
PC/CTN	100

RH-40BH6



Kg/PC	0.180
PC/CTN	85

ROLLER TRACKS

SURFACE : WZ

RH-40BH6A



Kg/PC	0.230
PC/CTN	40

RH-4040H1



Kg/PC	0.220
PC/CTN	45

RH-4040H2A



Kg/PC	0.272
PC/CTN	40

RH-4040H3



Kg/PC	0.250
PC/CTN	35

RH-4040H4



Kg/PC	0.370
PC/CTN	20

RP-40A



Kg/m	0.980
m/PC	4
m/BDL.	40

RP-40B



Kg/m	0.660
m/PC	4
m/BDL.	40

RP-40C



Kg/m	0.980
m/PC	4
m/BDL.	40

RH-44H1



Kg/PC	0.186
PC/CTN	40

RH-44H3



Kg/PC	0.220
PC/CTN	35

Unit : mm

R-6016



Kg/m	1.350
m/PC	4
m/BDL.	28

R-6016ESD



Kg/m	1.350
m/PC	4
m/BDL.	28

RH-6016H1



Kg/PC	0.240
PC/CTN	50

RH-6016H2A



Kg/PC	0.320
PC/CTN	30

RH-6016H3



Kg/PC	0.273
PC/CTN	40

RH-6016H3A



Kg/PC	0.290
PC/CTN	35

RH-6016H5



Kg/PC	0.167
PC/CTN	60

RH-6016H6



Kg/PC	0.280
PC/CTN	50

RH-6016H6A



Kg/PC	0.332
PC/CTN	25

RH-6016BH1



Kg/PC	0.220
PC/CTN	50

ROLLER TRACKS

SURFACE : WZ

RH-6016BH2A



Kg/PC	0.300
PC/CTN	35

RH-6016BH3



Kg/PC	0.240
PC/CTN	45

RH-6016BH3A



Kg/PC	0.263
PC/CTN	50

RH-6016BH5



Kg/PC	0.140
PC/CTN	70

RH-6016BH6



Kg/PC	0.215
PC/CTN	80

RH-6016BH6A



Kg/PC	0.267
PC/CTN	35

R-6032



Kg/m	1.180
m/PC	4
m/BDL.	32

RH-6032H1



Kg/PC	0.260
PC/CTN	40

RH-6032H2A



Kg/PC	0.340
PC/CTN	25

Unit : mm

R-8550



	2.380
	4
	20

R-8525



Kg/m	2.650
m/PC	4
m/BDL.	20

RH-85H1



Kg/PC	0.340
PC/CTN	25

RH-85H2A



Kg/PC	0.403
PC/CTN	20

RH-85H5



Kg/PC	0.206
PC/CTN	20

RH-85BH1



Kg/PC	0.303
PC/CTN	30

RH-85BH2A



Kg/PC	0.366
PC/CTN	20

RH-85BH5



Kg/PC	0.169
PC/CTN	50

F Series

METAL ACCESSORIES

METAL ACCESSORIES

SURFACE : WZ

F-1



Kg/PC	0.158
PC/CTN	50

F-2



Kg/PC	0.198
PC/CTN	20

F-3



Kg/PC	0.006
PC/CTN	800

F-3A

Kg/PC	0.001
PC/CTN	10000

F-3B



Kg/PC	0.020
PC/CTN	300

F-3C



Kg/PC	0.020
PC/CTN	300

F-4



Kg/PC	0.020
PC/CTN	300

F-4A (Use with F-10/F-10A/F-21)



Kg/PC	0.070
PC/CTN	150

F-5



Kg/PC	0.026
PC/CTN	200

F-6



Kg/PC	0.104
PC/CTN	130

Unit : mm

F-7



Kg/PC	0.079
PC/CTN	240

F-8



Kg/PC	0.082
PC/CTN	240

F-9



Kg/PC	0.013
PC/CTN	800

F-9A



Kg/PC	0.013
PC/CTN	800

F-10 (Use with F-4A/F-10A/F-21)



Kg/PC	0.072
PC/CTN	90

F-10A (Use with F-4A/F-10/F-21)



Kg/PC	0.106
PC/CTN	75

F-10B (Use with F-4A/F-10/F-21)



Kg/PC	0.065
PC/CTN	75

F-11



Kg/PC	0.108
PC/CTN	120

F-11A



Kg/PC	0.109
PC/CTN	120

F-12A/F-12B/F-12C



Part No.	F-12A	F-12B	F-12C
L	235	335	435
Kg/PC	0.183	0.225	0.255
PC/CTN	40	30	25

METAL ACCESSORIES

SURFACE : ●BK ○WZ

F-13A/F-13B/F-13C/F-13D



Part No.	F-13A	F-13B	F-13C	F-13D
L	60	100	150	200
Kg/PC	0.039	0.046	0.059	0.070
PC/CTN	350	230	180	150

F-14



Kg/PC	0.188
PC/CTN	60

F-15

Kg/PC	0.145
PC/CTN	75

F-16



Kg/PC	0.230
PC/CTN	130

F-17

Kg/PC	0.275
PC/CTN	25

F-18

Kg/PC	0.060
PC/CTN	120

F-18A



Kg/PC	0.060
PC/CTN	120

F-19



Kg/PC	0.015
PC/CTN	200

F-20



Kg/PC	0.037
PC/CTN	500

F-21 (Use with F-4A/F-10/F-10A)



Kg/PC	0.130
PC/CTN	80

Unit : mm

F-22



Kg/PC	0.190
PC/CTN	40

F-25A



Kg/PC	0.075
PC/CTN	120

F-25B

Kg/PC	0.073
PC/CTN	120

F-25C



Kg/PC	0.041
PC/CTN	220

F-26



Kg/PC	0.009
PC/CTN	400

L Series

LEVELING FEET

Unit : mm

L-1



Kg/PC	0.043
PC/CTN	180

L-2



Kg/PC	0.052
PC/CTN	140

L-2A



Kg/PC	0.068
PC/CTN	130

L-3



Kg/PC	0.071
PC/CTN	200

L-3A



Kg/PC	0.104
PC/CTN	130

L-3B

Kg/PC	0.100
PC/CTN	120

L-3C



Part No.	L-3CCP10	L-3CCP12
Kg/PC	0.191	0.191
PC/CTN	100	100

L-3D



Kg/PC	0.074
PC/CTN	200

L-4



Kg/PC	0.094
PC/CTN	120

L-4A



Kg/PC	0.129
PC/CTN	80

LEVELING FEET

SURFACE : WZ

L-4B

Kg/PC	0.125
PC/CTN	85

L-4C



Part No.	L-4CCP10	L-4CCP12
Kg/PC	0.215	0.215
PC/CTN	70	70

L-4D



Kg/PC	0.094
PC/CTN	120

L-4E

Kg/PC	0.105
PC/CTN	100

L-4F



Kg/PC	0.180
PC/CTN	100

L-5



Kg/PC	0.033
PC/CTN	200

L-6



Kg/PC	0.073
PC/CTN	120

L-6A



Kg/PC	0.083
PC/CTN	140

L-6B



Kg/PC	0.112
PC/CTN	100

L-7



Kg/PC	0.395
PC/CTN	10

Unit : mm

L-8



Kg/PC	0.460
PC/CTN	15

L-9



Kg/PC	0.230
PC/CTN	30

N Series

FASTENERS

Unit : mm

Picture	Part No.	Desc.	Surface	Kg/PC	PC/CTN	Apply
N-1						
	N-1M6BZ	Nut	BZ	0.002	5400	Bolt
	N-1M6WZ		WZ			
	N-1ENBZ	Inch Nut	BZ	0.002	5400	Inch Bolt
	N-1ENWZ		WZ			
N-2						
	N-2BZ	Bolt	BZ	0.007	2700	Nut
	N-2WZ		WZ			
N-2（Inch）						
	N-2ENBZ	Inch Bolt	BZ	0.007	2700	Inch Nut
	N-2ENWZ		WZ			
N-2						
	N-2M612BZ	Bolt	BZ	0.005	4000	Nut
	N-2M612WZ		WZ			
N-3						
	N-3M840WZ	Bolt	WZ	0.017	1200	M8 Nut
N-6						
	N-6M8WZ	Nylon Nut	WZ	0.002	4000	M8 Bolt

Picture	Part No.	Classification	Application	Kg/PC	PC/CTN	Apply
N-8A (M10)						
	N-8ACP10M10WZ	Coated Pipe	Φ28 x T1.0	0.075	350	Φ24.0
	N-8ASUS09M10WZ	SUS Pipe	Φ28 x T0.9	0.084	320	Φ26.0
	N-8ASUS11M10WZ		Φ28 x T1.1	0.090		Φ25.6
N-8A (M12)						
	N-8ACP07M12WZ	Coated Pipe	Φ28 x T0.7	0.075	350	Φ24.6
	N-8ACP10M12WZ		Φ28 x T1.0			Φ24.0
	N-8ACP14M12WZ		Φ28 x T1.4			Φ23.2
	N-8ACP20M12WZ		Φ28 x T2.0			Φ22.0
	N-8ASUS07M12WZ	SUS Pipe	Φ28 x T0.7	0.084	320	Φ26.4
	N-8ASUS09M12WZ		Φ28 x T0.9	0.090		Φ26.0
	N-8ASUS11M12WZ		Φ28 x T1.1			Φ25.6

C Series

CASTERS

CASTERS

Picture	Part No.	(mm)	Wheel Material	(mm)	(Kg)	(mm)	(mm)
C-4A							
	C-4ATPR75GM12	75	TPR	32	100	104	M12 X 60
	C-4ATPR100GM12	100	TPR	32	130	130	M12 X 60
C-4							
	C-4TPR75GM12	75	TPR	32	100	104	M12 X 60
	C-4TPR100GM12	100	TPR	32	130	130	M12 X 60
C-4A ESD							
	C-4ATPRESD75GM12	75	TPR ESD	32	100	104	M12 X 60
	C-4ATPRESD100GM12	100	TPR ESD	32	130	130	M12 X 60
C-4 ESD							
	C-4TPRESD75GM12	75	TPR ESD	32	100	104	M12 X 60
	C-4TPRESD100GM12	100	TPR ESD	32	130	130	M12 X 60

Unit : mm

Picture	Part No.	(mm)	Wheel Material	(mm)	(Kg)	(mm)	(mm)	(mm)
C-5								
	C-5TPR100G	100	TPR	32	130	128	95 X 67	73 X 45
C-7								
	C-7TPR100G	100	TPR	32	130	128	95 X 67	73 X 45
C-8								
	C-8TPR150G	150	TPR	50	410	190	114 X 100	84 X 71
C-10								
	C-10TPR150G	150	TPR	50	410	190	114 X 100	84 X 71

O Series

TOOLS

Unit : mm

O-2

O	5 mm
L1	123 mm
L2	16 mm
Kg/PC	0.103
PC/CTN	20

O-3/O-3A

Cutting Range	3-32 mm
Set	1 X O-3
Optional Parts	2 X O-3A
Kg/PC	0.417 / 0.019
PC/CTN	12

O-4

Cutting Range	Φ 6 - Φ 40 mm
Kg/PC	0.230
PC/CTN	32
Tube inside and outside trimming knife.	

O-5/O-5A

Packaging (included)	1xO-5 ordinary trimming blade
	1xO-5A high strength trimming blade
Kg/PC	0.060 / 0.021

www.wkpnj.com.my