

SAFETY DATA SHEET

FILE NO.001

NAME OF PRODUCT

X Way Adhesive Glue devices.

SDS DATE: 01/07/2022

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Adhesive Hot Melt Glue products.**PRODUCT CODE:**

| <i>Model No.</i> | <i>Description</i> |
|-------------------------|---|
| RGT | Rat Glue Tray |
| RGT-V | Rat Glue tray with Vanilla Flavour |
| FGB | Folding Glue Board, Folding Glue Board B = |
| FGB-P | Folding Glue Board – Plastic, Folding Glue Board P-Tape |
| RTU | Folding Glue Board RTU |
| Décor Glue Board series | GB Décor (White/Black), GB Décor 45W, GB 45 (White/Black) |
| Luralite Series | Cento Glue Board, Plus Glue Board |

MANUFACTURER: X-Way Sdn. Bhd.31, Jalan 9/118B, Desa Tun Razak,
56000 Kuala Lumpur, Malaysia.**EMERGENCY PHONE:** +603 9174 7436 / 7468**CHEMICAL NAME:** Polyisobutylene, EVA, SBS, Polyolefin resin**CHEMICAL FAMILY:** N/A**CHEMICAL FORMULA:** N/A**PLASTIC TRAY FOR RGT / RGT-V / FGB-P** Propylene Homopolymer**THERMAL DECOMPOSITION AGENT FOR FGB-P** 10% Oxo-Biodegradable**PRODUCT USE:** Rodent and insect monitoring devices.

SECTION 2: HAZARDS IDENTIFICATION

PRODUCT IS NON- HAZARDOUS

Classification of the substance or mixture according to GB 13690-2009 (General rule for classification and hazard communication of chemicals) is not require.

EMERGENCY OVERVIEW:

ROUTES OF ENTRY:

| ROUTES OF ENTRY: | POTENTIAL HEALTH EFFECTS |
|-------------------------|---------------------------------|
| EYES | N/A |
| SKIN | N/A |
| INGESTION | N/A |
| INHALATION | N/A |

POTENTIAL HEALTH EFFECTS

| | |
|---|------|
| ACUTE HEALTH HAZARDS | None |
| CHRONIC HEALTH HAZARDS | None |
| MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE | None |

CARCINOGENICITY:

| | |
|--------|------|
| AGENCY | None |
| OSHA | None |
| ACGIH | None |
| NTP | None |
| IARC | None |
| OTHER | None |

SAFETY DATA SHEET

FILE NO.001

NAME OF PRODUCT

X Way Adhesive Glue devices.

SDS DATE: 01/07/2022

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| | ppm | mg/m ³ |
|-------------------|------------------|-------------------|
| OSHA PEL-TWA | None Established | None Established |
| OSHA PEL STEL | None Established | None Established |
| OSHA PEL CEILING | None Established | None Established |
| ACGIH TLV-TWA | None Established | None Established |
| ACGIH TLV STEL | None Established | None Established |
| ACGIH TLV CEILING | None Established | None Established |

SECTION 4: FIRST AID MEASURES

| | |
|------------|---|
| EYES | Flush with cool water, seek medical attention. |
| SKIN | Remove glue with mineral spirits or vegetable oil. Wash skin with soap and water |
| INGESTION | Call a physician or emergency phone number immediately. Do not give anything by mouth or induce vomiting unless instructed by physician |
| INHALATION | N/A |

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: NONE

SECTION 5: FIRE-FIGHTING MEASURES

| FLAMMABLE LIMITS IN AIR (% BY VOLUME) | |
|---------------------------------------|-----|
| UPPER | N/A |
| LOWER | N/A |

| FLASH POINT | |
|-------------|-----|
| °F | 421 |
| °C | 216 |

METHOD USED:

| AUTOIGNITION TEMPERATURE | |
|--------------------------|-----|
| °F | N/A |
| °C | N/A |

| NFPA HAZARD CLASSIFICATION | |
|----------------------------|-------------|
| HEALTH | 0 (Minimal) |
| FLAMMABILITY | 0 (Minimal) |
| REACTIVITY | 0 (Minimal) |
| OTHER | 0 (Minimal) |

| HMIS HAZARD CLASSIFICATION | |
|----------------------------|-------------|
| HEALTH | 0 (Minimal) |
| FLAMMABILITY | 0 (Minimal) |
| REACTIVITY | 0 (Minimal) |
| OTHER | 0 (Minimal) |

| COMMENTS | |
|------------------------------------|--------------------------|
| EXTINGUISHING MEDIA | Water, Foam or Inert Gas |
| SPECIAL FIRE FIGHTING PROCEDURES | None |
| UNUSUAL FIRE AND EXPLOSION HAZARDS | None |
| HAZARDOUS DECOMPOSITION PRODUCTS | None |

SAFETY DATA SHEET

FILE NO.001

NAME OF PRODUCT

X Way Adhesive Glue devices.

SDS DATE: 01/07/2022

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES:

Steps to be taken in the event the material is released or spilled: General clean up. Remove glue by applying mineral spirits to the spilled area, followed by washing the area with warm water and detergent.

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE:

Store at room temperature. The average shelf life is "Stable".

OTHER PRECAUTIONS:

Store in original container in a cool (0 °C – 40 °C), dust free environment.

SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

ENGINEERING CONTROLS:

| PARAMETER | COMMENTS |
|--|--------------------------------------|
| VENTILATION | Not Required |
| RESPIRATORY PROTECTION | Not Required |
| EYE PROTECTION | Not Required |
| SKIN PROTECTION | Gloved recommended. Otherwise, none. |
| OTHER PROTECTIVE CLOTHING OR EQUIPMENT | Not Required |
| WORK HYGENIC PRACTICES | Not Required |
| EXPOSURE GUIDELINES | Not Required |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:

| PARAMETER | COMMENTS |
|---------------------------------|---|
| ODOR | Scent Free or Non-Allergenic Synthetic Scents |
| PHYSICAL STATE | Solid |
| pH AS SUPPLIED | Neutral |
| pH (Other) | N/A |
| BOILING POINT (°F) | >572 |
| BOILING POINT (°C) | >300 |
| MELTING POINT (°F) | 171.39 |
| MELTING POINT (°C) | 77.44 |
| VAPOR PRESSURE (mm Hg) @ °F | N/A |
| VAPOR PRESSURE (mm Hg) @ °C | N/A |
| VAPOR DENSITY (AIR = 1) @ °F | N/A |
| VAPOR DENSITY (AIR = 1) @ °C | N/A |
| SPECIFIC GRAVITY (H2O = 1) @ °F | N/A |
| SPECIFIC GRAVITY (H2O = 1) @ °C | N/A |
| EVAPORATION RATE BASIS (=1) | |
| SOLUBILITY IN WATER | N/A |
| PERCENT SOLIDS BY WEIGHT | 100% |
| PERCENT VOLATILE BY WEIGHT @ °F | N/A |
| PERCENT VOLATILE BY VOLUME @ °F | N/A |

SAFETY DATA SHEET

FILE NO.001

NAME OF PRODUCT

X Way Adhesive Glue devices.

SDS DATE: 01/07/2022

| | |
|--|---------|
| PERCENT VOLATILE BY VOLUME @ °C | N/A |
| VOLATILE ORGANIC COMPOUNDS (VOC) WITH WATER: LBS/GAL | N/A |
| VOLATILE ORGANIC COMPOUNDS (VOC) WITHOUT WATER: LBS/GAL | N/A |
| MOLECULAR WEIGHT | |
| VISCOSITY @ 221 °F | 9629 cP |
| VISCOSITY @ 105 °C | 9629 cP |

SECTION 10: STABILITY AND REACTIVITY

| CLASSIFICATION | COMMENTS |
|----------------|----------|
| STABLE | X |
| UNSTABLE | |

STABILITY:

| CLASSIFICATION | COMMENTS |
|--|----------------|
| CONDITIONS TO AVOID (STABILITY) | None |
| INCOMPABILITY (MATERIAL TO AVOID) | None |
| HAZARDOUS DECOMPOSITION OR BY-PRODUCTS | None |
| HAZARDOUS POLYMERIZATION | None |
| CONDITIONS TO AVOID (POLYMERIZATION) | Will Not Occur |

SECTION 10 NOTES:**SECTION 11: TOXICOLOGICAL INFORMATION**

TOXICOLOGICAL INFORMATION: None

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: If the product contact with water.
Biodegradation will be limited by its low solubility in water.

SECTION 13: DISPOSAL CONSIDERATIONS**WASTE DISPOSAL METHOD:**

Wastes resulting from use may be disposed of on-site or at an approved waste disposal facility. Dispose of wastes in accordance with all applicable Federal, State and Local regulations.

RCRA HAZARD CLASS:

SAFETY DATA SHEET

FILE NO.001

NAME OF PRODUCT

X Way Adhesive Glue devices.

SDS DATE: 01/07/2022

SECTION 14: TRANSPORT INFORMATION

U.S DEPARTMENT OF TRANSPORTATION

| PARAMETER | COMMENTS |
|----------------------|---------------|
| PROPER SHIPPING NAME | Not Required |
| HAZARD CLASS | Non-Hazardous |
| ID NUMBER | Not Required |
| PACKING GROUP | Not Required |
| LABEL STATEMENT | None Required |

WATER TRANSPORTATION

| PARAMETER | COMMENTS |
|----------------------|---------------|
| PROPER SHIPPING NAME | Not Required |
| HAZARD CLASS | Non-Hazardous |
| ID NUMBER | Not Required |
| PACKING GROUP | Not Required |
| LABEL STATEMENT | None Required |

AIR TRANSPORTATION

| PARAMETER | COMMENTS |
|----------------------|---------------|
| PROPER SHIPPING NAME | Not Required |
| HAZARD CLASS | Non-Hazardous |
| ID NUMBER | Not Required |
| PACKING GROUP | Not Required |
| LABEL STATEMENT | None Required |

OTHER AGENCIES:

General Information:

Not hazardous according to RID, ADR, ADNR, IMDG, IATA-DGR.

Notice for Transportation:

Transport according to local and national regulations. Ensure containers will not leak, collapse, or being damaged when transported. DO NOT transport with incompatible material. Transportation vehicle should be equipped with right fire –fighting equipment in case of emergency. Avoid solarisation, drenched and temperature when transported.

SAFETY DATA SHEET

FILE NO.001

NAME OF PRODUCT

X Way Adhesive Glue devices.SDS DATE: 01/07/2022

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

| REGULATIONS | COMMENTS |
|---|----------|
| TSCA (TOXIC SUBSTANCE CONTROL ACT) | None |
| CERCLA (COMPERHENSIVE RESPONSE COMPENSATION AMD LIABILITY ACT) | None |
| SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT) | None |
| 311/312 HAZARD CATEGORIES | None |
| 313 REPORTABLE INGREDIENTS | None |

STATE REGULATIONS:

INTERNATIONAL REGULATIONS:

SECTION 16: OTHER INFORMATION

OTHER INFORMATION: N/A**PREPARATION INFORMATION: N/A****SDS Pro Adhesive Hot Melt Glue Devices – X Way SDN. BHD. Revised July 2022**