LARGE FORMAT PRINTERS SureColor SC-S60670L & SC-S80670L





Sharp And Vibrant Prints Deserve To Get Noticed

Introducing Epson SureColorTM SC-S60670L and SC-S80670L, the latest printers to join the ecosolvent signage range. Producing vivid prints for a wide variety of applications, such as outdoor signages, posters, stickers and car-wrapping. Designed, developed and built using a multitude of new features that are at the forefront of Epson's printing innovation to ensure trusted quality. It's all in the details.







2 Years



lp to " wide



Epson



Environmentally





IT'S IN THE DETAILS.

With Epson UltraChrome™ ink, the SureColor T-series printers redefine consistent, quality printing.

Environmentally Friendly

Eco-friendly inks that have been developed to promote less waste and be better for the environment.

Increased Productivity

Fast and reliable high volume printing with up to 20 hours of unattended and uninterrupted prints.

Trusted Reliability

As trusted and reliable as all the S-series printers to produce stunning quality work, while protected by a 2-year warranty.





The next generation in high performance eco-solvent signage printers, SureColor™ SC-S60670L and SC-S80670L, are developed with bulk ink system to maximise productivity. Our advanced printing technologies includes the PrecisionCore TFP printhead and software solutions that bring brilliant colours and print quality to life.



UltraChrome GS3 Ink

Using eco-solvent ink from Epson to bring a wide gamut of colours that comes with a higher image quality. The result is an outstanding gloss level and colour vibrancy that will astound. The ink set has also been improved to allow a lowered consumption and also a faster drying time.



Inks Made Safe For You And The Environment

Using a safe pigment formula which is free from nickel and fluorine compounds while producing low chemical emissions, the UltraChrome GS3 eco-solvent ink is UL GREENGUARD Gold Certified. Additionally, it meets the AgBB and French-VOC A+ Class criteria for low chemical emissions, suitable even for indoor applications.











Less Waste, More Eco-Friendly

Using 1L ink packs, the printers produce lesser waste than traditional ink cartridges. It also results in an 80% reduction in weight and takes up 90% less space*.

^{*} Data is based on Epson's calculation. Actual space reduction ratio could be different from the data above.

Reduced User Intervention

The SC-S60670L and the SC-S80670L enable up to 20-hours* of continuous unattended printing with a 50%** less need for replacements therefore enabling operators to attend to other matters.

*based on internal simulation of solid colour printing. Actual result could differ based on printing conditions.

**based on internal testing. Actual result could differ based on printing conditions.



PrecisionDot Mode

PrecisionDot mode delivers flawless output across all mediums even at fast print speeds. Epson's image processing technology includes three components: Halftone module, Look-Up-Table, and Microweaving.



Higher Quality, **Faster Output**


The Epson PrecisionCore TFP printhead produces exceptional image quality thanks to its 360dpi printhead nozzle configuration, producing a maximum resolution of up to 1440 x 1440 dpi1.





Epson Wide CMYK Profile

Epson Wide CMYK Profile is an ICC profile developed by Epson to maximise the colour gamut of the printer, harnessing both quality of Epson's UltraChrome™ GS3 inks (with Red) and Precision Dot Technology.



Software Solutions

Epson Control Dashboard, Epson Edge Print (RIP) and LFP Accounting Tool sets any business on track to maximise efficiency with enhanced control over your prints.



Bulk Ink System

The Epson's bulk ink solution



comes with 1.5-litre ink pouches that reduce downtime. It minimises the user intervention with automated head-cleaning, for longer uninterrupted print runs, which brings greater convenience and lower ink costs.

Trusted Name In Printing

When it comes to printing, Epson printers are notably the most preferred choice as they are renowned for their precision and reliability. Our professional printers combine high volume and high speed production printing with quality print output without compromising on affordability, further demonstrating how we are the leading brand for customers who look for reliable, quality products that allow them to print with confidence.

How To Mix Inks



1. Do not mix by just moving the ink pack from left to right.



2. Mix ink pack by tilting side to side in an upwards and downwards motion.

Comprehensive Service And Support

The SC-S60670L and the SC-S80670L printers are covered by a standard 2-year warranty, with the option of extended coverage.



SPECIFICATIONS

SureColor SC-S60670L & SC-S80670L



MODEL NUMBER	SureColor SC-S60670L (C11CH23402)	SureColor SC-S80670L (C11CH24402)		
Printer Width	64"	64"		
Printing Technology				
Print Technology	Variable-Sized Droplet Technology	Variable-Sized Droplet Technology		
Printhead	Dual PrecisionCore™ TFP® Printhead	PrecisionCore™ TFP® Printhead		
Nozzle Configuration	360 nozzles x 2 channels x 4 colours	360 nozzles x 1 channel x 10 colour		
Maximum Resolution	1440 x 1440 dpi			
Minimum Ink Droplet	4.2pl			
Print Speed				
Colour		Colour (1 Layer)		
vlax Speed - 1 pass	Up to 95.3 m2/h (360 x 720 dpi)	Max Speed - 1 pass	Up to 95.1 m2/h (360 x 720 dpi)	
ligh Speed - 2 pass (Billboard)	Up to 52.3 m2/h (720 x 720 dpi)	High Speed - 2 pass (Billboard)	Up to 52.3 m2/h (720 x 720 dpi)	
Production 2 - 4 pass	Up to 31.6 m2/h (720 x 720 dpi)	Production 1 - 4 pass	Up to 26.8 m2/h (720 x 720 dpi)	
Production 3 - 6 pass	Up to 20.7 m2/h (720 x 1440 dpi)	Production 2 - 6 pass	Up to 18.2 m2/h (720 x 720 dpi)	
ligh Quality - 8 pass	Up to 14.6 m2/h (720 x 1440 dpi)	Colour, Colour + White (1 Layer)	ор то тоге телт (гео и тео ару	
lax Quality 1 - 12 pass	Up to 8.7 m2/h (1440 x 1440 dpi)	High Quality - 8 pass	Up to 13.2 m2/h (720 x 720 dpi)	
	Up to 6.8 m2/h (1440 x 1440 dpi)			
lax Quality 2 - 16 pass		Max Quality 1 - 12 pass	Up to 8.8 m2/h (720 x 1440 dpi)	
lax Quality 3 - 24 pass	Up to 4.9 m2/h (1440 x 1440 dpi)	Max Quality 2 - 16 pass	Up to 6.8 m2/h (720 x 1440 dpi)	
		Max Quality 3 - 30 pass	Up to 3.7 m2/h (720 x 1440 dpi)	
		Max Quality 4 - 48 pass	Up to 2.4 m2/h (1440 x 1440 dpi)	
		Colour + Metallic Silver (1 Layer)		
		Production - 20 pass	Up to 4.2 m2/h (760 x 1440 dpi)	
		High Quality - 36 pass	Up to 2.3 m2/h (1440 x 1440 dpi)	
		Colour + White (2 Layer)		
		Speed - 18 pass	Up to 6.4 m2/h (720 x 720 dpi)	
		Production - 32 pass	Up to 3.5 m2/h (720 x 1440 dpi)	
		High Quality - 48 pass	Up to 2.4 m2/h (1440 x 1440 dpi	
		Colour + Metallic Silver (2 Layer)	Sp to 2.1 m2 ii (1440 x 1440 upi	
			Up to 1.0 mg/s (700 - 1440 - 1-2	
		Production - 40 pass	Up to 1.9 m2/h (720 x 1440 dpi)	
		High Quality - 72 pass	Up to 1.1 m2/h (1440 x 1440 dpi)	
		Colour + White (3 Layer)		
		Speed - 27 pass	Up to 3.2 m2/h (720 x 720 dpi)	
		Production - 48 pass	Up to 1.7 m2/h (760 x 1440 dpi)	
	<u> </u>	High Quality - 72 pass	Up to 1.1 m2/h (1440 x 1440 dpi)	
ık System				
ulk Ink System	Bulk Ink Solution 1 (C12C934611)	Bulk Ink Solution 2 (C12C934631)		
ık Type	Epson UltraChrome™ GS3 Ink Technology	Epson UltraChrome™ GS3 Ink Technology with Red		
		Cyan, Magenta, Yellow, Black, Light Cyan,		
Colours	Cyan, Magenta, Yellow, Black			
	1500	Light Magenta, Light Black, Orange, Red, White, Metallic Silver		
nk Capacity	1500ml	1500ml (except Metallic Silver 500ml)	
aper Handling				
ledia Width	300 mm to 1626 mm			
rintable Area	Max printing width: 1616 mm; Side Margin: 5 m	nm both sides, 10 mm with media holding	g plates	
ledia Thickness	Up to 1 mm			
laximum Roll Diameter	250 mm			
laximum Reel Diameter	200 mm			
1aximum Roll Weight	45kg			
eater	Pre- and Platen- Heater (30 to 50 °C); After-Heater	ater (30 to 55 °C)		
ontrol Panel	2.7 inch colour LCD	,		
connectivity	Z. Horrodour Edd			
rinter Interfaces	Hi-Speed LISB 100BASE TV /1000BASE T			
	Hi-Speed USB,100BASE-TX /1000BASE-T			
rinter Language		ESC/P raster		
lemory	Printer: 512MB; Network: 128MB Printer: 2GB; Network: 128MB			
oftware		Windows, CD Installer, Communication Driver, EPSON Manuals Launcher, Operators Guides,		
	General Information, Epson Edge Dashboard, E	psonNet Config, EpsonNet Setup, Epsor	nNet Print,	
	Epson Software Updater, Epson Edge Print			
ower and Operating Requirements				
ower Requirements	AC 100-120V or 200-240V 50/60Hz			
ated Current	10A (AC100-120V) 5A (AC200-240V)			
ower Consumption				
emperature	Operating: Approx. 820 W Operating: Approx. 640 W Operating: 15°C to 35°C (20 to 32°C recommended)			
umidity	Operating: 20 - 80% (40 to 60% recommended	1)		
rinter				
torage Dimensions (W x H x D)	2,766 x 1,338 x 972mm	2,766 x 1,338 x 880mm		
laximum Dimensions (W x H x D)	2,766 x 1,671 x 1,147mm	2,766 x 1,671 x 1,090mm		
/eight	About 331kg (without inks)	About 326 kg (without inks)		
ık Bulk System				
imensions (W x H x D)	423 x 548 x 650mm			
	About 48 kg (without inks)	About 53 kg (without inks)		
Veight				
nk Pack Slots	8 slots	10 slots		
F for Printer	USB cable, Power Supply Cable, Ink tube			
ower Supply	Direct from printer			
	B # 1 1 0 1 11 1 10 10 10 10 10 10 10 10 10	I Dully Into Call Harm 0 (01000004001)		
Bundle	Bulk Ink Solution 1 (C12C934611)	Bulk Ink Solution 2 (C12C934631)		

Additional Print Drying System (C12C932381) Substrate Support System (C12C932361)

Starter Kit (1 set of inks) (C13T45P100E1)

2 years limited warranty

Warranty

Substrate Support System (C12C932361)

Starter Kit (1 set of inks) (C13T45P100E2)

SC-S60670L Dimension & Weight Weight: About 331kg (without inks)



SC-S80670L Dimension & Weight Weight: About 326 kg (without inks)



1,338mm

Ink Compatability

ink compatability	
Black (1500ml)	C13T45P100
Cyan (1500ml)	C13T45P200
Magenta (1500ml)	C13T45P300
Yellow (1500ml)	C13T45P400
Light Cyan (1500ml)	C13T45P500
Light Magenta (1500ml)	C13T45P600
Light Black (1500ml)	C13T45P700
Orange (1500ml)	C13T45P800
Red (1500ml)	C13T45P900
White (1500ml)	C13T45PA00
Metallic Silver (500ml)	C13T45PB00

Supplies & Optional Accessories

Cleaning Cartridge (700ml)	C13T44A500
Maintenance Parts Kit	C13S210093
Waste Ink Bottle (4000ml)	C13S210071
Ink Cleaner	C13T699300
Cleaning Stick	C13S090013
Clean Room Wiper	C13S090016
Substrate Support System	C12C932361
Additional Print Drying System	C12C932381
Media Edge Plate	C12C932411

© 2019 Epson Singapore Pte Ltd. All Rights Reserved, Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation. All other product names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Partner's Stamp

Information correct at time of printing Printed December 2019