

# GO BIG ON POSSIBILITIES AND PRECISION.

**EPSON**  
EXCEED YOUR VISION



SC-T3130N



SC-T3130M



SC-T3130X<sup>\*1</sup>

## Distinctive Quality Meets Endless Possibilities For Your Creative Ideas.

Take your ideas to a bigger scale with greater performance and precision with the Epson SureColor T-series printers. With PrecisionCore printhead technology and UltraChrome XD2 ink<sup>\*2</sup> to bring about fast printing speeds, enjoy a seamless work process and top-class accuracy in every print. Showcase your ideas and plans in a big way right down to the finest detail.

**GO BIG** on the details and find out more from our printing experts.



## IT'S IN THE DETAILS.



### Detailed Accuracy

PrecisionCore printhead technology produces impressive accuracy and sharpness at outstanding speeds.

### Reliable Efficiency

In-built functions such as Continuous Ink Supply System<sup>\*3</sup> and seamless scan to print ensure high productivity.

### Small Footprint

Minimally designed to fit effortlessly into tight working spaces.


<sup>\*1</sup> SC-T3130X stand is optional and is not included in the initial packaging. <sup>\*2</sup> For SC-T3130M only. <sup>\*3</sup> For SC-T3130X only.



For accuracy right down to the finest details, the Epson SureColor T-series printers fulfil all your business needs. Using core technologies such as PrecisionCore printheads and UltraChrome XD2 ink, prints are delivered at an outstanding speed with impressive accuracy and clarity. Let your ideas impress your audience with prints that are consistently fast, precise and reliable.

## PrecisionCore Printhead Technology

Equipped with the next-generation PrecisionCore printhead technology as well as Variable Size Dot Technology, piezo elements are used to mechanically eject ink from the SureColor T-series' PrecisionCore Micro TFP printhead, allow the ink droplets to be controlled to the finesse of 3.5 picolitres, producing incredibly precise line detail, sharp text and photographic-quality graphics. T-series' industry-leading output quality and accuracy will provide a reliable and productive long-term operation.



## Impressive Print Speeds


The PrecisionCore printhead technology enables remarkable print speeds that will print A1 printouts in 31 seconds\*.

\*Print speed is based on the SC-T5130.




## Nozzle Verification Technology

Print without interruptions with the advanced built-in Nozzle Verification Technology (NVT). This technology monitors nozzle health and adjusts print quality automatically without interruption, even during printing.



The piezo element (sensor) detects the residual vibration (pressure change) in the ink chamber and diagnoses the nozzle condition.



If a clogged nozzle is indicated by an irregular vibration pattern, the printer automatically adjusts the print quality.



## Compact, User-friendly Design

### Control At Your Fingertips

A 4.3 inch touch panel on the T-series gives you the convenience of an easy setup and a PC-less operation that just makes things extra efficient.



### Small Footprint

Sleek and minimally designed, the T-series is of a comfortable size that fits into tight work spaces effortlessly. At just 970 x 245 x 577mm without the stand, the SC-T3130X has one of the smallest footprint in its class.



# Trusted Productivity

## Ink Tank System

The SC-T3130X increases cost savings as it brings on a seamless workflow, eliminating the need for ink replacements that will delay print jobs. With an efficiently designed ink tank and system, ink refills during print jobs can be easily and effortlessly done, without compromising on efficiency.



## Wireless Connectivity

The T-series is integrated with Wi-Fi and Wi-Fi Direct, making it convenient to print right from smart devices anywhere in the office. The Wi-Fi Direct function acts as an access point, allowing devices to connect directly to the printer without a router. Additionally, the T-series printers come equipped to allow direct wireless printing from any Apple devices through Apple AirPrint\*, without the need for any additional drivers.



\*Apple AirPrint is a trademark of Apple Inc.

## Epson Cloud Solution PORT

Epson Cloud Solution PORT is a cloud-based solution for Epson end users. This software provides users with the status of the connected printer and alerts for troubleshooting if required. The Production Monitor allows users to visualise printer operational status, track usage and print job cost, conveniently from their PC or smart devices.



## Seamless Scan To Print

Scan and enlarge your printouts in just four easy steps without needing to connect to a computer. Using compatible Epson scanners\* for the SC-T3130N/T3130X, you can seamlessly scan and print directly from the T-series printers.



\*Recommended scanners: WorkForce DS-530, DS-6500, DS-60000.

### Consumables & Options

	Model	Size	SC-T3130M/SC-T3130N	SC-T3130X
INK CARTRIDGES	Black Ink Cartridge	80ml	C13T40B100	
	Cyan Ink Cartridge	50ml	C13T40B200	
	Magenta Ink Cartridge	50ml	C13T40B300	
	Yellow Ink Cartridge	50ml	C13T40B400	
INK BOTTLES	Black Ink Bottle	140ml	-	C13T49K100
	Cyan Ink Bottle	140ml	-	C13T49K200
	Magenta Ink Bottle	140ml	-	C13T49K300
	Yellow Ink Bottle	140ml	-	C13T49K400
Others				
	Maintenance Box	C13S210057		
	Auto Cutter Spare Blade	C13S210055		


Options	SC-T3130N	SC-T3130X	SC-T3130M
Roll Feed Spindle (24")	●	●	●
C12C935701			
Printer Stand (24")	●	●	●
C12C933151			
Document Carrier Sheet (A1)			●
C12C936101			

SPECIFICATIONS

MODEL NUMBER	SC-T3130N   SC-T3130X	
Printer Width	24"	
Printing Technology	PrecisionCore TFP Printhead	
Print Head	3,200 nozzles (800 nozzles x 4 channels x 1 head)	
Nozzle Configuration	2,400 x 1,200 dpi	
Maximum Resolution	4.0 pl   3.5 pl	
Minimum Ink Droplet Volume	±0.1% or ±0.26 mm	
Line Accuracy	CAD (A1): 34 seconds	
Print Speed		
Ink System	UltraChrome XD2 Pigment Ink   Black: Pigment, Colour: Dye	
Ink Type	Cyan, Magenta, Yellow, Black	
Colours		
Paper Handling		
Maximum Roll Diameter / Weight	2" core, Max 110 mm/3kg	2" core, Max 119 mm/4.2kg
Paper Width	Roll: 329 mm - 610 mm	Roll: 297 mm - 610 mm
	Cutsheet: 210 mm - 610 mm	
Side Margin	3mm	
Media Thickness	Roll: 0.05 mm to 0.21 mm, ASF/Cutsheet: 0.12 mm to 0.27 mm	
Auto-Sheet Feeder	A4 to A3	
Paper Capacity for ASF	50 sheets plain paper / 5 sheets special media	
Connectivity		
Interface	USB 3.0, Ethernet (100BASE-TX/1000BASE-T), Wi-Fi (IEEE802.11b/g/n)	
Wi-Fi Direct	Wi-Fi Direct (Simple AP)	
Control Panel	4.3" Touch Screen	
Printer Languages	ESC/P raster, HP-GL/2HP RTL	
Scanner Integration	Epson WorkForce DS-530	
	Epson WorkForce DS-650	
	Epson WorkForce DS-60000	
Memory	1GB	
Operating System Requirements	Windows XP SP3 or later / Vista / 7 / 8 / 8.1 / 10, Windows Server 2003 / 2008 / 2012 / 2016 / 2019, Mac OS X 10.6.8 or later	
Electrical Specifications		
Rated Voltage / Frequency / Current	AC 100 to 240V, 50/60Hz, 1.4A	
Power Consumptions	Operating: Approx. 28W	Operating: Approx. 22W
	Ready: Approx. 8W	Ready: Approx. 8W
	Sleep: Approx. 1.6W	Sleep: Approx. 1.6W
	Power Off (Stand by):	Power Off (Stand by):
	Approx. 0.2W	Approx. 0.2W
Environmental Conditions		
Temperature	Operating: 10°C to 35°C, Storage: -20°C to 40°C	
Humidity	Operating: 20 - 80% (No Condensation), Storage: 5 - 85% (No Condensation)	
Sound Pressure	Operating: Approx. 49dB(A), Sleep: Approx. 32dB(A)	
Sound Power	Operating: Approx. 7.5B(A)	
Printer Dimensions		
Dimension With Stand (W x H x D)	970 x 913 x 696 mm	970 x 928 x 577 mm
Dimension Without Stand (W x H x D)	970 x 230 x 505 mm	970 x 245 x 577 mm
Weight With Stand	38 kg	40 kg
Weight Without Stand	27 kg	29 kg
What's In The Box	Printer, Initial Ink Cartridge, AC Power Cable, Setup Guide, Software CD-Rom, Maintenance Box	
Warranty	3-years Warranty	1-year Warranty

Dimensions and Weight

SC-T3130N  
Weight: 27kg



SC-T3130X  
Weight: 29kg



© 2021 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation. All other product names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Partner's Stamp

Information correct at time of printing  
Printed August 2021



To find out more, visit [www.epson.com.my/technical-printing](http://www.epson.com.my/technical-printing) or call 1800-81-7349 (Toll-Free).

[f](#) [i](#) [in](#) EpsonMalaysia [You Tube](#) EpsonSoutheastAsia



## SPECIFICATIONS

<b>MODEL NUMBER</b>	<b>SC-T3130M</b>
<b>Printer Width</b>	24"
<b>Printing Technology</b>	
Print Head	PrecisionCore TFP Printhead
Nozzle Configuration	3,200 nozzles (800 nozzles x 4 channels x 1 head)
Maximum Resolution	2,400 x 1,200 dpi
Minimum Ink Droplet Volume	4.0 pL
Line Accuracy	±0.1% or ±0.26 mm
Minimum Line Width	0.07mm <sup>*1</sup> (0.02mm <sup>*2</sup> )
<b>Print Speed</b>	CAD (A1): 34 seconds
<b>Ink System</b>	
Ink Type	UltraChrome XD2 Pigment Ink
Colours	Cyan, Magenta, Yellow, Black
<b>Paper Handling</b>	
Maximum Roll Diameter / Weight	2" core, Max 110 mm/3kg
Paper Width	Roll: 329 mm - 610 mm Cutsheet: 210 mm - 610 mm
Side Margin	3mm
Media Thickness	Roll: 0.05 mm to 0.21 mm, ASF/Cutsheet: 0.12 mm to 0.27 mm
Auto-Sheet Feeder	A4 to A3
Paper Capacity for ASF	50 sheets plain paper / 5 sheets special media
<b>Scanning</b>	
Sensor	CIS
Light Source	RGB LED
Optical Resolution	600 dpi
Scan Speed (200 dpi)	1.5 ips (Colour) / 4.5 ips (Mono)
Minimum Document Size	148 mm x 148 mm
Maximum Document Size	609.6 mm x 2,720 mm
Scan Formats	JPEG, PDF (Single Page), PDF (Multi Page), PDF/A (Single/Multi), TIFF
Scan to Destination	Scan to Network Folder, Scan to FTP Server, Scan to Email, Scan to Memory Device
<b>Copy</b>	
Copy Speed	77 sec (Colour) / 60 sec (Mono)
Scaling	25 to 400%
Maximum Copies	99
<b>Connectivity</b>	
Interface	USB 3.0, Ethernet (100BASE-TX/1000BASE-T), Wi-Fi (IEEE802.11b/g/n)
Wi-Fi Direct	Wi-Fi Direct (Simple AP)
Control Panel	4.3" Touch Screen
Printer Languages	ESC/P raster, HP-GL/2HP RTL
Memory	1GB + 8GB <sup>*3</sup>
USB Direct Print	PDF <sup>*4</sup> , TIFF, JPEG
<b>Operating System Requirements</b>	Windows XP SP3 or later / Vista / 7 / 8 / 8.1 / 10, Windows Server 2003 / 2008 / 2012 / 2016 / 2019, Mac OS X 10.6.8 or later
<b>Electrical Specifications</b>	
Rated Voltage / Frequency / Current	AC 100 to 240V, 50/60Hz, 1.4A
Power Consumptions	Operating: Approx. 24W Ready: Approx. 11W Sleep: Approx. 2.0W Power Off (Stand by): Approx. 0.2W
<b>Environmental Conditions</b>	
Temperature	Operating: 10°C to 35°C, Storage: -20°C to 40°C
Humidity	Operating: 20 - 80% (No Condensation), Storage: 5 - 85% (No Condensation)
Sound Pressure	Operating: Approx. 47dB(A)
Sound Power	Operating: Approx. 6.6B(A)
<b>Printer Dimensions</b>	
Dimension With Stand (W x H x D)	970 x 974 x 696 mm
Dimension Without Stand (W x H x D)	970 x 292 x 505 mm
Weight With Stand	44.4 kg
Weight Without Stand	33.4 kg
<b>What's In The Box</b>	Printer, Initial Ink Cartridge, AC Power Cable, Setup Guide, Software CD-Rom, Maintenance Box
<b>Warranty</b>	3-years Warranty

## Dimensions and Weight

**SC-T3130M**  
**Weight:** 33.4kg



© 2021 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation. All other product names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Partner's Stamp

Information correct at time of printing  
Printed August 2021

<sup>\*1</sup> ISO/IEC 24790, Single weight matte paper, CAD/Line Drawing, Max Quality, High Speed=Off, Finest Detail=On.

<sup>\*2</sup> Addressable.

<sup>\*3</sup> For scanner data processing.

<sup>\*4</sup> PDF available only for files scanned by integrated scanner.



To find out more, visit [www.epson.com.my/technical-printing](http://www.epson.com.my/technical-printing) or call 1800-81-7349 (Toll-Free).



EpsonMalaysia You Tube EpsonSoutheastAsia

