



■ Graphics ■ Documents ■ Technical Coatings

## Neschen Inkjet Solutions Digital Interior Design

**IDEAS FOR  
SUCCESS**



[www.neschen.com](http://www.neschen.com)

## With Digitally Printed Wallpaper and Textiles into Modern Interior Design!

There is now no stopping digital printing, as it quickly spreads into practically all areas of interior design and decoration.

In the past the majority of Neschen's customers included printing houses and advertising agencies. Now with its Interior Design range Neschen is also targeting interior decorators, company architects and interior designers. This approach ensures that the customer is made aware of the range of fully customised options available right from the planning phase.

This means that professional digital printing companies can be brought on board at an early stage.

Today's printing technologies enable designers to make use of a wide variety of materials having different properties, thereby creating unique and individualized projects. The breadth of possibilities and the potential they offer your company are expansive.

Neschen AG is committed to carrying out detailed research in this area to provide you with the highest quality products to ensure your success.

At the moment, the highlight of our range is the wall coverings which can be printed using the popular solvent, mild solvent and UV curable technologies. The new Neschen digital wall coverings are available in several appealing textures which allow customers a choice in printing their own images, adverts or slogans.

Currently in many markets strategic alliance are set up to commercialize the individually printed interiors. This may be a collaboration of local plants and a professional painter or together operated portals on the Internet, which candidates virtually for new customers.

In addition, there are already many commercial image databases with pictures for "Interior Design" digital printing.

More Informations: [www.digital-interior-design.com](http://www.digital-interior-design.com)



**GERMAN COUNCIL  
OF SHOPPING CENTERS**



**EHI Retail Institute®**

### Wallpapers

#### **solvoprint wallpaper P**

295 g/m<sup>2</sup> PVC-coated paper, five different textures, water-resistant, scratch-resistant, for indoor use, fire certification: B1, EN 13501-1, BS 476, suitable for latex inks, very good print quality, for wall coverings

#### **solvoprint wallpaper NW**

350 g/m<sup>2</sup> PVC-coated non woven wallpaper, five different textures, with non-woven (fleece) back, PVC-coating, water-resistant, scratch-resistant, for indoor use, fire certification: B1, suitable for latex inks, very good print quality, easy to remove from the wall (compared to paper based wallpapers), for wall coverings



#### **ERFURT wallpaper CA**

app. 190 g/m<sup>2</sup> digital non woven wallpaper, non-PVC, 100% non woven material, coated with a Color Alliance certified inkjet coating, printable with latex inks, matt, fire classification according to EN 13501-1, environmentally friendly, for wall coverings

#### **solvoprint event fleece CA adh**

180 g/m<sup>2</sup> digital fleece wallpaper, PVC-free, matt, smooth surface, CA inkjet coating, water-resistant, scratch-resistant, for indoor use, environmentally friendly, semi-permanent adhesive, suitable for latex inks, very good print quality, specially for exhibition stand walls or other smooth surfaces for wall coverings, improved removability



## Textiles

### **solvotex artist premium light S**

200 g/m<sup>2</sup> woven polyester fabric, white, premium inkjet coating, light linen weave, scratch resistant, for indoor and outdoor, fire certification: B1, Oeko-Tex 100 standard, suitable for latex inks, for rolling lightboxes (e. g. Distex) very good flatness, for exhibition banner and indoor and outdoor advertisement

### **solvotex artist premium heavy S**

300 g/m<sup>2</sup> woven polyester fabric, white, premium inkjet coating, heavy linen weave, scratch resistant, for indoor and outdoor, fire certification: B1 and M1, Oeko-Tex 100 standard, very good flatness, for exhibition-banner and indoor and outdoor advertisement

### **solvotex TCS 200 plus 2**

200 g/m<sup>2</sup> woven Trevira CS fabric, white, "plus 2" inkjet coating, light linen weave, scratch resistant, for indoor and outdoor, fire certification: B1 and M1, Oeko-Tex 100 standard, for exhibition-banner and indoor and outdoor advertisement

### **solvotex TCS 300 plus 2**

300 g/m<sup>2</sup> woven Trevira CS fabric, white, "plus 2" inkjet coating, heavy linen weave, scratch resistant, for indoor and outdoor, fire certification: B1, Oeko-Tex 100 standard, for exhibition-banner and indoor and outdoor advertisement



### **VARItex decoframe 250 B1 CA**

250 g/m<sup>2</sup> knitted polyester, for indoor and outdoor use, fire certification: B1, suitable for latex inks, for 4screen and soft image display systems and banners, CA inkjet coating, high variability due to the printability with four different types of inks (DyeSub, Latex, UV and waterbased pigm. inks), good flatness

### **DYEtex display 220 B1**

220 g/m<sup>2</sup> knitted polyester, for indoor and outdoor use, fire certification: B1, for display systems such as Roll Up and 4screen, good flatness

### **DYEtex flag 110 B1**

110 g/m<sup>2</sup> knitted polyester, for indoor and outdoor use, fire certification: B1, for flags, banners, exhibition and theater decorations, good exterior durability, good printing through

### **DYEtex PES banner 240 B1** NEW

240 g/m<sup>2</sup> knitted polyester, for indoor and outdoor use, fire certification wB1 and M1, for frame applications, for 4Screen and Soft Image display systems

### **printex easy banner heavy**

280 g/m<sup>2</sup> woven polyester fabric, white, matt, inkjet coating, scratch-resistant, for indoor and outdoor use, fire certification: B1, suitable for latex inks, high print quality, good flatness, can be trimmed with a cutter (without fraying), for Roll Up and 4screen display systems and banner



### **printex easy banner light**

175 g/m<sup>2</sup> woven polyester fabric, white, matt, inkjet coating, scratch-resistant, for indoor use and outdoor use, fire certification: B1, suitable for latex inks, high print quality, good flatness, can be trimmed with a cutter (without fraying), for Roll Up and 4screen display systems and banner

Discuss your needs with us. We have the right media for you! Consult our office or field service staff by calling us on +49 (0) 5722 20 70, sending a fax to +49 (0) 5722 20 71 97 or contacting us via e-mail at [neschen@neschen.de](mailto:neschen@neschen.de).



For orders, sample requests, queries or suggestions please contact us:

Neschen AG  
Hans-Neschen-Str. 1  
D-31675 Bückeburg  
Tel.: ++49 (0) 57 22-20 70  
Fax: ++49 (0) 57 22-20 71 97  
E-Mail: neschen@neschen.de



[www.neschen.com](http://www.neschen.com)