

MEMORIES of

+
Fla*me*

I am DURABLE inside out.

I am DEPENDABLE for
generations to come.

I am QUALITY by Zenne.

HOODS | HOBS

Smart Cooking

Induction cooking uses electromagnetism to heat pots and pans, and it simply takes less time to cook food. The smooth glass top can be quickly and effortlessly wiped clean. No flame means no grease fires, and no gas means no gas leaks.



German E.G.O Technology



Booster Function



Auto Shutdown Protection



9 Power Levels



Digital Touch Screen



Pan Recognition Function



Child Lock



Cooking Timer



Energy Saving & High Efficiency




Top Material Euro Kera France



Power Function




Left Cooking Zone
Booster Function



Right Cooking Zone



Child Lock



Cooking Timer

KEH-EE201-GB

Output Rated Power (kW)	2.8
Rated Voltage (V)	220 – 240
Maximum Output Power (kW)	Left Power (Max) : 2.3 Left Booster (Max) : 2.8 Right Power (Max) : 2.3
Power Level	9 Power Levels Setting
Top Surface	Black
Type	Built-in / Free Standing
Heating Element	Germany E.G.O
Product Size (mm)	750 (W) x 450 (D) x 56 (H)
Cut Out Dimension (mm)	670 – 700 (W), 380 – 400 (D)
Control Panel	Touch-Screen
Product Weight (kg)	10
Child Lock	Yes
Cooking Timer	1 – 99 Min / 2 – 5 Hour
Part Warranty	1 Year

TERMS & CONDITIONS

All pictures, colours, models, diagrams & specifications are for reference purpose only and subject to change without prior notice. For additional information, full dimensional and installation details, please refer to the instruction manual supplied for the appliance.

Powerful Cooking

Perfect synergy of modern design & powerful gas heating. A premium Venturi Burner design gas hob that has high heat efficiency and steady blue flame for efficient cooking ensuring delicious result everytime you cook.



Automatically Cuts Off Gas If Flames Fail Accidentally



Solid Body Structure Prevents Pot from Falling Down



Allow 36,000 Turning Cycles (About 9.9 years)



Stainless Steel Burner Cap with High Heat Resistant Coating



JIA Certified Company (Japan Gas Appliances Inspection Association)



Stringent Quality Control



Detachable Parts for Easy Cleaning and Maintenance



Release Almost Zero Amount of Carbon Monoxide (CO)



Twister Eco-Flame Allow Maximum Transfer of Heat Energy to Pot



33% Faster Boiling Time (Time & Energy Savings)



KGH313EN

Burner Design	Turbo Twister Burner + Normal Burner
Burner Size (L & R)	ø120 + ø35
Burner Size (C)	ø60
Flame Power (kW) (L & R)	5.3 (4,600 kcal/h)
Flame Power (kW) (C)	1.7 (1,500 kcal/h)
Control Valve	Turn
Flame Failure Device	Yes
Top Material	Tempered Glass
Glass Colour	Black / White
Trivet	Iron Casting
Product Size (mm)	860 (W) x 98 (H) x 450 (D)
Cut Out Dimension (mm)	804 (W) x 400 (D)
Flame Failure Device	Yes
Gas Type	LPG / NG
Part Warranty	3 Years

TERMS & CONDITIONS

All pictures, colours, models, diagrams & specifications are for reference purpose only and subject to change without prior notice. For additional information, full dimensional and installation details, please refer to the instruction manual supplied for the appliance.



KVH221

Burner Design	Twister Burner
Burner Size (L & R)	ø120 + ø35
Flame Power (kW) (L & R)	4.5 (3,900 kcal/h)
Control Valve	Turn
Flame Failure Device	Yes
Top Material	Tempered Glass
Glass Colour	Black / White Silver
Trivet	Wire Hob + Enamel Coating
Product Size (mm)	785 (W) x 102 (H) x 466 (D)
Cut Out Dimension (mm)	650 ~735 (W) , 350 ~ 421 (D)
Product Weight (kg)	13.5
Gas Type	LPG / NG
Part Warranty	3 Years



Flexible Cut Out Size
(W: 650 ~ 735,
D: 350 ~ 421)



Detachable Parts For
Easy Maintenance

KVH233

Burner Design	Turbo Twister Burner
Burner Size (L & R)	ø120 + ø35
Flame Power (kW) (L & R)	5.3 (4,600 kcal/h)
Control Valve	Turn
Flame Failure Device	Yes
Top Material	Tempered Glass
Glass Colour	Black / White Silver
Trivet	Iron Casting
Product Size (mm)	785 (W) x 102 (H) x 466 (D)
Cut Out Dimension (mm)	650 ~735 (W) , 350 ~ 421 (D)
Product Weight (kg)	14.9
Gas Type	LPG / NG
Part Warranty	3 Years



Superior Design To
Prevent Overflowing
Liquid From Seeping In

TERMS & CONDITIONS

All pictures, colours, models, diagrams & specifications are for reference purpose only and subject to change without prior notice. For additional information, full dimensional and installation details, please refer to the instruction manual supplied for the appliance.

Perfect Atmosphere

Reflect elegance and style of the kitchen around them as they combine quality design with the best materials. Different models of hood vary according to aesthetics, extraction method and motor capacity / power output to suit all kitchen types.



Ventilated /
Circulated (Optional)



Digital
Touch Screen



DC Motor



Washable
Aluminium Filter



Delay Timer
5 mins



Effective Removal of
Grease, Smoke & Smell



Anti
Fingerprint



High Quality SUS 430
Stainless Steel with
6mm Tempered Glass



Booster
Function



Adjustable 3
speeds level



Low Noise



High Efficiency
LED Lighting



Easy Cleaning



	KRH-D10MB-G	KRH-AD1001-S
Control Panel	Digital	Digital
Rated Voltage (V)	220 – 240	220 – 240
Rated Frequency (Hz)	50 – 60	50 – 60
Max Air Flow (m3/h)	1,000	1,000
Max Noise Level (db)	67	67
Lighting	2 x 1.5W LED Light	1 x 8W LED Strip Light
Motor Capacity (W)	250	250
Product Size (mm)	895 (L) x 500 (W) x 540 – 1,020 (H)	900 (L) x 500 (W) x 548-1,000 (H)
Net Weight (kg)	18	18
Ducting Diameter (mm)	ø150	ø150
Ducting Length (m)	2	2
Charcoal Filter	Optional	Optional
Part Warranty	3 Years	3 Years

TERMS & CONDITIONS

All pictures, colours, models, diagrams & specifications are for reference purpose only and subject to change without prior notice. For additional information, full dimensional and installation details, please refer to the instruction manual supplied for the appliance.

NEW



KRH-A09MB-B

KRH-DD1101-S

Control Panel	Analog	Digital
Rated Voltage (V)	220 – 240	220 – 240
Rated Frequency (Hz)	50 – 60	50 – 60
Max Air Flow (m3/h)	850	1,100
Max Noise Level (db)	68	67
Lighting	2 x 1.5W LED Light	1 x 4W LED Light
Motor Capacity (W)	210	150
Product Size (mm)	442 (L) x 380 (W) x 880-1,260 (H)	895 (L) x 527 (W) x 937 (H)
Net Weight (kg)	10.9	25
Ducting Diameter (mm)	ø150	ø180
Ducting Length (m)	2	3
Charcoal Filter	Optional	Nil
Part Warranty	3 Years	3 Years

TERMS & CONDITIONS

All pictures, colours, models, diagrams & specifications are for reference purpose only and subject to change without prior notice. For additional information, full dimensional and installation details, please refer to the instruction manual supplied for the appliance.



" If you detect gas leakage or ignition exhibits extreme irregularity, please contact us or the dealer nearest to you. "

Authorized Distributor or Dealer