Ricoh Aficio MP C2800/C3300 Color Digital Imaging System Outstanding Color For Any Application





Ricoh Aficio MP C2800/C3300

Enhance productivity for color and black & white.

Based on an award-winning design, the fast and versatile RICOH® Aficio® MP C2800/C3300 give your organization an easy, affordable way to bring the power of color to business-critical documents. Both deliver high-quality color for vivid results in a wide range of applications and provide fast, precise black & white output. They can be configured with tools to optimize workflow, from scanning and faxing to finishing and color management. That means the Ricoh Aficio MP C2800/C3300 offer an ideal way to make



EfficientFastFlexibleVibrant

Superior Speed for Your Workflow

Depend on these go-to systems for exceptional speed and efficiency in any environment, as well as capabilities that reduce turnaround time.

- Complete presentations, spreadsheets and other jobs quickly with output speeds of 28 or 33 pages-per-minute for both full-color and black & white documents.
- Get the documents you need faster. The Aficio MP C2800/C3300 deliver the first color copy in just 8.0 seconds or 5.0 seconds for black & white. They also have short warm-up and recovery times from Off/Sleep mode.
- Process large color files and other complex print jobs in record time with a powerful 600 MHz controller, 1 GB RAM and a standard 80 GB Hard Disk Drive.
- Support site-specific networking requirements using a variety of standard and optional interfaces. Both systems are also compatible with many operating environments, including UNIX, AS/400, Macintosh and Windows.



Whether you only need occasional color for critical documents or a color device that can handle heavier workloads, the Ricoh Aficio MP C2800/C3300 use patented PxP™ Toner and a powerful print engine to ensure amazing results on every page.

- Generate bold, high-quality color documents with resolutions up to 1200 x 1200 dpi.
- Reduce the need for expensive outsourcing by enabling your team to get creative and produce more full-color documents in-house.
- Create the right image for your organization. Professional color documents help you gain attention, persuade customers and make key messages more memorable.

Flexible Paper Handling

With extensive options for paper handling and finishing, the versatile Aficio MP C2800/C3300 can produce an incredibly wide range of documents.

- Print on a variety of sizes and stocks to produce three-hole-punched reports, oversized postcards, spreadsheets, presentations, and more. Both systems support output up to 12" x 18" (through the Bypass Tray) and accept heavy stocks (up to 140 lb. Index).
- Eliminate manual collation and stapling using the optional 500-Sheet Finisher or 1,000-Sheet Finisher with conventional stapling, or the 1,000-Sheet Booklet Finisher with saddle-stitching and optional hole-punching.
- Run long jobs without interruption with a standard paper capacity of 1,200 sheets.
- Add capacity with a 1 x 550-Sheet or 2 x 550-Sheet Paper Bank, or the 2,000-Sheet Tandem Large Capacity Tray (LCT). You can also add the 1,200-Sheet Side LCT for a maximum paper capacity of 4,400 sheets.



Find the features and functions you need in seconds with the large, easy-to-navigate, full-color W-VGA Control Panel with Simplified Display and animated user guidance.



Ricoh's PxP[™] toner provides more vivid colors and smooth gradations for improved photographic reproduction and better solid fills for fine lines and text.



With fast color output and professional finishing, you can eliminate manual collation and stapling and minimize the need for outsourcing.

Ricoh Aficio MP C2800/C3300

Advanced Document Management

The Ricoh Aficio MP C2800/C3300 include advanced scanning, faxing and other capabilities that have become essential elements of daily document workflow.

- Send documents to any destination quickly and easily. *Scan-to* functions include Scan-to-Email for rapid delivery, Scan-to-Folder for automated archiving, Scan-to-Media (USB/SD) for instant document portability and Scan-to-URL to minimize network traffic.
- Send and receive fax documents electronically with Internet (T.37) faxing, use LAN faxing to transmit faxes directly from a PC without leaving your desk, or distribute documents quickly with IP (T.38) and conventional Super G3 faxing.
- Minimize errors and ensure faxes reach their intended recipients. Both systems detect blank pages and enable users to double-check fax destinations before transmission.
- Print a PDF or JPEG attachment by simply sending an e-mail to the system, using the innovative Mail-to-Print feature.
- Get incoming faxes no matter where you are by redirecting incoming faxes to an e-mail address or network folder. This also eliminates lost hard copy faxes.
- Minimize file size, reduce network traffic and maintain exceptional image quality for scanned color documents with the standard High Compression PDF feature.



Maintain precise, professional control over color management with the optional EFI Fiery™ Controller.

- Leverage all the full-color capabilities of these systems' print engines, including graphics-intensive applications and accurate spot color.
- Adjust color output to suit a variety of application-specific needs with intelligent color management. Get the results you expect whether you are printing RGB, CMYK or even PANTONE® colors.
- Use this high-end controller for additional full-color firepower to print complex color documents efficiently and accurately, time after time.


End-To-End Solutions

Adding the Aficio MP C2800/C3300 to your office means you gain access to a broad portfolio of seamlessly integrated software solutions from Ricoh and a long list of partners.

- Incorporate proven Ricoh solutions for document capture and distribution, storage and management, variable data printing, assessment and cost recovery, device management and print security. These offerings are designed to work with Ricoh MFPs, transforming them into true document portals.
- Leverage the smartest, most effective workflow tools and streamline every aspect of your organization with Ricoh. We partner with industry-leading technology innovators to make sure our MFPs can serve as on-ramps to an extensive selection of applications for content management and other business-critical activities.
- Develop customized applications for the Aficio MP C2800/C3300 using Embedded Software Architecture[™], a Java-compatible Software Development Kit (SDK).



Scan files directly to removable media, such as an SD card or USB flash drive, for instant portability.



The optional EFI Fiery™ Controller is ideal for users who need greater control over color management and precise spot color matching.



Ricoh solution partners include all of these organizations and many more.

ReliableIntegratedSecurePowerful

Cost-Effective Operation

With exceptional productivity, high reliability and low total cost of ownership (TCO), these systems protect your investment.

- Expect maximum uptime and reliability from these systems, which are designed for heavy office workloads.
- Made for cost-conscious users, the Ricoh Aficio MP C2800/C3300 make it affordable to bring color into your workflow. User authentication lets you control access to color, manage costs and prevent abuse.

Simple and Secure

When you connect the Ricoh Aficio MP C2800/C3300 to your network, you will discover they are highly secure and extremely easy for administrators to manage.


- Handle a long list of common management tasks remotely. Managers can view detailed system information, network settings and supply status right from a standard Web browser.
- Defend against data interception with encrypted PDF transmission, which encrypts PDF data for Scan-to-Email and Scan-to-Folder applications.
- Restrict access to specific system functions (such as scanning or color copying) with several levels of user authentication.
- Protect confidential data. Use the DataOverwriteSecurity System (DOSS) option to automatically overwrite hard drive data after each copy, scan, fax and print job. Or use optional HDD encryption to protect data even if the hard drive is removed or stolen.

Your Environmental Partner

Ricoh continues its long-standing commitment to developing office solutions with environmentally friendly and superior energy- and supply-saving features, without compromising productivity, including:



- Power-Saving Sleep Mode
- Duplex and Combine Copy Modes
- Energy-Saving PxP[™]Toner
- Low Noise Levels
- Minimal Ozone Emissions
- Restriction of Hazardous Substances (RoHS) Compliant



Aficio MP Cillana

User authentication and other security features help protect your documents, your network and the device itself.

Full-Color Multifunctional Performance

Internal Shift-Sort Tray (Optional) If no finisher is

installed, add the Internal Shift-Sort Tray to collate document sets.



125-Sheet Inner One-Bin Tray (Optional)

Provides a cost-effective way to separate copy output from print and fax output.

Finishers (Optional)

The Ricoh MP C2800/C3300 can be equipped with a 500-Sheet or 1,000-Sheet Finisher for traditional stapling, or a 1,000-Sheet Booklet Finisher (shown) that creates professional-quality booklets and offers optional hole-punching.



Paper Trays

Two standard front-loading Paper Trays each hold 550 sheets.

Paper Sources (Optional)

Add an optional Cabinet Stand, 1 x 550-Sheet Paper Bank (Caster Table required), 2 x 550-Sheet Paper Bank (shown) or the 2,000-Sheet Tandem Large Capacity Tray (shown in insert) for maximum versatility. All sources accept stocks up to 140 lb. Index.





1,200-Sheet Side Large Capacity Tray (Optional)

Boosts maximum paper capacity to 4,400 sheets when installed with the 2,000-Sheet Tandem Large Capacity Tray.

Ricoh Aficio MP C2800/C3300

Optional Hardware Accessories

Two-Tray Paper Bank (PB3040)

Paper Capacity Paper Sizes

(P5344) 1,100 sheets (550 x 2) 7.25" x 10.5" – 11" x 17" 16 – 68 lb. Bond/140 lb. Index (60 – 256 g/m²) 22.8" x 24.4" x 10.2" Paper Weights

Dimensions (WxDxH) Less than 57 lbs.

One-Tray Paper Bank (PB3080)1

(F5306) 550 sheets (550 x 1) 7.25" x 10.5" – 11" x 17" 16 – 68 lb. Bond/140 lb. Index (60 – 256 g/m²) 22.8" x 24.4" x 4.7" Paper Capacity Paper Sizes

Paper Weights Dimensions (WxDxH) Weiaht Less than 33 lbs.

Requires Caster Table

Tandem Large Capacity Tray (LCT) (PB3050)1

Paper Capacity Paper Sizes

2,000 sheets (1,000 x 2) 8.5" x 11" LEF 16 – 68 lb. Bond/140 lb. Index (60 – 256 g/m²)

Paper Weights Dimensions (WxDxH) 22.8" x 24.4" x 10.2 Less than 57 lbs. Weight

FAC33 Cabinet Stand¹

Side Large Capacity Tray (LCT) (RT3000)

Paper Capacity 1,200 sheets
Paper Sizes 8.5" x 11" LEF
Paper Weights 16 – 57.5 lb. Bond/80 lb. Cover (60 – 216 g/m²)
Dimensions (WxDxH) 13.7" x 21.3" x 11.4"
Weight Less than 31 lbs.
Requires Two-Tray Paper Bank (PB3040) or Tandem LCT (PB3050).

 Requires Two-Tray Paper Bank (PB3040) or Tandem LCT (PB3050).

 1,000-Sheet Booklet Finisher (SR3000)²

 Paper Sizes
 5.5" x 8.5" - 11" x 17", 12" x 18"

 Paper Weights
 Upper Proof Tray: 14 - 28 lb. Bond (52 - 105 g/m²); Shift Tray: 14 - 68 lb. Bond/140 lb. Index (52 - 256 g/m²)

 Stack Capacity
 Upper Proof Tray: 100 sheets (8.5" x 11" or smaller), 50 sheets (8.5" x 11" or smaller), 50 sheets (8.5" x 11" or smaller), 100 sheets (8.5" x 11" or smaller), 100 sheets (8.5" x 11" or smaller), 100 sheets (8.5" x 11" or smaller), 30 sheets (6 - 10 sheets/set, all sizes, saddle-stitched)

 Staple Capacity
 50 sheets (8.5" x 11" or smaller), 30 sheets (8.5" x 14" or larger)

 Saddle Stitch
 10 sheets (up to 40 pages)

Saddle Stitch

Staple Paper Sizes

14 of larger)
10 sheets (up to 40 pages)
8.5" x 11", 8.5" x 14", 11" x 17" (Normal Staple)
8.5" x 11", 8.5" x 14", 11" x 17" (Saddle Stitch)
17 – 24 lb. Bond (64 – 90 g/m²) Staple Paper Weights

Staple Positions 17 – 24 lb. Borld (64 – 90 g/m²)
Staple Positions 1 staple/2 positions; 2 staples/3 positions
Dimensions (WxDxH)
Weight Approx. 105.9 lbs. without Punch Unit Option;
Approx. 105.9 lbs. with Punch Unit Option
2/3-Hole Punch Unit Option available for Booklet Finisher.

Cannot be installed with One-Tray Paper Bank (PB3080).

1,000-Sheet Finisher (SR790)²

Proof Tray: 14 – 68 lb. Bond/140 lb. Index (52 – 260 g/m²); Shift Tray: 14 – 43 lb. Bond/90 lb. Index Paper Sizes Paper Weights

Stack Capacity

g/m²); Shift Tray: 14 – 43 lb. Bond/90 lb. Index (52 –163 g/m²)
Proof Tray: 250 sheets (8.5" x 11" or smaller), 50 sheets (8.5" x 14" or larger); Shift Tray: 1,000 sheets (8.5" x 11"), 500 sheets (8.5" x 14" or larger), 100 sheets (5.5" x 8.5") 50 sheets (8.5" x 11"), 30 sheets (8.5" x 14" or larger) 8.5" x 11" – 11" x 17"
17 – 28 lb. Bond (64 – 90 g/m²) 1 staple/2 positions; 2 staples/2 positions 10.7" x 20.5" x 31.2"

Staple Capacity

Staple Capacity
Staple Paper Sizes
Staple Paper Weights
Staple Positions
Dimensions (WxDxH)

55.2 lbs. Weight

Cannot be installed with One-Tray Paper Bank (PB3080).

500-Sheet Finisher (SR3050)²

Staple Capacity

Paper Sizes

Paper Weights Stack Capacity

R3050)²
5.5" x 8.5" – 11" x 17"
14 – 67 lb. Bond/140 lb. Index (52 – 253 g/m²)
500 sheets (8.5" x 11" or smaller)
250 sheets (8.5" x 14" or larger)
50 sheets (8.5" x 14" or larger)
30 sheets (8.5" x 14" or larger)
8.5" x 11" – 11" x 17"
14 – 42 lb. Bond (52 – 157 g/m²)
1 staple/4 positions; 2 staples/1 position
15.6" x 21.7" x 10.9"
Less than 26.5 lbs.

Staple Paper Sizes Staple Paper Weights

Staple Positions Dimensions (WxDxH) Weight

Weight Approx. 4.4 lbs.
Internal Shift-Sort Tray cannot be installed with a finisher

Inner One-Bin Tray (BN3070)

Paper Sizes Bin Capacity Paper Weights 5.5" x 8.5" – 11" x 17" 125 sheets

16 – 50 lb. Bond/90 lb. Index (60 – 169 g/m²)

Approx. 5.5 lbs. Weight

² Requires installation of Bridge Unit

Either the Cabinet Stand or one of the paper options must be installed.

Ricoh Aficio MP C2800/C3300 **Specifications**



General Specifications

Output Speed

Printing Process Dry Electrostatic Transfer System with Dual Component Magnetic Brush

Development; 4-Drum Method MP C2800: 28-ppm BW/Full-Color (Letter), 17-ppm (Legal), 14-ppm (Ledger) MP C3300: 33-ppm BW/Full-Color

(Letter), 19-ppm (Legal), 17-ppm (Ledger) 29 seconds

Warm-Up Time First Copy Time Full-Color: 8.0 sec./BW: 5.0 sec.

600 dpi Copy Resolution Document Feeder

Automatic Reversing Document Feeder

(ARDF) Standard **Original Capacity** 50 sheets

5.5" x 8.5" – 11" x 17" Paper Size Paper Weight 11 - 34 lb. Bond (40 - 128 g/m²) (simplex) Paper Weight 14 - 28 lb. Bond (52 - 105 a/m2)

(duplex) Up to 11" x 17" **Exposure Glass** Multiple Copies

Up to 999 copies 11" x 17" max. (full-bleed on 12" x 18") Copy Size Input Capacity Standard: 2 x 550 sheets + 100-Sheet

Output Capacity

Paper Weights

Maximum: 1,625 sheets (with 1,000-Sheet Finisher + Inner 1-Bin Tray) Paper Sizes First Paper Tray: 8.5" x 11" LEF; Second Paper Tray/Paper Bank: 7.25" x 10.5" -

11" x 17"; Bypass Tray: Width: 3.54" – 12", Length: 5.83" – 23.62"; Tandem Large Capacity Tray: 8.5" x 11" LEF; Side Large Capacity Tray: 8.5" x 11" LEF Standard Trays/Bypass Tray/Paper Banks/ Tandem LCT: 16 - 68 lb. Bond/140 lb. Index (60 – 256 g/m²); Side LCT:

Bypass Tray; Maximum: 4,400 sheets

(w/Tandem LCT and Side LCT)

Standard: 500 sheets Face Down

16 – 57.5 lb. Bond/80 lb. Cover (60 – 216 g/m²); Duplex Unit: 16 – 45 lb. Bond/90 lb. Index (60 - 169 g/m²) Paper Types Plain/recycled paper, laser printer qualified transparencies, labels, envelopes

Auto Duplex Standard

25% - 400% in 1% increments Zoom 93%, 85%, 78%, 73%, 65%, 50%, 25% Preset Reduction Preset Enlargement 400%, 200%, 155%, 129%, 121% Dimensions (WxDxH) 26.4" x 26.4" x 30"

(standard configuration) Less than 265 lbs. (120 kg) (w/ARDF)

Power Requirements 120V, 60Hz, 12A Power Consumption 1,500 Watts maximum

Printer Controller Specifications (Standard)

CPU Intel Celeron-M @ 600 MHz, embedded 1 GB RAM and 80 GB HDD standard Memory

(shared)

MP C2800: 28-ppm BW/Full-Color Max. Print Speed MP C3300: 33-ppm BW/Full-Color Standard: RPCS, PCL5c, PCL6, **Print Drivers**

XPS via download

Optional: Adobe® Postscript® 3™ (includes PDF Direct Print), PS Driver for Mobile

Printing

Max. Print Resolution 1200 x 1200 dpi

Ethernet (10Base-T/100Base-TX). Standard Interfaces USB 2.0, USB Host I/F

Ethernet (1000Base-T), IEEE 1284/ECP Optional Interfaces

Parallel, IEEE 802.11a/b/g Wireless LAN, Bluetooth, USB 2.0/SD Slot Windows 2000/XP/Server 2003/Server

Network/Operating Systems

2008*/Vista; Netware 3.12, 3.2, 4.1, 4.11, 5.0, 5.1, 6, 6.5; UNIX; Sun Solaris, HP-UX, SCO OpenServer, RedHat Linux, IBM AIX; Mac OS 8.6 - 9.2x, OS X 10.1 or later; SAP R/3, NDPS Gateway; IBM iSeries; AS/400-using OS/400 Host Print

Transform Advanced Features

WSD printer Support, Advanced Print Queues (Sample Print, Locked Print, Hold Print, Stored Print), Black Overprint, CLP Simulation, Pantone Color Palette, Chaptering, Classification Codes, Mailto-Print (requires Fax and PS3 options), PDF Direct Print (requires PS3 option). PictBridge® Support (requires Camera Direct Print option), Bonjour/DDNS Support

SmartDeviceMonitor for Admin and Client; Web SmartDeviceMonitor; Web Image Monitor; Print Utility for

MAC (w/Adobe PS3 option) *Server 2008 is not included on the driver CD. It is available via download from

Security Specifications

Utilities

DataOverwriteSecurity Unit (DOSS) (Optional): Security feature that overwrites latent data on the system's hard drive after copy, print, scan and fax jobs

Copy Data Security Unit (Optional): Copies of prints made with this feature will be blacked out or embedded with a watermark to deter illegal copying

HDD Encryption Unit (Optional): Encrypts data on HDD, so data is secure even if HDD is stolen

Other Security Features: Network Protocol On/Off, IP Filtering,

SNMP v3 Support, Encryption (Address Book, Password, PDF, SSL Communication, S/MIME, IPsec Communication), Locked (Secure) Print, User Authentication (Windows/LDAP with Kerberos Authentication (External), Basic and User Codes (Internal), 802.1.x Wired Authentication, WPA/WPA2 (Wi-Fi Protect Access Support), and more

Scanner Specifications (Standard)

Scanner Resolution 100 - 600 dpi; 1200 dpi for TWAIN only Default setting: 200 dpi

Scanning Speed 50 ipm BW and Full-Color

(8.5" x 11" LEF/200 dpi) Glass: 11" x 17", 8.5" x 14", 8.5" x 11" ARDF: 5.5" x 8.5" – 11" x 17" Auto Scan Size Detection BW Text/Line Art, BW Text, BW Text/ Scan Mode Photo, BW Photo, BW Grayscale,

Full-Color Photo, Full-Color Text, Auto Color Select (ACS)

Compression Method BW: TIFF (MH, MR, MMR); Gravscale/Full-Color: IPFG

Scan-to-Email (with LDAP support); Scan-to Modes Scan-to-URL; Scan-to-Folder (SMB/ Supported

FTP/NCP); Network TWAIN scanning; Scan-to-Media (USB/SD, optional); WSD scanner (for Vista)

Document Server Specifications (Standard)

Max. Stored Document 1,000 documents Max. Pages/Document 1,000 pages Max Stored 2.000 pages

Documents

Facsimile Specifications (Optional)

Fax Option Type C5000 (standard on SPF model)

ITU-T (CCITT) G3, Additional G3 (optional) Type

Circuit PSTN, PBX

Resolution 200 x 100 dpi, 200 x 200 dpi, 400 x 400 dpi (with optional fax SAF memory) Modem Speed 33.6K - 2,400 bps w/Auto Fallback

Compression Method MH, MR, MMR, JBIG

Transmission Speed G3: Approximately 2 seconds/page (w/JBIG); G3: Approximately 3 seconds/

page (w/MMR)

Scan Speed 0.50 seconds/page LEF (Standard/Detail Mode); 0.94 seconds/page LEF (Super

Fine Mode)

Auto Dialing 2,000 Quick/Speed Dials, 100 Group

Dials (500 locations each)

Memory Capacity (SAF)

Standard 4 MB (approximately 320 pages); Maximum 28 MB (2,240 pages)

Additional Modes Internet Fax by E-mail (T.37); IP Fax

(T.38); LAN Fax; Fax Forward to E-mail/ Folder; LDAP Support

Options Additional G3 Lines (up to 2); Fax SAF

Memory; Telephone Handset

Additional Accessories

File Format Converter, Key Counter Bracket, JAVA VM Card for Embedded Software Architecture™ Applications, Optional Counter Interface, USB 2.0/SD Slot (for Scan-to-Media), Camera Direct Print Card, Fiery™ Print Controller

Supplies and Consumables

Black Toner 20,000 pages* Cyan, Magenta, 15,000 pages each*

Yellow Toners

*Toner vields based on 5% coverage













Bluetooth



the Ricoh website