$w\ w\ w\ .\ j\ f\ i\ x\ .\ c\ o\ m\ .\ m\ y$



mesh 2













mesh 2

Clean design with simple operation equipped with the basics

- 1. Adjustable Headrest
- 2. Adjustable Armrest
- 3. Mechanism
















a Inner Seat

PU moulded foam is attached to the bottom polypropylene cover without the usage of metal plate bracket with nuts. **(b)** Under Seat

Bottom polypropylene cover which made of recycled material is unconventionally secured to the seat that eases the exchange and replacement of the seat upholstery.

Armrest

Nylon adjustable armrest with nylon armpad to enchance support with best comfort.

Backrest

Metal frame that can be in either mesh, PU or leather upholstery finishing. **6** 5 Pronged Base

Nylon high base that comes with 60mm polyurethane castors.







THE REPRESENTATION
OF COMFORTABILITY
AND DESIGN COMBINED

Mesh 2 is designed for comfort with origins in Nexus's distinctive ergonomic designs. The clean design and pleasant seating experience of Mesh 2 is sure to please everyone in the office.


LEATHER SERIES FABRIC SERIES




MH5710L-18D34 Presidential high back

- AB18 aluminium high base
- D34 adjustable nylon armrest with nylon pad

 - MH011 metal synchronized
- mechanism (1 locking)








MH5712L-18D34 Executive low back

- AB18 aluminium high base
- D34 adjustable nylon armrest with nylon pad
- MH011 metal synchronized mechanism (1 locking)








MH5711L-18D34 Presidential medium back

- AB18 aluminium high base
- D34 adjustable nylon armrest with nylon pad

 - MH011 metal synchronized
- mechanism (1 locking)






MH5713L-89CA Visitor / Conference chair with arm


- 89CA chrome cantilever base



MH5714L-92C Visitor / Conference chair without arm

- 92C chrome cantilever base







MH5710N-20A60 Presidential high back

- NB20 nylon high base
- A60 fixed armrest
- MH011 metal synchronized mechanism (1 locking)
- Fabric applicable to headrest and seat only










MH5712N-20A60 Executive low back

- NB20 nylon high base
- A60 fixed armrest
- MH011 metal synchronized mechanism (1 locking)
- Fabric applicable to seat only








MH5713N-89EA Visitor / Conference chair with arm


- 89EA epoxy cantilever base
- Fabric applicable to seat only





MH5714N-92E Visitor / Conference chair without arm

- 92E epoxy cantilever base
- Fabric applicable to seat only



OPTIONAL SPECIFICATION



Adjustable Headrest

The two-pivoted headrest allows precise adjustments of the angle and the height, giving comfort and support to neck and head at any seating position. (Pic 1, 2)

Nylon Adjustable Armrest

Nylon adjustable armrest with nylon armpad to enchance support with best comfort. (Pic 3)

Fixed Armrest

Moulded polypropylene armrest in black finish. (Pic 4)

5 Pronged Base5 pronged base in either nylon or die-cast polished aluminium finish, generates by highly sophisticated ambience to provide strong stability. (Pic 5, 6)

Nylon Castors

60mm nylon dual-wheel castors are designed for smooth gliding and also reduce floor scratches. (Pic 7)

Adjustable Seat Depth / Slider Mechanism

Using a simple lever under the seat, user can easily adjust the depth of the seating to accommodate his sitting preference and comfort. (Pic 8)

Tilting Mechanism

Metal synchronized mechanism with seat slide and 1 locking system that come with weight adjustable tension knob. (Pic 9, 10, 11)

Height Adjustable Pneumatic Cylinder

Imported heavy duty pneumatic cylinder designed with safety and durability features, allows for height adjustment of the chair to suit each users physique. (Pic 12)

Polyurethane Moulded Foam

High density polyurethane moulded foam come with fire retardant feature, gives the seat flexibility to conform user seating posture, provides great support and best comfort even for long seating hours. The black finish seat cover below is designed for greater protection to the foam, quality upholstery and user safety. (Pic 13)