



User benefits

Simple Installation

- Compact and all in one system, thanks to the oversized integrated dryers.
 Compressed air quality can be improved by the cyclonic water separator and the coalescent filter is available as an option.
- Innovative design
- Easy and fully protected transport
- No special foundation needed

Solid Quality

Outstanding and first-class components:

- Highly reliable transmissions, for a quiet and trouble-free operation.
- High capacity oil/air coolers, perfect air filtration and cooling guarantee less thermal shocks and a longer lifetime.
- Overload protection and full automatic
- High quality and heavy duty motor.

Easy Maintenance and Accessibility

- All service components are located at the front of the machine for excellent accessibility, you just have to open the frontal door for an easy access for service or cleaning, easy access of the coolers, oil filter, separator and air filter replacements.
- Oil-level eye at the front
- Easy and quick check thanks to service door and controller
- Service and cleaning is a one person job

Saving of costs

- Lower energy consumption thanks to IE3 motors or IVR technology
- Optimal efficiency, lubrication and cooling
- Long service intervals

Safety

- Emergency stop
- Protection grid
- IP 54 electrical cubicle
- Internal and external protection for the electric fan.

DRB 35-50 Gear driven DRB 35-50 IVR Direct driven

Compressed air drives your company. Consequently, choosing the right compressor is crucial. Going for our DRB and DRB IVR ranges of highly efficient and flexible oil-injected screw compressors is a choice you will not regret. Bring some fresh air into your company and enjoy the strong performance and high efficiency that come with it.

The new DRB IVR closely follows the air demand by automatically adjusting the motor speed. Combined with the innovative design of direct driven transmission, this results in average energy savings of 35% and an average cut of 25% in the lifecycle cost of a compressor.

>>> Optional and standard features

OPTIONS LIST	Factory	Sales
OIL 8000H	V	×
CANOPY HEATER	V	V
FOOD GRADE OIL10	V	×
OPTION ENERGY RECOVERY	✓	×
HEAVY DUTY INLET FILTER	std on 30 and 37 kW	26 kW
COALESCENCE FILTER OPTION 0,1 ppm residual oil content	(with dryer)	(with dryer)
WATER SEPARATOR DRAIN (WSD) + automatic drain	~	V
PHASE SEQUENCE RELAY	V	×
TROPICAL THERMOSTAT	std	std
HIGH EFF PRE PANEL FILTRATION	V	×
MULTILOGIC Connection	V	V
WOODEN PACKAGE	V	×
ES 4000 advanced controller	V	×
Main isolator SWITCH	V	×

✓ = available
X = not available



SMART TECHNICAL ADVANTAGES








CUSTOMIZE YOUR MACHINES THROUGH A WIDE RANGE OF **OPTIONS:**

- Canopy heaters for low temperature installation



ES 4000 AS STANDARD ES 4000 ADVANCED AS OPTION FOR ALL THE MODELS





VERY BIG AIR OIL COOLER AND OPTIMIZED AIR FLOW

YOUR ENERGY EFFICIENT AND SOLID PERFORMANCE

>>> DRB 35 - 50 gear driven DRB 35 - 50 IVR direct driven

DRB 50 IVR D



- ooling air filter
- emergency stop
- controller
- oil separator (40 50 hp)
- oil separator 35 hp
- electrical cubicle
- onverter 🕜
- air filter

- air end
- 10 motor
- 👊 fan motor
- 12 gear box (FS)
- 13 direct transmission (IVR)
- 4 water separator drain
- 15 coalescent filter
- 16 dryer



>>> Energy audit

A frequency driven compressor potentially offers a very energy efficient compressed air installation, with a return on investment of typically 1-2 years. To help you decide to go with a frequency driven compressor or not, Ceccato has created the Energy Cutter, a tool which calculates in an easy way and visually presents the yearly savings that can be obtained from investing in a frequency driven compressor for any specific industry. Besides the Energy Cutter tool, Ceccato offers energy audits, specialized advice to make sure you make the right decision when buying your compressor.





TECHNICAL DATA



>>> Fixed speed

FIX SPEED	Max. Working Pressure	Reference Working Pressure	Motor	Power	Free Air Delivery @ reference conditions			Noise Level **	Cooling Air flow	Weight		
			H	•		蕈)		FM	FM D	
Model	BAR	PSI	kW	hp	m ³ /h	l/s	cfm	dB(A)	m³/h	A kg		
	7,5	109			272	75	160	69	4800	444	513	
DDD 05	8,5	123	00	35	258	72	152					
DRB 35	10	145	26		236	66	139					
	13 189	189			205	57	121					
	7,5	109			328	91	193			400	607	
DDD 40	8,5	123	00	40	300	83	177	70	4000			
DRB 40	10	145	30	40	275	76	162	70	4800	492		
	13	189			240	67	141					
	7,5	109			367	102	216		4800	514	629	
DDD 50	8,5	123	07	50	339	94	200	71				
DRB 50	10	145	37 50	50	303	84	179	1 /1				
	13 189	189			275	76	162					

>>> Variable speed

VARIABLE SPEED	Min. working pressure	Max. working pressure	Motor p	oower	Free Air Delivery @ reference conditions *								Cooling air flow					
					Min F	Min FAD * Max. FAD *												
			ı	P	7 bar		4 bar		7 bar		9,5 bar		12,5 bar)	-	FM	FM D
Model	BAR / PSI	BAR / PSI	kW	hp	m ³ /h	l/s	m ³ /h	l/s	m ³ /h	l/s	m ³ /h	l/s	m ³ /h	I/s	dB(A)	m ³ /h		kg
DRB 35 IVR	5,5-80	13-188	26	35	46	13	290	81	284	79	252	70	216	60	69	4800	444	513
DRB 40 IVR	5,5-80	13-188	30	40	61	17	348	97	334	93	292	81	245	68	70	4800	492	607
DRB 50 IVR	5,5-80	13-188	37	50	61	17	380	106	367	102	331	92	271	75	71	4800	514	629

>>> Dimensions

	DIMENSIONS										
Model	width mm	height mm	length IVR mm	lenght IVR + dryer mm							
DRB 35 DRB 40 DRB 50	780	1580	1350	1830							



Н

Oil injected screw compressors, gear and direct driven

DRB and DRB IVR





- A high quality product offering you technology you can trust.
- Our products are easy to use and guarantee high reliability.
- Distributors are always nearby ensuring availability of both products and support.
- Choosing our high performance products entails a partnership that will boost your business.
- Safeguarding long-term productivity through optimal serviceability and use of original parts.



Care. Trust. Efficiency.

Care.

Care is what service is all about: professional service by knowledgeable people, using high-quality original parts.

Trust.

Trust is earned by delivering on our promises of reliable, uninterrupted performance and long equipment lifetime.

Efficiency.

Equipment efficiency is ensured by regular maintenance. Efficiency of the service organization is how Original Parts and Service make the difference.

© 2015, Deccato. All rights reserved. All mentioned brands, product names, company names, trademarks and service marks are the properties of their respective owners. Our products are constantly being developed and improved. We thus reserve the right to modify product specifications without prior notice. Pictures are not contractually binding.

www.ceccato-compressors.com