



# Goodshoist

---

Efficient  
Convenient  
Safety

## Salient Features



### Fall Prevention System

Imported safety catch system prevents falling indicates in the event of wire rope failure.



### Electrical Interlocks

Operation ceased while door/s are not fully closed, to prevent occurrence of accidents.



### PLC (Programmable Logic Control)

PLC ensures the pressure delivery location / level & simplicity for trouble shooting.



### Control Panel With Digital Indicator

Installed digital indicator at each level displays position of the car cage.



### Factory & Machinery Department Testing

All FITTO™ Goodshoist are endorsed by the DOSH along with design approval & PMA.



### Light

Adequate lighting are provided.

## Salient Features



### Brake Release Mechanism

Enables manual lowering of load in the event of power failure.



### Mechanical Interlocks

Prevents opening of gate when lift is in operation / is not at the respective floors.



### Emergency Button

Stops the operation of goodshoist in the event of emergency & prevents unauthorized usage.



### Multiple Direction Landind Doors (Optional)

- Multiple options for landing door directions, including 90-degree Entrance / Exit directions.
- Single or multiple car openings as desired.
- Multiple choices of landing stops & openings.




### Stainless Steel Interior (Optional)

Hairline stainless steel interior as an anti-corrosion option.



### Automatic Landing Door (Optional)

Fully automatic landing door offers maximum convenience.








## **UMMA Engineering (M) Sdn Bhd**


 No. 68, Jalan Lagenda 3, Lagenda Industrial Park,  
Taman Lagenda Putra, 81000 Kulai, Johor, Malaysia.

### **KL Branch**

 No. 23, Jalan Permata 2/KS 9, Taman Perindustrian  
Air Hitam, 41200 Klang, Selangor.

 +607-660 0566

 +6012-723 9383

 +607-664 0516

 enquiry@umma.com.my

**[www.umma.com.my](http://www.umma.com.my)**