


W WELDY

energy
1600 3400

the powerful hot air tools for any application



simple. good. affordable.



energy 1600 / 3400

Professional hot air tools for

- Plastic fabrication
- Flooring
- Roofing
- Car repair
- Tarpaulins and billboards




Free adjustable temperature



Sturdy case for easy storage
(included with purchase)



Heating tube protection for more security

- Handy and reliable
- Economical and universal
- Up to 600°C
- Long lifetime
- Swiss technology and engineering
- 100 % quality, function and safety check
- Professional outdoor tool!
- 

Technical data energy 1600 / 3400

		energy 1600	energy 3400
Voltage	V~	230	230
Power consumption	W	1600	3400
Temperature	°C	20 – 600	20 – 550
Air flow (20 °C)	l/min	180	360
Max. pressure static	Pa	ca. 2600	ca. 3200
Weight with cord	kg	1.05	1.15

Kit contents

	energy 1600 roofing kit	energy 1600 plastic welding kit	energy 3400 kit	
Article no.: With EU-plug	130.468	130.467	127.639	
Accessories included with purchase:				
1 Wide slot nozzle 20 mm	•			130.631
2 Wide slot nozzle 40 mm	•			130.891
3 Pressure roller	•			119.334
4 Tubular nozzle 5 mm		•		130.632
5 Speed welding nozzle, triangle, 7 mm		•		127.833
6 Wide slot nozzle 70 mm			•	130.650
7 Reflector nozzle			•	119.344
Storage case	•	•	•	123.191



Wide slot nozzle 20 mm



Wide slot nozzle 40 mm



Pressure roller



Tubular nozzle 5 mm



Speed welding nozzle
7 mm, triangle shaped



Wide slot nozzle
70 mm



Reflector nozzle



Speed welding nozzle
5 mm

Additional accessories

8 Speed welding nozzle 5 mm	energy 1600	125.315
Heating element 230 V / 1550 W	energy 1600	130.595
Heating element 230 V / 3300 W	energy 3400	130.594
Speed welding nozzle 4 mm	energy 1600	146.740
Tacking nozzle 4 mm	energy 1600	147.248
Silicone pressure roller 40 mm		130.611



Applications



Plastic fabrication



Roofing



Flooring



Plastic fabrication



Car repair



Draw welding



Shrinking



Welding a patch on a tarp



Overlap welding

simple. good. affordable.

Further WELDY tools



Extrusion welder booster EX2 / EX3

The professional extrusion welder for plastic fabrication and civil engineering

- 3 and 4 mm Ø welding rod
- Output EX2 max. 2.2 kg/h
Output EX3 max. 3.4 kg/h



foiler / foiler ET / foiler ETL / tarper

- For tarps and banners
- Welding speed up to 7.5 m/min.
- Easy handling
- To be used in tarpaulin and billboard industry
- 20, 30 and 40 mm weld seam

Your Sales and Service partner



WELDY AG
Galileo-Strasse 10

CH-6056 Kaegiswil
Switzerland