

Hanna Instruments S.R.L.

HI93728-0 - Nitrate Reagent

Safety data sheet according to SOR/88-66	U.S.A. Federal Hazcom 2012 and Canadian Regulation			
SECTION 1. Identification of the	substance/mixture and of the company/undertaking.			
1.1. Product identifier.				
Code.	HI93728-0			
Product name.	Nitrate Reagent			
1.2. Relevant identified uses of the substance	e or mixture and uses advised against.			
Intended use.	Determination of Nitrate in Water Samples. Restricted to professional use.			
1.3. Details of the supplier of the safety data	sheet.			
Name.	Hanna Instruments S.R.L.			
Full address.	str. Hanna Nr 1			
District and Country.	457260 loc. Nusfalau (Salaj) Romania			
	Tel. (+40) 260607700			
	Fax. (+40) 260607700			
e-mail address of the competent person.				
responsible for the Safety Data Sheet.	sds@hannainst.com			
Product distribution by:	Hanna Intruments, Inc - 584 Park East, Woonsochet, Rhode Island, USA 02895 - Technical Service Contact Information: +1-800-426-6287			
1.4. Emergency telephone number.				
For urgent inquiries refer to.	USA Emergency Contact Information: +1-800-424-9300 - CHEMTREC 24 hours/365 days - International Emergency Contact Information: +1-703-527-3887 - CHEMTREC 24hours/365 days			

SECTION 2. Hazards identification.

2.1. Classification of the substance or mixture.

The product is classified as hazardous pursuant to the provisions set forth in OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200). The product thus requires a safety datasheet.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Classification and Hazard Statement. Carcinogenicity, category 1B Germ cell mutagenicity, category 2 Reproductive toxicity, category 2 Acute toxicity, category 3 Specific target organ toxicity - repeated exposure, category 1

Skin corrosion, category 1A Serious eye damage, category 1 Skin sensitization, category 1

Hazard pictograms:



Signal words:

Danger

Hazard statements: H350 H341 H361

May cause cancer. Suspected of causing genetic defects. Suspected of damaging fertility or the unborn child. May cause cancer. Suspected of causing genetic defects. Suspected of damaging fertility or the unborn child. Toxic if inhaled. Causes damage to organs through prolonged or repeated exposure. Causes severe skin burns and eye damage. Causes serious eye damage. May cause an allergic skin reaction.



Revision nr.1 Dated 9/23/2016 Printed on 10/24/2016 Page n. 2 / 13

SECTION 2. Hazards identification. ... />>

H331 H372 H314 H317	Toxic if inhaled. Causes damage to organs through prolonged or repeated exposure. Causes severe skin burns and eye damage. May cause an allergic skin reaction.
Precautionary stat	ements:
Prevention:	

P201	Obtain special instructions before use.
P260	Do not breathe dust, fume, gas, mist, vapours, spray.
P280	Wear protective gloves, protective clothing, eye protection and face protection.
Response:	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water / shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
	Continue rinsing.
P308+P311	IF exposed or concerned: Call a POISON CENTER or doctor.
P310	Immediately call a POISON CENTER or doctor.
P391	Collect spillage.
Storage:	
-	
Disposal:	

2.2. Other hazards.

Environmental classification as for Reg. (EU) 1272/2008 (CLP):

The product is classified as hazardous for environment pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP).

Classification and Hazard Statement.

Hazardous to the aquatic environment, acute toxicity, category 1 Hazardous to the aquatic environment, chronic toxicity, category 2 Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Hazard pictograms:



Signal words:

Warning

Hazard statements:	
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Precautionary	statements:
Prevention:	

Response:	
Storage:	
-	
Disposal:	

Additional hazards. Information not available.

SECTION 3. Composition/information on ingredients.

3.1. Substances.

Information not relevant.



Revision nr.1 Dated 9/23/2016 Printed on 10/24/2016 Page n. 3 / 13

SECTION 3. Composition/information on ingredients.

3.2. Mixtures.

Contains	5:		
Identifica	ation.	x = Conc. %.	Classification:
POTASS	IUM DISULFA	TE	
CAS. EC. INDEX.	7790-62-7 232-216-8	9≤x< 17	Acute toxicity, category 3 H331, Skin corrosion, category 1A H314
SULFAN	ILIC ACID		
CAS.	121-57-3	1≤x< 5	Eye irritation, category 2 H319, Skin irritation, category 2 H315, Skin sensitization, category 1 H317
EC. INDEX.	204-482-5 612-014-00-X	(
CADMIU	М		
CAS.	7440-43-9	2.5≤x< 5	Carcinogenicity, category 1B H350, Germ cell mutagenicity, category 2 H341, Reproductive toxicity, category 2 H361fd, Acute toxicity, category 2 H330, Specific target organ toxicity - repeated exposure, category 1 H372, Hazardous to the aquatic environment, acute toxicity, category 1 H400 M=100, Hazardous to the aquatic environment, chronic toxicity, category 1 H410 M=1
EC.	231-152-8		
INDEX.	048-002-00-0)	
2,5-DIHY	DROXYBENZ	OIC ACID	
CAS.	490-79-9	1≤x< 5	Acute toxicity, category 4 H302, Eye irritation, category 2 H319, Skin irritation, category 2 H315, Specific target organ toxicity - single exposure, category 3 H335
EC. INDEX.	207-718-5		
COPPER	R (II) SULFATE		
CAS.	7758-99-8	0.025 ≤ x < 0.25	Acute toxicity, category 4 H302, Eye irritation, category 2 H319, Skin irritation, category 2 H315, Hazardous to the aquatic environment, acute toxicity, category 1 H400 M=10, Hazardous to the aquatic environment, chronic toxicity, category 1 H410 M=10
EC. INDEX.	231-847-6 029-004-00-0)	

* There is a batch to batch variation.

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures.

4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed.

Specific information on symptoms and effects caused by the product are unknown. For symptoms and effects caused by the contained substances, see chap. 11.

POTASSIUM DISULFATE

Irritation and corrosion, Cough, Shortness of breath. Risk of blindness!.

SULFANILIC ACID

Irritant effects, Allergic reactions. The following applies to aromatic amines in general: systemic effect: methaemoglobinaemia with headache, cardiac dysrhythmia, drop in blood pressure, dyspnoea, and spasms, principal symptom: cyanosis (blue discolouration of the blood).

CADMIUM

Irritant effects, Cough, Shortness of breath, Diarrhoea, Nausea, Vomiting, Salivation, metallic taste.

COPPER (II) SULFATE

Irritant effects, conjunctivitis, gastric pain, Diarrhoea, Vomiting, collapse, death Risk of corneal clouding.



Revision nr 1 Dated 9/23/2016 Printed on 10/24/2016 Page n. 4 / 13

SECTION 4. First aid measures.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

SECTION 5. Firefighting measures.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products. The product is combustible and, when the powder is released into the air in sufficient concentrations and in the presence of a source of ignition, it can create explosive mixtures with air. Fires may start or get worse by leakage of the solid product from the container, when it reaches high temperatures or through contact with sources of ignition.

POTASSIUM DISULFATE

Not combustible. Ambient fire may liberate hazardous vapours. Fire may cause evolution of: Sulphur oxides. SULFANILIC ACID Combustible. Development of hazardous combustion gases or vapours possible in the event of fire. Fire may cause evolution of: Sulphur oxides, nitrogen oxides. COPPER (II) SULFATE

Not combustible. Ambient fire may liberate hazardous vapours. Fire may cause evolution of: Sulphur oxides.

5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

If there are no contraindications, spray powder with water to prevent the formation of dust.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Collect the leaked product and place it in containers for recovery or disposal. If the product is flammable, use explosion-proof equipment. If there are no contraindications, use jets of water to eliminate product residues.

Make sure the leakage site is well aired. Evaluate the compatibility of the container to be used, by checking section 10. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.



Revision nr.1 Dated 9/23/2016 Printed on 10/24/2016 Page n. 5 / 13

SECTION 7. Handling and storage. ... / >>

7.3. Specific end use(s).

Information not available.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Regulatory References:

USA USA OSHA-PEL Occupational Exposure Limits - Limits for Air Contaminants TABLE Z-1-1910.1000. CAL/OSHA-PEL California Division of Occupational Safety and Health (Cal-OSHA) Permissible Exposure Limits (PELs). TLV-ACGIH ACGIH 2016

Threshold Limit Value.

	aiue.							
Туре	Country	TWA/8h		STEL/15	STEL/15min			
		mg/m3	ppm	mg/m3	ppm			
TLV-ACGIH	-	0.01						
OSHA	USA	0.005						
CAL/OSHA	USA	0.005						

CADMIUM

COPPER (II) SULFATE

Threshold Limit Value.

	value.							
Туре	Country	TWA/8h		STEL/15	min			
		mg/m3	ppm	mg/m3	ppm			
TLV-ACGIH	-	1						

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

CADMIUM

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms ISO 11174 - Biological Values, ACGIH: 5 µg/g creatinine Cadmium in urine, ESP: 5 µg/g creatinina Cadmio en orina.

8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must comply with current regulations. HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (OSHA 29 CFR 1910.138).

Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (OSHA 29 CFR 1910.133).

RESPIRATORY PROTECTION

If the operator is exposed to a carcinogenic or mutagenic agent, wear a facemask with 99.97% filter efficiency (NIOSH 42 CFR 84, OSHA 29 CFR 1910.134).

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

During the risk assessment process, it is essential to take into consideration the ACGIH occupational exposure levels for inert particulate not otherwise classified (PNOC respirable fraction: 3 mg/m3; PNOC inhalable fraction: 10 mg/m3). For values above these limits, use a P type filter, whose class (1, 2 or 3) must be chosen according to the outcome of risk assessment.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.



Revision nr.1 Dated 9/23/2016 Printed on 10/24/2016 Page n. 6 / 13

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical p	roperties.
Appearance	solid powder
Colour	grey
Odour	odourless
Odour threshold.	Not available.
pH.	2.7 - 3.0 pH, 22 g/L
Melting point / freezing point.	Not available.
Initial boiling point.	Not applicable.
Boiling range.	Not available.
Flash point.	Not applicable.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Lower inflammability limit.	Not available.
Upper inflammability limit.	Not available.
Lower explosive limit.	Not available.
Upper explosive limit.	Not available.
Vapour pressure.	Not available.
Vapour density	Not available.
Relative density.	Not available.
Solubility	partially soluble in water
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature.	Not available.
Decomposition temperature.	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidising properties	Not available.
9.2. Other information.	
Total solids (250°C / 482°F)	100,00 %

SECTION 10. Stability and reactivity.

10.1. Reactivity.

CADMIUM

There are no particular risks of reaction with other substances in normal conditions of use.

SULFANILIC ACID

Decomposes without melting at temperatures > 288°C/550°F.

Forms explosive mixtures with air on intense heating.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

The powders are potentially explosive when mixed with air.

CADMIUM

Risk of ignition or formation of inflammable gases or vapours with: in powder form, with, Air in powder form, with Ammonia nitrile halides. Risk of explosion with: hexafluorobenzene, Hydrazoic acid, ammonium nitrate with heat Zinc, in powder form with Heat Acid, generation of hydrogen). Exothermic reaction with: Alkali metals, chlorates, Strong oxidizing agents, PHOSPHORUS TRICHLORIDE, selenium, in powder form, Tellurium, in powder form.

COPPER (II) SULFATE

Exothermic reaction with: Strong oxidizing agents, hydroxylamine, magnesium.

10.4. Conditions to avoid.

Avoid environmental dust build-up.

POTASSIUM DISULFATE Exposure to moisture.



US

SECTION 10. Stability and reactivity./>>

COPPER (II) SULFATE Strong heating (decomposition).

10.5. Incompatible materials.

SULFANILIC ACID

Strong acids and bases. Incompatible with alkyl oxides, aliphatic amines, alcanolamines, amides, ammonia, epichlorohydrin, organic anhydrides, isocyanates, vinyl acetates and oxidising agents.

10.6. Hazardous decomposition products.

SULFANILIC ACID Sulphur oxides, nitric oxides.

SECTION 11. Toxicological information.

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on toxicological effects.

POTASSIUM DISULFATE

Acute inhalation toxicity, absorption, Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract, Lung oedema, Symptoms may be delayed - Skin irritation (in analogy to similar products), Causes severe burns. - Eye irritation analogy to similar products), Causes serious eye damage. Risk of blindness! (in SULFANILIC ACID

Acute inhalation toxicity, Symptoms: Possible damages, Irritation symptoms in the respiratory tract. - Skin irritation, rabbit, Result: slight irritation, Causes skin irritation - Eye irritation, rabbit, Result: Eye irritation, Causes serious eye irritation - Sensitisation Sensitisation test: guinea pig, Result: positive, May cause an allergic skin reaction.

CADMIUM

Symptoms: mucosal irritations, Cough, Shortness of breath, Inhalation may lead to the formation of oedemas in the respiratory tract. Absorption - CMR effects, Carcinogenicity: May cause cancer - Mutagenicity: Suspected of causing genetic defects - Teratogenicity: Suspected of damaging the unborn child - Reproductive toxicity: Suspected of damaging fertility. COPPER (II) SULFATE

Skin irritation, Causes skin irritation - Eye irritation, Risk of corneal clouding. conjunctivitis. Causes serious eye irritation - Genotoxicity in vivo, Mutagenicity (mammal cell test): micronucleus, Result: negative (National Toxicology Program) - Genotoxicity in vitro Ames test, Salmonella typhimurium, Result: negative.

ACUTE TOXICITY.

LC50 (Inhalation - vapours) of the mixture: LC50 (Inhalation - mists / powders) of the mixture: LD50 (Oral) of the mixture: LD50 (Dermal) of the mixture:	Not classified (no significant component). 6,020 mg/l 16000,003 mg/kg Not classified (no significant component).
POTASSIUM DISULFATE LD50 (Oral). LC50 (Inhalation).	2140 mg/kg Rat 0.85 mg/l/4h Rat
2,5-DIHYDROXYBENZOIC ACID LD50 (Oral).	800 mg/kg
SULFANILIC ACID LD50 (Oral). LD50 (Dermal).	> 2000 mg/kg Rat > 2000 mg/kg Rat
CADMIUM LD50 (Oral). LC50 (Inhalation).	890 mg/kg 0.051 mg/l/1h
COPPER (II) SULFATE LD50 (Oral). LD50 (Dermal).	482 mg/kg Rat > 2000 mg/kg
Carcinogenicity Assessment: 7440-43-9 CADMIUM IARC:1	



Revision nr.1 Dated 9/23/2016 Printed on 10/24/2016 Page n. 8 / 13

SECTION 11. Toxicological information. .../>>

NTP: Known

SKIN CORROSION / IRRITATION. Corrosive for the skin.

SERIOUS EYE DAMAGE / IRRITATION. Causes serious eye damage.

RESPIRATORY OR SKIN SENSITISATION. Sensitising for the skin.

GERM CELL MUTAGENICITY. Suspected of causing genetic defects.

CARCINOGENICITY. May cause cancer.

REPRODUCTIVE TOXICITY. May damage fertility or the unborn child.

STOT - SINGLE EXPOSURE. Does not meet the classification criteria for this hazard class.

STOT - REPEATED EXPOSURE. Causes damage to organs.

ASPIRATION HAZARD. Does not meet the classification criteria for this hazard class.

SECTION 12. Ecological information.

This product is dangerous for the environment and highly toxic for aquatic organisms. This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it have negative effects on acquatic environment.

12.1. Toxicity.

CADMIUM Toxicity to bacteria, static test NOEC activated sludge: 0,2 mg/l, 3 h.

POTASSIUM DISULFATE LC50 - for Fish. EC50 - for Crustacea.

SULFANILIC ACID LC50 - for Fish. EC50 - for Crustacea. EC50 - for Algae / Aquatic Plants.

CADMIUM EC50 - for Crustacea. EC50 - for Algae / Aquatic Plants. LC10 for Fish. Chronic NOEC for Algae / Aquatic Plants.

COPPER (II) SULFATE LC50 - for Fish. EC50 - for Crustacea. EC50 - for Algae / Aquatic Plants. Chronic NOEC for Crustacea.

12.2. Persistence and degradability.

SULFANILIC ACID Solubility in water. Rapidly biodegradable. 680 mg/l/96h Pimephales promelas 720 mg/l/48h Daphnia magna

> 100 mg/l/96h Danio rerio
23 mg/l/48h Daphnia magna
32 mg/l/72h Desmodesmus subspicatus

0.038 mg/l/48h Daphnia magna 0.0023 mg/l/72h Selenastrum capricornutum 1.5 mg/l/96h Pimephales promelas 0.031 mg/l Scenedesmus quadricauda

0.11 mg/l/96h Oncorhynchus mykiss 0.02 mg/l/48h Daphnia magna 0.02 mg/l/72h 0.0088 mg/l Paracetrotus lividus

> 10000 mg/l



SECTION 12. Ecological information. .../>>

12.3. Bioaccumulative potential. 2,5-DIHYDROXYBENZOIC ACID Partition coefficient: n-octanol/water. 1.74 SULFANILIC ACID Partition coefficient: n-octanol/water. -2.298 12.4. Mobility in soil. Information not available. 12.5. Results of PBT and vPvB assessment. On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%. 12.6. Other adverse effects. COPPER (II) SULFATE Fungicide. Discharge into the environment must be avoided. **SECTION 13. Disposal considerations.** 13.1. Waste treatment methods. Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. Waste transportation may be subject to dangerous goods transport regulations. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations. **SECTION 14. Transport information.** 14.1. UN number. ADR / RID, IMDG, IATA: 2923 14.2. UN proper shipping name. ADR / RID: CORROSIVE SOLID, TOXIC, N.O.S. (POTASSIUM DISULFATE, CADMIUM,) MIXTURE CORROSIVE SOLID, TOXIC, N.O.S. (POTASSIUM DISULFATE, CADMIUM,) MIXTURE IMDG: IATA: CORROSIVE SOLID, TOXIC, N.O.S. (POTASSIUM DISULFATE, CADMIUM,) MIXTURE 14.3. Transport hazard class(es). ADR / RID: Class: 8 Label: 8 (6.1) IMDG: Class: 8 Label: 8 (6.1) IATA: Class: 8 Label: 8 (6.1) 14.4. Packing group. ADR / RID, IMDG, IATA: 14.5. Environmental hazards. ADR / RID: NO IMDG: NO IATA: NO



Revision nr.1 Dated 9/23/2016 Printed on 10/24/2016 Page n. 10 / 13

SECTION 14. Transport information. />>

14.6. Special precautions for user.

ADR / RID:

IMDG:

IATA:

HIN - Kemler: 86 Special Provision: -EMS: F-A, S-B Cargo: Pass.: Limited Quantities: 1 kg

A3, A803

Limited Quantities: 1 kg

Maximum quantity: 50 Kg

Maximum quantity: 15 Kg

Tunnel restriction code: (E)

Packaging instructions: 863 Packaging instructions: 859

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code.

Special Instructions:

Information not relevant.

SECTION 15. Regulatory information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

U.S. Federal Regulations.

Clean Air Act Section 112(b): 7440-43-9 CADMIUM

Clean Air Act Section 602 Class I Substances: No component(s) listed.

Clean Air Act Section 602 Class II Substances: No component(s) listed.

Clean Water Act – Priority Pollutants: 7440-43-9 CADMIUM

Clean Water Act – Toxic Pollutants: 7440-43-9 CADMIUM

DEA List I Chemicals (Precursor Chemicals): No component(s) listed.

DEA List II Chemicals (Essential Chemicals): No component(s) listed.

EPA List of Lists: 313 Category Code: 7440-43-9 CADMIUM

EPCRA 302 EHS TPQ: No component(s) listed.

EPCRA 304 EHS RQ: No component(s) listed.

CERCLA RQ: 7440-43-9 CADMIUM

EPCRA 313 TRI: 7440-43-9 CADMIUM

RCRA Code: No component(s) listed.

CAA 112 (r) RMP TQ: No component(s) listed.

State Regulations.

Massachussetts:



Revision nr.1 Dated 9/23/2016 Printed on 10/24/2016 Page n. 11 / 13

SECTION 15. Regulatory information. ... / >>

7440-43-9	CADMIUM
<u>Minnesota:</u> 7440-43-9	CADMIUM
<u>New Jersey:</u> 7440-43-9	CADMIUM
New York: 7440-43-9	CADMIUM
Pennsylvania: 7440-43-9	CADMIUM

California: 7440-43-9 CADMIUM

Proposition 65:

WARNING! This product contains chemicals known to the State of California to cause cancer and birth defects or reproductive harm. 7440-43-9 CADMIUM C/D/R

International Regulations.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012: CADMIUM - (CADMIUM AND ITS COMPOUNDS)

Substances subject to the Rotterdam Convention: None.

Substances subject to the Stockholm Convention: None.

Candadian WHMIS. Information not available.

SECTION 16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Carc. 1B Muta. 2 Repr. 2 Acute Tox. 2 Acute Tox. 3 Acute Tox. 4 STOT RE 1 Skin Corr. 1A Eye Dam. 1 Eye Irrit. 2 Skin Irrit. 2 Stor SE 3 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic H350 H341 H361 H361 H361fd H330 H331 H302 H372 H314 H318 H319 H315	May cause cancer. Suspected of causing genetic defects. Suspected of damaging fertility or the unborn child. Suspected of damaging fertility. Suspected of damaging the unborn child. Fatal if inhaled. Toxic if inhaled. Harmful if swallowed. Causes damage to organs through prolonged or repeated exposure. Causes severe skin burns and eye damage. Causes serious eye damage. Causes serious eye irritation.
	, 6
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.



Revision nr.1 Dated 9/23/2016 Printed on 10/24/2016 Page n. 12 / 13

SECTION 16. Other information. .../

LEGEND:

- 313 CATEGORY CODE: Emergency Planning and Community Right-to Know Act Section 313 Category Code
- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAA 112 ® RMP TQ: Risk Management Plan Threshold Quantity (Clean Air Act Section 112®)
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CERCLA RQ: Reportable Quantity (Comprehensive Environment Response, Compensation, and Liability Act)
- CLP: EC Regulation 1272/2008
- DEA: Drug Enforcement Administration
- EmS: Emergency Schedule
- EPA: US Environmental Protection Agency
- EPCRA: Emergency Planning and Community Right-to Know Act
- EPCRA 302 EHS TPQ: Extremely Hazardous Substance Threshold Planning Quantity (Section 302 Category Code)
- EPCRA 304 EHS RQ: Extremely Hazardous Substance Reportable Quantity (Section 304 Category Code)
- EPCRA 313 TRI: Toxics Release Inventory (Section 313 Category Code)
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PEL: Predicted exposure level
- RCRA Code: Resource Conservation and Recovery Act Code
- REL: Recommended exposure limit
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TSCA: Toxic Substances Control Act
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- WHMIS: Workplace Hazardous Materials Information System.

GENERAL BIBLIOGRAPHY:

- GHS rev. 3
- The Merck Index. 10th Edition
- Handling Chemical Safety
- Niosh Registry of Toxic Effects of Chemical Substances
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website

- 6 NYCRR part 597

- Cal/OSHA website
- California Safe Drinking Water and Toxic Enforcement Act
- EPA website
- Hazard Comunication Standard (HCS 2012)
- IARC website
- List Of Lists EPA: Consolidated List of Chemicals Subject to EPCRA, CERCLA and Section 112® of the Clean Air Act
- Massachussetts 105 CMR Department of public health 670.000: "Right to Know"
- Minensota Chapter 5206 Departemnt Of Labor and Industry Hazardous Substances, Employee "Right to Know".
- New Jersey Worker and Community Right to know Act N.J.S.A.
- NTP. 2011. Report on Carcinogens, 12th Edition.
- OSHA website
- Pennsylvania, Hazardous Substance List, Chapter 323

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.



Revision nr.1 Dated 9/23/2016 Printed on 10/24/2016 Page n. 13 / 13

SECTION 16. Other information. ... / >>

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

The following sections were modified: 01 / 02 / 03 / 04 / 05 / 08 / 09 / 10 / 11 / 12 / 13 / 14.

@EPY 9.2.8 - SDS 1003