

HI93730B-0 - Molybdenum Reagent B

Revision nr 1 Dated 10/10/2016 Printed on 11/16/2016 Page n. 1/10

Safety data sheet according to U.S.A. Federal Hazcom 2012 and Canadian Regulation SOR/88-66

SECTION 1. Identification of the substance/mixture and of the company/undertaking.

1.1. Product identifier.

HI93730B-0 Code

Product name. Molybdenum Reagent B

1.2. Relevant identified uses of the substance or mixture and uses advised against.

Determination of Molybdenum in Water Samples.

1.3. Details of the supplier of the safety data sheet.

Hanna Instruments S.R.L. Name.

Full address. str. Hanna Nr 1 District and Country. 457260 loc. Nusfalau (Salaj)

Romania

Tel. (+40) 260607700 (+40) 260607700 Fax.

e-mail address of the competent person.

responsible for the Safety Data Sheet. sds@hannainst.com

Product distribution by: Hanna Intruments, Inc - 584 Park East, Woonsochet, Rhode Island, USA 02895 -

Technical Service Contact Information: +1-800-426-6287

1.4. Emergency telephone number.

USA Emergency Contact Information: +1-800-424-9300 - CHEMTREC 24 For urgent inquiries refer to.

hours/365 days - International Emergency Contact Information: +1-703-527-3887 -

CHEMTREC 24hours/365 days

SECTION 2. Hazards identification.

2.1. Classification of the substance or mixture.

The product is classified as hazardous pursuant to the provisions set forth in OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200). The product thus requires a safety datasheet.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Classification and Hazard Statement.

Oxidising solid, category 3 Acute toxicity, category 4 Eye irritation, category 2 Skin irritation, category 2

Specific target organ toxicity - single exposure, category 3

Respiratory sensitization, category 1

Skin sensitization, category 1

May intensify fire; oxidiser. Harmful if swallowed.

Causes serious eye irritation.

Causes skin irritation.

May cause respiratory irritation.

May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

May cause an allergic skin reaction.

Hazard pictograms:







Signal words:

Danger

Hazard statements:

May intensify fire; oxidiser. H272 H302 Harmful if swallowed. H319 Causes serious eye irritation. H315 Causes skin irritation.



HI93730B-0 - Molybdenum Reagent B

Revision nr.1 Dated 10/10/2016 Printed on 11/16/2016 Page n. 2 / 10

SECTION 2. Hazards identification. .../>>

H335 May cause respiratory irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

Precautionary statements:

Prevention:

P210 Keep away from heat.

P220 Keep and store away from clothing and combustible materials.
P261 Avoid breathing dust, fume, gas, mist, vapours, spray.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

Response:

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P312 Call a POISON CENTER or doctor, if you feel unwell.
P333+P313 If skin irritation or rash occurs: Get medical advice / attention.
P337+P313 If eye irritation persists: Get medical advice / attention.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor.

P370+P378 In case of fire: use powder to extinguish.

Storage:

P404 Store in a closed container.

Disposal:

-

2.2. Other hazards.

Information not available.

SECTION 3. Composition/information on ingredients.

3.1. Substances.

Information not relevant.

3.2. Mixtures.

Contains:

Identification. x = Conc. %. Classification:

POTASSIUM PERSULFATE

CAS. 7727-21-1 50 ≤ x < 100 Oxidising solid, category 3 H272, Acute toxicity, category 4 H302, Eye irritation,

category 2 H319, Skin irritation, category 2 H315,

Specific target organ toxicity - single exposure, category 3 H335, Respiratory sensitization,

category 1 H334, Skin sensitization, category 1 H317

EC. 231-781-8 INDEX. 016-061-00-1

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures.

4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed.

Specific information on symptoms and effects caused by the product are unknown.

For symptoms and effects caused by the contained substances, see chap. 11.

^{*} There is a batch to batch variation.



HI93730B-0 - Molybdenum Reagent B

Revision nr.1 Dated 10/10/2016 Printed on 11/16/2016 Page n. 3 / 10

SECTION 4. First aid measures. .../>

POTASSIUM PERSULFATE

Irritant effects, Allergic reactions, Cough, Shortness of breath.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

SECTION 5. Firefighting measures.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide and chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water.

Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

If large quantities of the product are involved in a fire, they can make it considerably worse. Do not breathe combustion products.

5.3. Advice for firefighters.

GENERAL INFORMATION

In the case of fire, use jets of water to cool the containers to prevent the risk of explosions (product decomposition and excess pressure) and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Remove all containers containing the product from the fire, if it is safe to do so.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

If there are no contraindications, spray powder with water to prevent the formation of dust.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Collect the leaked product and place it in containers for recovery or disposal. If the product is flammable, use explosion-proof equipment. If there are no contraindications, use jets of water to eliminate product residues.

Make sure the leakage site is well aired. Evaluate the compatibility of the container to be used, by checking section 10. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

Information not available.



HI93730B-0 - Molybdenum Reagent B

Revision nr.1 Dated 10/10/2016 Printed on 11/16/2016 Page n. 4 / 10

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Regulatory References:

TLV-ACGIH ACGIH 2016

POTASSIUM PERSULFATE								
Threshold Limit Value.								
Type	Country	TWA/8h		STEL/15i	STEL/15min			
		mg/m3	ppm	mg/m3	ppm			
TLV-ACGIH	-	0.1						

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must comply with current regulations.

HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (OSHA 29 CFR 1910.138).

Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (OSHA 29 CFR 1910.133).

RESPIRATORY PROTECTION

Use a NIOSH certified filtering facemask (NIOSH 42 CFR 84, OSHA 29 CFR 1910.134) or equivalent device, whose class and effective need, must be defined according to the outcome of risk assessment.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

Appearance solid powder Colour white Odour odourless Odour threshold. Not available 5.2 - 5.5 pH, 10 g/L pH. Melting point / freezing point. Not available. Initial boiling point. Not applicable. Not available. Boiling range. Flash point. Not applicable. Not available. Evaporation rate Flammability (solid, gas) Not available. Lower inflammability limit. Not available. Upper inflammability limit. Not available. Lower explosive limit. Not available. Upper explosive limit. Not available. Vapour pressure. Not available. Not available. Vapour density

Relative density. 2.400 Solubility soluble in water Partition coefficient: n-octanol/water Not available. Auto-ignition temperature. Not available. Not available Decomposition temperature. Viscosity Not available. Explosive properties Not available. Not available Oxidising properties



HI93730B-0 - Molybdenum Reagent B

Revision nr.1 Dated 10/10/2016 Printed on 11/16/2016 Page n. 5 / 10

SECTION 9. Physical and chemical properties.

9.2. Other information.

Total solids (250°C / 482°F)

100,00 %

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

The powders are potentially explosive when mixed with air.

POTASSIUM PERSULFATE

Risk of ignition or formation of inflammable gases or vapours with: Violent reactions possible with: Metals, Heavy metals, silver compounds, Reducing agents, combustible substances, bases, strong alkalis, hydrides, acids, Water.

10.4. Conditions to avoid.

Avoid environmental dust build-up.

10.5. Incompatible materials.

Information not available.

10.6. Hazardous decomposition products.

Information not available.

SECTION 11. Toxicological information.

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on toxicological effects.

POTASSIUM PERSULFATE

Acute oral toxicity, absorption, Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract - Acute inhalation toxicity, Symptoms: mucosal irritations, Cough, Shortness of breath, Lung oedema, Possible damages:, damage of respiratory tract - Skin irritation, Causes skin irritation - Eye irritation, Causes serious eye irritation - Sensitisation, Human experience, Result: positive, May cause allergy or asthma symptoms or breathing difficulties if inhaled, May cause an allergic skin reaction.- Specific target organ toxicity, single exposure, Target Organs: Respiratory system, May cause respiratory irritation.

ACUTE TOXICITY.

LC50 (Inhalation - vapours) of the mixture: Not classified (no significant component). LC50 (Inhalation - mists / powders) of the mixture: Not classified (no significant component).

LD50 (Oral) of the mixture: 1141,538 mg/kg

LD50 (Dermal) of the mixture: Not classified (no significant component).

POTASSIUM PERSULFATE

LD50 (Oral). 742 mg/kg Rat LD50 (Dermal). > 2000 mg/kg Rat LC50 (Inhalation). > 5.1 mg/l/4h Rat

SKIN CORROSION / IRRITATION.

Causes skin irritation.

SERIOUS EYE DAMAGE / IRRITATION.

Causes serious eye irritation.

RESPIRATORY OR SKIN SENSITISATION.

Sensitising for the skin.





HI93730B-0 - Molybdenum Reagent B

Revision nr.1 Dated 10/10/2016 Printed on 11/16/2016 Page n. 6 / 10

SECTION 11. Toxicological information. />>

GERM CELL MUTAGENICITY.

Does not meet the classification criteria for this hazard class.

CARCINOGENICITY.

Does not meet the classification criteria for this hazard class.

REPRODUCTIVE TOXICITY.

Does not meet the classification criteria for this hazard class.

STOT - SINGLE EXPOSURE.

May cause respiratory irritation.

STOT - REPEATED EXPOSURE.

Does not meet the classification criteria for this hazard class.

ASPIRATION HAZARD.

Does not meet the classification criteria for this hazard class.

SECTION 12. Ecological information.

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity.

POTASSIUM PERSULFATE

LC50 - for Fish.

76.3 mg/l/96h Oncorhynchus mykiss
EC50 - for Crustacea.

133 mg/l/48h Daphnia magna
Chronic NOEC for Fish.

100 mg/l Oncorhynchus mykiss
Chronic NOEC for Crustacea.

67.6 mg/l Daphnia magna

12.2. Persistence and degradability.

POTASSIUM PERSULFATE

Solubility in water. > 10000 mg/l

12.3. Bioaccumulative potential.

Information not available.

12.4. Mobility in soil.

Information not available.

12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects.

Information not available.

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to dangerous goods transport regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information.

14.1. UN number.

ADR / RID, IMDG, IATA: 1492



HI93730B-0 - Molybdenum Reagent B

Revision nr.1 Dated 10/10/2016 Printed on 11/16/2016 Page n. 7 / 10

SECTION 14. Transport information. .../>>

14.2. UN proper shipping name.

ADR / RID: POTASSIUM PERSULPHATE MIXTURE IMDG: POTASSIUM PERSULPHATE MIXTURE IATA: POTASSIUM PERSULPHATE MIXTURE

14.3. Transport hazard class(es).

ADR / RID: Class: 5.1 Label: 5.1

IMDG: Class: 5.1 Label: 5.1

IATA: Class: 5.1 Label: 5.1



14.4. Packing group.

ADR / RID, IMDG, IATA: II

14.5. Environmental hazards.

ADR / RID: NO IMDG: NO IATA: NO

14.6. Special precautions for user.

ADR / RID: HIN - Kemler: 50 Limited Quantities: 5 kg Tunnel restriction code: (E)

Special Provision: -

IMDG: EMS: F-A, S-Q Limited Quantities: 5 kg

IATA: Cargo: Maximum quantity: 100 Kg Packaging instructions: 563
Pass.: Maximum quantity: 25 Kg Packaging instructions: 559

Special Instructions:

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code.

Information not relevant.

SECTION 15. Regulatory information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

U.S. Federal Regulations.

TSCA:

All components are listed on TSCA Inventory.

Clean Air Act Section 112(b):

No component(s) listed.

Clean Air Act Section 602 Class I Substances:

No component(s) listed.

Clean Air Act Section 602 Class II Substances:

No component(s) listed.

Clean Water Act – Priority Pollutants:

No component(s) listed.

@EPY 9.2.8 - SDS 1003

US



Hanna Instruments S.R.L.

HI93730B-0 - Molybdenum Reagent B

Revision nr.1 Dated 10/10/2016 Printed on 11/16/2016 Page n. 8 / 10

SECTION 15. Regulatory information. .../

Clean Water Act – Toxic Pollutants:

No component(s) listed.

DEA List I Chemicals (Precursor Chemicals):

No component(s) listed.

DEA List II Chemicals (Essential Chemicals):

No component(s) listed.

EPA List of Lists:

313 Category Code:

No component(s) listed.

EPCRA 302 EHS TPQ:

No component(s) listed.

EPCRA 304 EHS RQ:

No component(s) listed.

CERCLA RQ:

No component(s) listed.

EPCRA 313 TRI:

No component(s) listed.

RCRA Code:

No component(s) listed.

CAA 112 (r) RMP TQ:

No component(s) listed.

State Regulations.

Massachussetts:

7727-21-1 POTASSIUM PERSULFATE

Minnesota:

No component(s) listed.

New Jersey:

7727-21-1 POTASSIUM PERSULFATE

New York:

No component(s) listed.

Pennsylvania:

7727-21-1 POTASSIUM PERSULFATE

California:

No component(s) listed.

Proposition 65:

This product does not contain any substances know to the State of California to cause cancer, reproductive harm or birth defects.

International Regulations.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None.

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None.

Candadian WHMIS.

Information not available.

US



Hanna Instruments S.R.L.

HI93730B-0 - Molybdenum Reagent B

Revision nr 1 Dated 10/10/2016 Printed on 11/16/2016 Page n. 9 / 10

SECTION 16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Ox. Sol. 3 Oxidising solid, category 3 Acute Tox. 4 Acute toxicity, category 4 Eye Irrit. 2 Eye irritation, category 2 Skin Irrit. 2 Skin irritation, category 2

STOT SE 3 Specific target organ toxicity - single exposure, category 3

Resp. Sens. 1 Respiratory sensitization, category 1 Skin Sens. 1 Skin sensitization, category 1 H272 May intensify fire; oxidiser. H302 Harmful if swallowed. H319 Causes serious eye irritation. H315 Causes skin irritation. May cause respiratory irritation. H335

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

LEGEND:

- 313 CATEGORY CODE: Emergency Planning and Community Right-to Know Act Section 313 Category Code
- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAA 112 ® RMP TQ: Risk Management Plan Threshold Quantity (Clean Air Act Section 112®)
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CERCLA RQ: Reportable Quantity (Comprehensive Environment Response, Compensation, and Liability Act)
- CLP: EC Regulation 1272/2008
- DEA: Drug Enforcement Administration
- EmS: Emergency Schedule
- EPA: US Environmental Protection Agency
- EPCRA: Emergency Planning and Community Right-to Know Act
- EPCRA 302 EHS TPQ: Extremely Hazardous Substance Threshold Planning Quantity (Section 302 Category Code)
- EPCRA 304 EHS RQ: Extremely Hazardous Substance Reportable Quantity (Section 304 Category Code)
- EPCRA 313 TRI: Toxics Release Inventory (Section 313 Category Code)
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PEL: Predicted exposure level
- RCRA Code: Resource Conservation and Recovery Act Code
- REL: Recommended exposure limit
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TSCA: Toxic Substances Control Act
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- WHMIS: Workplace Hazardous Materials Information System.

GENERAL BIBLIOGRAPHY:

- GHS rev 3
- The Merck Index. 10th Edition
- Handling Chemical Safety
- Niosh Registry of Toxic Effects of Chemical Substances
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- FCHA website

US



Hanna Instruments S.R.L.

HI93730B-0 - Molybdenum Reagent B

Revision nr.1 Dated 10/10/2016 Printed on 11/16/2016 Page n. 10 / 10

SECTION 16. Other information. .../>>

- 6 NYCRR part 597
- Cal/OSHA website
- California Safe Drinking Water and Toxic Enforcement Act
- EPA website
- Hazard Comunication Standard (HCS 2012)
- IARC website
- List Of Lists EPA: Consolidated List of Chemicals Subject to EPCRA, CERCLA and Section 112® of the Clean Air Act
- Massachussetts 105 CMR Department of public health 670.000: "Right to Know"
- Minensota Chapter 5206 Departemnt Of Labor and Industry Hazardous Substances, Employee "Right to Know".
- New Jersey Worker and Community Right to know Act N.J.S.A.
- NTP. 2011. Report on Carcinogens, 12th Edition.
- OSHA website
- Pennsylvania, Hazardous Substance List, Chapter 323

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

The following sections were modified:

14.