

KUALA LUMPUR (HQ)

No. 141-2, Jalan Radin Bagus,
Bandar Baru Sri Petaling,
57000 Kuala Lumpur.

PENANG BRANCH

7206, Mez Floor, Kompleks
Perniagaan Pangsapuri Seri
Cemerlang, Jalan Kampong Paya,
12200 Butterworth, Penang.

JOHOR BRANCH

No.25, Jalan Bestari 24/3, Taman
Bestari Indah, 81800 Ulu Tiram,
Johor.

T: +603 - 9054 6939 F: +603-90545 7939 M: +6012-499 2103 / +6013-399 2103 (Penang) / +6017-228 2103 (Johor)
E: sales@redmarkindustry.com

HANDHELD ELECTRIC TWISTING TOOL (30mm)



Suitable for multi-strand parallel operation, twisted wire within 30mm in length.
Hanging and handheld use does not occupy the position of the console.
Simple assembly line operation.

KUALA LUMPUR (HQ)

No. 141-2, Jalan Radin Bagus,
Bandar Baru Sri Petaling,
57000 Kuala Lumpur.

PENANG BRANCH

7206, Mez Floor, Kompleks
Perniagaan Pangsapuri Seri
Cemerlang, Jalan Kampong Paya,
12200 Butterworth, Penang.

JOHOR BRANCH

No.25, Jalan Bestari 24/3, Taman
Bestari Indah, 81800 Ulu Tiram,
Johor.

T: +603 - 9054 6939 F: +603-90545 7939 M: +6012-499 2103 / +6013-399 2103 (Penang) / +6017-228 2103 (Johor)
E: sales@redmarkindustry.com

Specifications

- Type

Other

Origin : Mainland China

- Grade

Industrial

Customized support :OEM

- Product name

Handheld electric Twisting Machine

Voltage: DC13-24V

- Inlet

OD 13MM

Twist range : Within 30mm length, multi strand cord less than 16mm square

Photo for reference



KUALA LUMPUR (HQ)

No. 141-2, Jalan Radin Bagus,
Bandar Baru Sri Petaling,
57000 Kuala Lumpur.

PENANG BRANCH

7206, Mez Floor, Kompleks
Perniagaan Pangsapuri Seri
Cemerlang, Jalan Kampong Paya,
12200 Butterworth, Penang.

JOHOR BRANCH

No.25, Jalan Bestari 24/3, Taman
Bestari Indah, 81800 Ulu Tiram,
Johor.

T: +603 - 9054 6939 F: +603-90545 7939 M: +6012-499 2103 / +6013-399 2103 (Penang) / +6017-228 2103 (Johor)
E: sales@redmarkindustry.com

Product Detail




- **Manual Switch**

Touch the button switch tighten the thread in half a second, it's so fast



- **Twisting Clamp**

You can put multiple copper core wires into the twisting clamp, touch the button switch to complete the twisting



- **Hanging hook**

Hanging and handheld use does not occupy the position of the console

KUALA LUMPUR (HQ)

No. 141-2, Jalan Radin Bagus,
Bandar Baru Sri Petaling,
57000 Kuala Lumpur.

PENANG BRANCH

7206, Mez Floor, Kompleks
Perniagaan Pangsapuri Seri
Cemerlang, Jalan Kampong Paya,
12200 Butterworth, Penang.

JOHOR BRANCH

No.25, Jalan Bestari 24/3, Taman
Bestari Indah, 81800 Ulu Tiram,
Johor.

T: +603 - 9054 6939 F: +603-90545 7939 M: +6012-499 2103 / +6013-399 2103 (Penang) / +6017-228 2103 (Johor)
E: sales@redmarkindustry.com



- **Adjustable voltage**

The voltage of the power adapter can be adjustable can be adjusted to a suitable value according to the wire specification, the smaller the wire diameter, and the larger the smaller diameter



- **Desktop Use**

It can be fixed on the desktop, with a foot switch for flexible operation



- **Transparent lid**

The twisting machine port has a transparent cover that can be removed, and the transparent cover is larger.



REDMARK INDUSTRY SDN. BHD. (935155-U)

KUALA LUMPUR (HQ)

No. 141-2, Jalan Radin Bagus,
Bandar Baru Sri Petaling,
57000 Kuala Lumpur.

PENANG BRANCH

7206, Mez Floor, Kompleks
Perniagaan Pangsapuri Seri
Cemerlang, Jalan Kampong Paya,
12200 Butterworth, Penang.

JOHOR BRANCH

No.25, Jalan Bestari 24/3, Taman
Bestari Indah, 81800 Ulu Tiram,
Johor.

T: +603 - 9054 6939 F: +603-90545 7939 M: +6012-499 2103 / +6013-399 2103 (Penang) / +6017-228 2103 (Johor)
E: sales@redmarkindustry.com

Sample Display

This machine support 1 strand, 2 strands, 3 strands, 4 strands, 5 strands and multiple strands of copper core cords to be twisted together

