

1-1, Sanbon-ro 86beon-gil, Gunpo-si, Gyeonggi-do, Korea Tel. +82-31-477-7113 / E-mail. Info@scandiamoss.com / www.scandiamoss.com





www.scandiamoss.com www.scandiamoss.com





Finding Mature Instinctively


The human desires to be closer to Nature. This shows that man subconsciously understands the importance of ecology and continuously thinks of ways to coexist without harming the natural healing cycle. As now we suffer from pollution and unsustainable practices due to industrial complexes and corporations, we instinctively want a pure and clean environment.

Living with Nature Together

The most modern architecture interiors are far from being eco-friendly life aesthetically and functionally even though people spend their time indoors.

Candia Moss = Natural


SCANDIA MOSS maintains itself through hygroscopic properties using the surrounding humidity level while other plants need maintenance indoors. SCANDIA MOSS performs functions like air purification, Deodorization and shares many features that outdoor plants commonly have.



CONTENTS

Page 01	St	Page 08	Page 12	Page 20	Page 22	Page 26	Page 28
01. TERARIA	02. SCANDIA MOSS	03, FUNCTIONS	04. SM PANEL	05. SM PAD	06. FRAMO	07. CABINETS	08. GALLERY

TERARIA




Ecological, Efficiency, Enhancive Mature does it Best

Base with the policy of LOHAS (Lifestyle Of Health And Sustainability),
Teraria does our best to take a responsibility on Healthy and Green Lifestyle for next generation
and is eager to reach out innovative technical development.



SCANDIA MOSS







YES

- Air Purification
- Humidity control
- Sound Insulation
- Sick House Syndrome Removal

NO

- Water
- Sunlight
- Nutritional supplements
- Management expense
- Buas



03 FUNCTIONS



Place : Beijing Design Center

Point : Sound Insulation for consulting room

◆ Insect Proof

Insects are unable to create a habitat within SCANDIA MOSS Cladonia Stellaris. It also does not go moldy nor decompose.

◆ Acoustic Insulation

The measured sound absorption coefficient is a maximum NRC 0.96a @500Mhz.

◆ Safe & Convenient

Due to low density, delivery and handling is safe and convenient. Installation can be performed without mechanical assistance.

◆ Thermal Insulation

SCANDIA MOSS Cladonia Stellaris has low thermal conductivity, excelling in saving energy.

Also condensation caused by temperature differences will not occur on SCANDIA MOSS.

◆ Fire Safe

Cladonia Stellaris is ignition-proof and excels in fire safety. (NS-EN ISO 11925-2 tested)

• Easy to Install

SCANDIA MOSS Aluminum panel is easy to install. It can be installed via conventional methods and also allows ideas and creativity.

◆ Infinite Life

Treated using natural minerals to achieve a dormant state, SCANDIA MOSS Cladonia Stellaris does not grow nor change in aesthetics or functionality.

Teraria / 08 Teraria / 09

Air Purification Test



Smoking Booth


	Ammonia ppm		Acetaldehyde ppm		Acetic Acid ppm	
Time Elapsed	Test Chamber Empty	Test Chamber Scandia Moss	Test Chamber Empty	Test Chamber Scandia Moss	Test Chamber Empty	Test Chamber Scandia Moss
	32	30	12	11	12	9
5 Minutes	29	4	12	3	10	3
10 Minutes	28	1	12	2	9	3
30 Minutes	25	< 1	12	1	9	2.5
Reduction rate	96.70%		90.9%		72.2%	
of particles (ppm) after30minutes		n =			- = 88%	
2.7.5.7.2.5.1.11.10.00	4					

- n: Mean reduction rate (%)
- n1 : Ammonia reduction rate (%)
- n2 : Acetaldehyde reduction rate (%)
- n3 : Acetic Acid reduction rate (%)
- *For the purpose of obtaining data, Ammonia removal rate of 96.7% was used.

As indicated by the data chart, over 60% of Ammonia, Acetaldehyde & Acetic Acid from tobacco smoke were removed 5 minutes into the test. According to the Japan Electrical Manufactures Association standard, the air cleaner qualifies as having a deodorizing performance if over 50% of odors are removed within 30 minutes of test started. The evaluation of this test result based on air cleaner performance concludes that the deodorizing performance results of Scandia Moss shows over 88% removal rate within 30 minutes.

(TEST by : JEM_Japan Electrical Manufacturers Association)

Noise Testing





Music Studio

NRC 0.96a @5000Mhz. Scandia Moss performs well in lowering decibel levels of an interior environment. Scandia Moss excels in toning down unwanted high frequency sounds and calms the Atmosphere for a Relaxing experience. How about imagining to listen to the music in your living room that is made with Scandia Moss? For sound transmission reduction, Scandia Moss SM Panels achieved an absorption coefficient of .91 α NRC at 5000 Mhz. (TEST by: Korea Architectural Test Laboratory)

FUNCTIONS

Place: BBQ restaurant

Point: Fire Safety & Air Purification





Fire Safety

When tested to NS-EN ISO 11925-2:2010, Scandia Moss SM Panel achieved the following fire performance results.

Ignition [Yes/No]	No
Flames reach 150 mm-mark [Yes/No] [seconds]	No /
Length of damaged area [mm]	53.3
Ignition of filter paper [Yes/No]	No

Scandia Moss has been tested for Fire Safety according to the European safety standard. In combination with Ignition proof Scandia Moss & Aluminum, the SM Panel meets the highest standard in Fire Safety.

(TEST by: NS-EN ISO 11925-2:2010)
















Teraria / 11 Teraria / 10

SM PANEL



SM PANEL





SM PANEL

DIMENSIONS: 300 X 300 X 40 mm

WEIGHT: 0.7 KG / PIECE (Weight Varies from 550g to 700g based on humidity level)

BASE : Aluminiur



Place : CJ Blossom Park Point : Cork Base & No Bugs WITH FLEXIBLE SM PANEL

SM PANEL




SM PANEL CORK

DIMENSIONS: 300 X 300 X 40 mm

WEIGHT: 0.7 KG / PIECE (Weight Varies from 550g to 700g based on humidity level)

Create Your Various Designs with Greative Idea!



Place: Living Room Point : Various Design with moss cork base

SM PANEL






&M Customized Panel

- 1. Custom designs are ordered via CAD file.
- 2. The entire design is cut into small sections which are then numbered on the back of panel to complete the whole picture, utilizing the sketch as a background.
- 3. Each panel packaging also numbered assigned.
- 4. Each panel is assembled by an artisan.



Place : Beauty Salon Point : Customized Panel & No Maintenance



SM PAD





&M Pad

SM Pad gives you the feeling as like the disordered and adventurous place of Amazon Jungle. Installer may use it at flat wall and curved wall with the mixed up green color.

- Sound Absorbers
- Environmentally FriendlyAir PurifyingHypoallergenic

- Natural Humidity Indicator
- Fire-Resistant
- Maintenance-Free
- Reasonable Installation cost








SM PAD



- Mixed up green colors Scattered moss pattern
- Height: 20mm

Size



SM PANEL



- 22 colors
- Well-organized moss pattern
- Height: 50mm

DIMENSIONS : 2 types WEIGHT: 0.2 KG / PIECE

(Weight Varies from 200g to 400g based on humidity level)

Teraria / 21

FRAMO



Artistically Expressed Design

There are total 88 color combinations of Framo products which are made up of 22 Scandia Moss colors with 4 different colors of frames.

Thanks to Framo's various colors, it can easily blend into any interior design.



FRAMO












Frame Color



Frame Dimension



Frame Size



Installation for veryone



Silicon (Simple & Long)

This method, its very simple.

Silicon will stick to wherever you installed for long as you want. You can combine both side tape together for fast and rough surface.



3M Double Side Tape (Quick & Rough surface)

If you need to install in rough surface like concrete, rock, etc... We recommend 3M Double Side Tape, its good enough to stay put, and quick to install with Silicon.



Drill & Screw (Best & Durable)


We recommend this method, everyone has drill and screw in their home. Simply screw it. It stays like that long as you wanted.




CABINETS


Installation for Experts

SM Panel Details of Installation







Floor Plans Details of Installation



A. Enterprise Image Improvement




B. Design



GALLERY


C. Interior Finishing Material with Various Multifunctions.



GALLERY



D. D.I.Y



E. FRAMO

